

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Pratt		1/4 SW 1/4 ne 1/4	32	T 29 S	R 12
Distance and direction from nearest town or city street address of well if located within city?					
1 3/4 east 3/4 south of 1st Ave					
2 WATER WELL OWNER:					
RR#, St. Address, Box # :		Allen Drilling		Board of Agriculture, Division of Water Resources	
City, State, ZIP Code :		Box 1389 Great Bend, Ks.		Application Number: T88-164	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 160 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 60 ft. below land surface measured on mo/day/yr 3-25-88			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield 120 gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 10 in. to 160 ft. and in. to			
		WELL WATER TO BE USED AS:			
		1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well			
		2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		7 Lawn and garden only 10 Observation well			
		Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes hth No			
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile		CASING JOINTS: Glued X Clamped	
2 PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below)		Welded	
		7 Fiberglass		Threaded	
Blank casing diameter 5 in. to 120 ft. Dia in. to ft. Dia in. to ft.					
Casing height above land surface 18 in., weight lbs./ft. Wall thickness or gauge No. 258					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel		5 Fiberglass 8 RMP (SR)		10 Asbestos-cement	
2 Brass 4 Galvanized steel		6 Concrete tile 9 ABS		11 Other (specify)	
				12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot		5 Gauzed wrapped 8 Saw cut		11 None (open hole)	
2 Louvered shutter 4 Key punched		6 Wire wrapped 9 Drilled holes			
		7 Torch cut 10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From 120 ft. to 160 ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From 20 ft. to 160 ft. From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 20 ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines		7 Pit privy 10 Livestock pens		14 Abandoned water well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon 11 Fuel storage		15 Oil well/Gas well	
3 Watertight sewer lines 6 Seepage pit		9 Feedyard 12 Fertilizer storage		16 Other (specify below)	
		13 Insecticide storage			
Direction from well? 120 ft. south west How many feet?					
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG					
0 2 Top soil					
2 5 clay					
5 11 Sand					
11 20 Clay					
20 58 Sand and gravel					
58 61 Clay					
61 160 Sand and gravel					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-25-88 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/yr) 3-30-88 under the business name of Rosencrantz-Bemis by (signature) Freda Rodon					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Office of Oil Field and Environmental Geology, Regulation and Permitting Section, Topeka, Kansas 66620-7500, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.					