

3910 OBSERVATION WELL

WATER WELL RECORD

Form WWC-5

KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction	Section Number		Township Number		Range Number					
County: Pratt		1/4 NC 1/4 SE 1/4	7		T 29 S		R 13 EW					
Distance and direction from nearest town or city street address of well if located within city?												
Approximately 2 1/2 miles east and 1 1/2 miles north of Coats												
2 WATER WELL OWNER:		Rocky A. Fox										
RR#, St. Address, Box # :		20305 SW 60th St.										
City, State, ZIP Code :		Pratt, KS 67124										
		Board of Agriculture, Division of Water Resources										
		Application Number:										
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 236 ft. ELEVATION: unknown										
<div style="text-align: center;">N 1 Mile W E S</div> <table border="1" style="margin: auto; text-align: center;"><tr><td>NW</td><td>NE</td></tr><tr><td>SW</td><td>SE</td></tr></table>		NW	NE	SW	SE	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.						
		NW	NE									
		SW	SE									
		WELL'S STATIC WATER LEVEL 97.8 ft. below land surface measured on mo/day/yr 6-6-97										
		Pump test data: Well water was not ch'd. ft. after hours pumping gpm										
Est. Yield unknown gpm: Well water was ft. after hours pumping gpm												
		Bore Hole Diameter 7 in. to 235 ft., and in. to ft.										
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well										
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)										
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Observation Well										
		Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted										
		Water Well Disinfected? Yes No X										
5 TYPE OF BLANK CASING USED:		5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped										
1 Steel 3 RMP (SR)		6 Asbestos-Cement 9 Other (specify below) Welded										
2 PVC 4 ABS		7 Fiberglass Threaded										
Blank casing diameter 3 in. to 227 ft., Dia 3 in. to 234 ft., Dia in. to ft.												
Casing height above land surface 24 in., weight 1.96 lbs./ft. Wall thickness or gauge No. 300												
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement										
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)												
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)										
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes												
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)												
SCREEN-PERFORATED INTERVALS: From 227 ft. to 232 ft., From ft. to ft.												
From ft. to ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From 225 ft. to 235 ft., From ft. to ft.												
From ft. to ft., From ft. to ft.												
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Bentonite Holeplug												
Grout Intervals: From 0 ft. to 217 ft., From ft. to ft., From 217 ft. to 225 ft.												
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well										
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well												
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)												
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None known												
Direction from well?		How many feet?										
FROM	TO	LITHOLOGIC LOG	FROM	TO	Roughing Intervals							
0	3	Topsoil	212	233	Sand and gravel, medium, coarse, very clean, loose							
3	51	Clay, brown										
51	60	Sand and gravel, medium, coarse	233	235	Shale, red							
60	76	Sand and gravel, fine, medium, coarse										
76	85	Clay, brown										
85	98	Sand nad gravel, medium, coarse										
98	106	Clay, brown										
106	115	Sand and gravel, fine, medium										
115	135	Gravel, very coarse, pea gravel										
135	170	Sand and gravel, fine, medium, coarse										
170	175	Sand and gravel with little clay mixed										
175	212	Clay, brown										
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-6-97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/yr) 6-20-97 under the business name of Clarke Well & Equipment, Inc. by (signature) Paul W. Clarke												
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.												

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4