LI CONTION OF WITTER !!!	WATE	R WELL RECORD	Form WWC-5	KSA 82a-1	1616	
LOCATION OF WATER WE				Number	Township Number	Range Number
County: Pratt	NW 1/4	NW 1/4	NE 1/4	12	т 29 s	R 13 BW
Distance and direction from ne			Street address	s of well if lo	ocated within city?	
3 ml N, % m 2 WATER WELL OWNER:	i W of Sawyer					
RR#, St. Address, Box # :	KGS/GWMD#3				Doord of Assistation	District of Mark D
					Application Number:	Division of Water Resource
City, State, ZIP Code :	97 4 5	Name Male Diagram	0.7/0 :- 4-	0		i
DEPTH OF COMPLETED						
Well Water to be used as:	5 Public water s		8 Air condition	ang	11 Injection wel	
1 Domestic 3 Feedlot	6 Oil field water	* * * * * * * * * * * * * * * * * * * *	9 Dewatering		12 Other (Speci	•
2 Irrigation 4 Industrial	7 Lawn and gar	•	10 Observation			
Well's static water level			-			•
	: Well water was pm: Well water was	ft. after			nours pumping	gpn
7			9. Constate			
TYPE OF BLANK CASING		5 Wrought iron				ر Clamped
_	RMP (SR)	6 Asbestos-Cement	, .	• '		led
(- <i>j</i>	ABS	7 Fiberglass				aded
Blank casing dia	in. to 82	ft., Dia	In. to .		π., Dia	in. to
		in., weight		lbs./f		
TYPE OF SCREEN OR PERF			₹ VC		10 Asbestos-cem	
	Stainless steel	5 Fiberglass	8 RMP	(SR))
	Galvanized steel		9 ABS		12 None used (or	•
Screen or Perforation Opening			ed wrapped			11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire v			9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch			10 Other (specify)	
Screen-Perforation Dia	5in. to8./.	ft., Dia	in. to		ft., Dia	in to
Screen-Perforated Intervals:	From 82	دft. to	?./ ft.,	From	ft. to.	
	From	ft. to	ft.,	From	ft. to .	
Gravel Pack Intervals:	From	ft. to	3.7 ft.,	From	ft. to .	
	From	ft. to	ft.,	From	ft. to	
	1 leat cement			e 4 C	Other	
Grouted Intervals: From	ft. to	$10\ldots$ ft., From \ldots	ft. to	o	ft., From	ft. to
What is the nearest source of	possible contamination:			10 Fuel st	orage 14 A	bandoned water well
4 0	4 Cess pool	7 Sewage lago	oon	11 Fertilize	er storage 15 C	Dil well/Gas well
1 Septic tank				12 Incortic	cide storage 16 C	Other (specify below)
1 Septic tank2 Sewer lines	5 Seepage pit	8 Feed yard		12 11136011	10 Waterlight names lines	
•	5 Seepage pit6 Pit privy	8 Feed yard 9 Livestock pe	ns		aht sawar lines	
2 Sewer lines	6 Pit privy	9 Livestock pe		13 Waterti	ght sewer lines	
Sewer lines Lateral lines Direction from well Was a chemical/bacteriological	6 Pit privy How I sample submitted to Dep	9 Livestock per many feet		13 Waterti ? Water W	ght sewer lines Vell Disinfected? Yes	No If yes, date sample
Sewer lines Lateral lines Direction from well Was a chemical/bacteriological	6 Pit privy How I sample submitted to Dep	9 Livestock per many feet		13 Waterti ? Water W	ght sewer lines Vell Disinfected? Yes	No If yes, date sample
2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted	6 Pit privy How I sample submitted to Dep	9 Livestock per many feet	year: Pur	13 Waterti ? Water Wo No mp Installed	ght sewer lines Vell Disinfected? Yes ? Yes	No
2 Sewer lines 3 Lateral lines	6 Pit privy	9 Livestock per many feet	year: Pur	13 Waterti ? Water Water Work Mo	ght sewer lines Vell Disinfected? Yes ? Yes	No If yes, date sample Volts
2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted f Yes: Pump Manufacturer's n Depth of Pump Intake	6 Pit privy	9 Livestock per many feet	year: Pur	13 Waterti ? Water Water Work Mo	ght sewer lines Vell Disinfected? Yes ? Yes	No If yes, date sample Voltsgal./mir
2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted f Yes: Pump Manufacturer's n Depth of Pump Intake	6 Pit privy How I sample submitted to Dep month same Submersible	9 Livestock per many feet	year: Pur . Model No Pumps Capacit 3 Jet	13 Waterti ? Water	ght sewer lines Vell Disinfected? Yes ? Yes	No If yes, date sample Volts gal./mir
2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted f Yes: Pump Manufacturer's n Depth of Pump Intake Type of pump:	6 Pit privy How I sample submitted to Dep month aame Submersible 2 DOWNER'S CERTIFICAT	9 Livestock per many feet	year: Pur . Model No Pumps Capacit 3 Jet	13 Waterti ? Water V mp Installed y rated at 4 Centrif ed, (2) recor	ght sewer lines Vell Disinfected? Yes ? Yes HP ugal 5 Reciprocation nstructed, or (3) plugged un	No lf yes, date sample Volts gal./mir ng 6 Other nder my jurisdiction and wa
2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's n Depth of Pump Intake Type of pump: CONTRACTOR'S OR LANI completed on Se	6 Pit privy How I sample submitted to Depmonth	9 Livestock per many feet	year: Pur Model No. Pumps Capacit 3 Jet	13 Waterti ? Water W mp Installed y rated at 4 Centrifed, (2) record	ght sewer lines Vell Disinfected? Yes ? Yes HP fugal 5 Reciprocation nstructed, or (3) plugged ur 1982	No If yes, date sample Volts gal./mir
2 Sewer lines 3 Lateral lines Direction from well Vas a chemical/bacteriological vas submitted f Yes: Pump Manufacturer's n Depth of Pump Intake Type of pump: CONTRACTOR'S OR LANI completed on Se and this record is true to the bear	6 Pit privy How I sample submitted to Dermonth	9 Livestock per many feet	year: Pur Model No. Pumps Capacit 3 Jet	13 Waterti ? Water V mp Installed y rated at 4 Centrifed, (2) record day License No.	ght sewer lines Vell Disinfected? Yes ? Yes	No If yes, date sample Volts gal./min g 6 Other Ider my jurisdiction and wa
2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted f Yes: Pump Manufacturer's n Depth of Pump Intake Type of pump: CONTRACTOR'S OR LANG completed on and this record is true to the b This Water Well Record was of	6 Pit privy How I sample submitted to Dermonth	9 Livestock per many feet	year: Pur Model No. Pumps Capacit Jet Vas 1 onstructe	13 Waterti ? Water V mp Installed y rated at 4 Centrifed, (2) record day License No.	ght sewer lines Vell Disinfected? Yes ? Yes	No lf yes, date sample Volts gal./mir ng 6 Other nder my jurisdiction and wa
2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted f Yes: Pump Manufacturer's in Depth of Pump Intake Type of pump: CONTRACTOR'S OR LANG completed on formula for the both completed on for the both com	How How How I sample submitted to Der Month How	9 Livestock per many feet	year: Pur Model No. Pumps Capacit 3 Jet vas (1) constructe Vell Contractor's nonth. 27 by (signature)	13 Waterti ? Water V No mp Installed y rated at 4 Centrif ed, (2) record day License No.	ght sewer lines Vell Disinfected? Yes ? Yes	Volts gal./mir ng 6 Other nder my jurisdiction and wa
2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological vas submitted f Yes: Pump Manufacturer's n Depth of Pump Intake CONTRACTOR'S OR LANG completed on	How How How I sample submitted to Dep month How I same How	9 Livestock per many feet	year: Pur Model No. Pumps Capacit 3 Jet vas (1) constructe Vell Contractor's nonth. 27 by (signature)	y rated at 4 Centrif ed, (2) recor day License No.	ght sewer lines Vell Disinfected? Yes ? Yes	No If yes, date sample Volts gal./min g 6 Other Ider my jurisdiction and wa
2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological vas submitted f Yes: Pump Manufacturer's in Depth of Pump Intake Copyre of pump: CONTRACTOR'S OR LANGE completed on	How How How I sample submitted to Dep month How I same How	9 Livestock per many feet	year: Pur Model No. Pumps Capacit 3 Jet vas (1) constructe Vell Contractor's nonth. 27 by (signature)	y rated at 4 Centrif ed, (2) recor day License No.	ght sewer lines Vell Disinfected? Yes ? Yes	Volts gal./mir ng 6 Other nder my jurisdiction and wa
2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted f Yes: Pump Manufacturer's n Depth of Pump Intake CONTRACTOR'S OR LANG completed on Se and this record is true to the behavior of CONTRACTOR'S CONTRACTOR'S OR LANG completed on Se and this record is true to the behavior of CONTRACTOR'S OR LANG completed on Se and this record is true to the behavior of CONTRACTOR'S OR LANG completed on Se and this record is true to the behavior of CONTRACTOR'S OR LANG completed on Se and this record is true to the behavior of CONTRACTOR'S OR LANG completed on Se and this record is true to the behavior of CONTRACTOR'S OR LANG completed on Se and this record is true to the behavior of CONTRACTOR'S OR LANG completed on Se and this record is true to the behavior of CONTRACTOR'S OR LANG completed on Se and this record is true to the behavior of CONTRACTOR'S OR LANG completed on Se and this record is true to the behavior of CONTRACTOR'S OR LANG completed on Se and this record is true to the behavior of CONTRACTOR'S OR LANG completed on Se and this record is true to the behavior of CONTRACTOR'S OR LANG completed on Se and this record is true to the behavior of CONTRACTOR'S OR LANG completed on Se and this record is true to the behavior of CONTRACTOR'S OR LANG completed on Se and this record is true to the behavior of CONTRACTOR'S OR LANG completed on Se and this record is true to the behavior of CONTRACTOR'S OR LANG completed on Se and this record is true to the behavior of CONTRACTOR'S OR LANG completed on Se and this record is true to the behavior of CONTRACTOR'S OR LANG completed on Se and this record is true to the behavior of CONTRACTOR'S OR LANG completed on Se and this record is true to the behavior of	How How How I sample submitted to Dep month How I same How	9 Livestock per many feet	year: Pur Model No. Pumps Capacit 3 Jet vas (1) constructe Vell Contractor's nonth. 27 by (signature)	y rated at 4 Centrif ed, (2) recor day License No.	ght sewer lines Vell Disinfected? Yes ? Yes	Volts gal./mir ng 6 Other nder my jurisdiction and wa
2 Sewer lines 3 Lateral lines 3 Lateral lines Direction from well Vas a chemical/bacteriological vas submitted 1 Yes: Pump Manufacturer's n Depth of Pump Intake Type of pump: 1 CONTRACTOR'S OR LANI completed on	How How How I sample submitted to Dep month How I same How	9 Livestock per many feet	year: Pur Model No. Pumps Capacit 3 Jet vas (1) constructe Vell Contractor's nonth. 27 by (signature)	y rated at 4 Centrif ed, (2) recor day License No.	ght sewer lines Vell Disinfected? Yes ? Yes	Volts gal./mir ng 6 Other nder my jurisdiction and wa
2 Sewer lines 3 Lateral lines 3 Lateral lines Direction from well Vas a chemical/bacteriological vas submitted 1 Yes: Pump Manufacturer's n Depth of Pump Intake Type of pump: 1 CONTRACTOR'S OR LANI completed on	How How How I sample submitted to Dep month How I same How	9 Livestock per many feet	year: Pur Model No. Pumps Capacit 3 Jet vas (1) constructe Vell Contractor's nonth. 27 by (signature)	y rated at 4 Centrif ed, (2) recor day License No.	ght sewer lines Vell Disinfected? Yes ? Yes	Volts gal./mir ng 6 Other nder my jurisdiction and wa
2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological vas submitted f Yes: Pump Manufacturer's not pepth of Pump Intake CONTRACTOR'S OR LANGE CONTR	How How How I sample submitted to Dep month How I same How	9 Livestock per many feet	year: Pur Model No. Pumps Capacit 3 Jet vas (1) constructe Vell Contractor's nonth. 27 by (signature)	y rated at 4 Centrif ed, (2) recor day License No.	ght sewer lines Vell Disinfected? Yes ? Yes	Volts gal./mir ng 6 Other nder my jurisdiction and wa
2 Sewer lines 3 Lateral lines Direction from well. Vas a chemical/bacteriological vas submitted 1 Yes: Pump Manufacturer's not pepth of Pump Intake Type of pump: 1 CONTRACTOR'S OR LAND completed on the second is true to the second this water Well Record was contained to the second was contained to the second was contained to the second	How How How I sample submitted to Dep month How I same How	9 Livestock per many feet	year: Pur Model No. Pumps Capacit 3 Jet vas (1) constructe Vell Contractor's nonth. 27 by (signature)	y rated at 4 Centrif ed, (2) recor day License No.	ght sewer lines Vell Disinfected? Yes ? Yes	Volts gal./mir ng 6 Other nder my jurisdiction and wa
2 Sewer lines 3 Lateral lines Direction from well. Vas a chemical/bacteriological vas submitted 1 Yes: Pump Manufacturer's not pepth of Pump Intake CONTRACTOR'S OR LANGO AND CONTRACTOR AND CONTRACT	How How How I sample submitted to Dep month How I same How	9 Livestock per many feet	year: Pur Model No. Pumps Capacit 3 Jet vas (1) constructe Vell Contractor's nonth. 2 7 by (signature)	y rated at 4 Centrif ed, (2) recor day License No.	ght sewer lines Vell Disinfected? Yes ? Yes	Volts gal./mir ng 6 Other nder my jurisdiction and wa
2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted f Yes: Pump Manufacturer's in Depth of Pump Intake CONTRACTOR'S OR LANGE CONTR	How How How I sample submitted to Dep month How I same How	9 Livestock per many feet	year: Pur Model No. Pumps Capacit 3 Jet vas (1) constructe Vell Contractor's nonth. 2 7 by (signature)	y rated at 4 Centrif ed, (2) recor day License No.	ght sewer lines Vell Disinfected? Yes ? YesHP fugal 5 Reciprocating instructed, or (3) plugged ur 1982 TO I	Volts gal./mir ng 6 Other nder my jurisdiction and wa
2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted f Yes: Pump Manufacturer's in Depth of Pump Intake CONTRACTOR'S OR LANI completed on	How How How I sample submitted to Dep month How I same How	9 Livestock per many feet	year: Pur Model No. Pumps Capacit 3 Jet vas (1) constructe Vell Contractor's nonth. 2 7 by (signature)	13 Waterti ? Water V	ght sewer lines Vell Disinfected? Yes ? YesHP fugal 5 Reciprocating instructed, or (3) plugged ur 1982 TO I	Volts gal./mir ng 6 Other nder my jurisdiction and wa
2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's in Depth of Pump Intake CONTRACTOR'S OR LANI CONTRACTOR'S OR LANI COMPLETE OR CONTRACTOR'S OR LANI COMPLETE OR CONTRACTOR'S OR LANI COMPLETE OR CONTRACTOR'S OR LANI CONTRACTOR'S	How How How I sample submitted to Dep month How I same How	9 Livestock per many feet	year: Pur Model No. Pumps Capacit 3 Jet vas (1) constructe Vell Contractor's nonth. 2 7 by (signature)	13 Waterti ? Water V	ght sewer lines Vell Disinfected? Yes ? YesHP fugal 5 Reciprocating instructed, or (3) plugged ur 1982 TO I	Volts gal./mir ng 6 Other nder my jurisdiction and wa
2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological vas submitted If Yes: Pump Manufacturer's in Depth of Pump Intake CONTRACTOR'S OR LANGE CONTR	How I sample submitted to Dermonthmame	9 Livestock per many feet	year: Pur Model No. Pumps Capacit 3 Jet Vell Contractor's nonth. 27 by (signature) GIC LOG Site #47(1)	13 Waterti ? Water V	ght sewer lines Vell Disinfected? Yes ? YesHP fugal 5 Reciprocating instructed, or (3) plugged ur 1982 TO I	Volts gal./mir ng 6 Other nder my jurisdiction and wa
2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's in Depth of Pump Intake CONTRACTOR'S OR LANI CONTRACTOR'S OR LANI COMPLETE OR LANI COMP	How I sample submitted to Dermonth	9 Livestock per many feet	year: Pur Model No. Pumps Capacit 3 Jet Vell Contractor's nonth. 27 by (signature) GIC LOG Site #47(1)	13 Waterti ? Water V	ght sewer lines Vell Disinfected? Yes ? YesHP fugal 5 Reciprocation instructed, or (3) plugged un instructed. TO Use a second sh	Volts Volts gal./mir ng 6 Other nder my jurisdiction and wa year year under the busines

BIG BEND GMD#5-KGS WATER QUALITY OBSERVATION WELL NETWORK

SITE NUMBER : 47

LEGAL LOCATION: 12-29-13W

SITE LOCATION: NW NE NE

COUNTY : PRATT

WELL LOG

FROM	TO	LITHOLOGIC LOG OWNER: FINCHAM
_	,	
0	11	
$1^{\frac{1}{2}}$	6	
6	10	
10	12	clay, yellow and gray
12	17	sand and gravel
<u>17</u>	19	sand (1.0-2.0 mm) clay lense at 15'
19	30	clay, gray with sand; some tan and yellow gray
		clay, caliche
30 32		sand and gravel (1.0-3.0 mm); some clay lenses
		which required reaming
32	40	clay, tan, with fine sand and caliche
40	44	sand (0.5-1.0 mm), some tan clay; 6" of gravel
		at 44'
44_	52	clay, tan, caliche, lenses of sand and gravel
52	55	sand, trace of yellow clay
55	62	sand (0.5-2.0 mm), yellow clay lenses
62	67	sand (0.5-1.5 mm), tan clay lenses, some cobble
		or pebbles
67	75	sand (1.0 mm) with tan clay matrix, caliche
75	80	tan, wite and light grey clay matrix with some
		gravel (1.0-3.0 mm)
80	104	sand and gravel (0.5-15.0 mm) some claytan
		orange and gray color
104 107	107	clay, yellow, withe tan; some fine sand and
		caliche
107	157	sand and gravel (0.25-3.0 mm); lenses of clay
		tan, white and grey; some caliche; zones of
		cobbles inferred at 109',119',131-139' 143-15
157	165	
165	170	
170		177 weathered red bed
171	199	red beds, siltstone with very fine sand - October
		1
	<u>i</u>	
		$\begin{pmatrix} 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 $

177

TD=199' TD=165'

TD=87'

180'/5' 158'/5'

82'/5'

SITE NUMBER : 47

SITE LOCATION: NW NW NE
LEGAL LOCATION: 12-29-13W
COUNTY: PRATT

LANDOWNER: DON FINCHAM

ADDRESS :

PHONE NO.: (316)-672-3676

