


1 LOCATION OF WATER WELL		Fraction		Section Number		Township Number		Range Number	
County: Pratt		NW 1/4 NW 1/4 NE 1/4		12		T 29 S		R 13 EW	
Distance and direction from nearest town or city? 3 mi N, 1/2 mi W of Sawyer				Street address of well if located within city?					
2 WATER WELL OWNER: KGS/GWMD#5									
RR#, St. Address, Box # : City, State, ZIP Code :									
Board of Agriculture, Division of Water Resources Application Number:									
3 DEPTH OF COMPLETED WELL: 165 ft. Bore Hole Diameter: 9-7/8 in. to 165 ft. and 165 in. to 165 ft.									
Well Water to be used as: 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 7 Lawn and garden only 10 Observation well									
Well's static water level 71.7 ft. below land surface measured on January month 27 day 1983 year									
Pump Test Data Est. Yield gpm: Well water was 16 ft. after 10 hours pumping 165 gpm Well water was 16 ft. after 10 hours pumping 165 gpm									
4 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued <input checked="" type="checkbox"/> Clamped <input type="checkbox"/> 2 PVC 4 ABS 7 Fiberglass 9 Other (specify below) Welded <input type="checkbox"/> Threaded <input type="checkbox"/>									
Blank casing dia 5 in. to 158 ft. Dia 16 in. to 165 ft. Dia 16 in. to 165 ft. Dia 16 in. to 165 ft.									
Casing height above land surface 16 in. weight 16 lbs./ft. Wall thickness or gauge No SDR 21									
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 7 PVC 12 None used (open hole)									
Screen or Perforation Openings Are: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 10 Other (specify)									
Screen-Perforation Dia 5 in. to 165 ft. Dia 16 in. to 165 ft. Dia 16 in. to 165 ft. Dia 16 in. to 165 ft.									
Screen-Perforated Intervals: From 158 ft. to 165 ft. From 158 ft. to 165 ft. From 158 ft. to 165 ft. From 158 ft. to 165 ft.									
Gravel Pack Intervals: From 144 ft. to 165 ft. From 144 ft. to 165 ft. From 144 ft. to 165 ft. From 144 ft. to 165 ft.									
5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grouted Intervals: From 44 ft. to 144 ft. From 0 ft. to 10 ft. From 0 ft. to 10 ft. From 0 ft. to 10 ft.									
What is the nearest source of possible contamination: 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below) 13 Watertight sewer lines									
Direction of well 16 How many feet 16 ? Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>									
Was a chemical/bacteriological sample submitted to Department? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, date sample was submitted 16 month 16 day 16 year Pump Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>									
If Yes: Pump Manufacturer's name 16 Model No. 16 HP 16 Volts 16									
Depth of Pump Intake 16 ft. Pumps Capacity rated at 16 gal./min.									
Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other									
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 16 constructed, 16 reconstructed, or 16 plugged under my jurisdiction and was completed on Sept 28 month 28 day 1982 year									
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 16									
This Water Well Record was completed on March 27 month 27 day 1983 year under the business name of 16 by (signature) 16									
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:									
									
ELEVATION:									
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG									
See log from Site #47(1)									
Depth(s) Groundwater Encountered 1. 16 ft. 2. 16 ft. 3. 16 ft. 4. 16 ft. (Use a second sheet if needed)									
INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.									

SITE NUMBER : 47
SITE LOCATION: NW NE NE

LEGAL LOCATION: 12-29-13W
COUNTY : PRATT


[illegible]

TD=87'

82' / 5'

SITE NUMBER : 47
SITE LOCATION : NW NW NE
LEGAL LOCATION: 12-29-13W
COUNTY : PRATT

LANDOWNER: DON FINCHAM
ADDRESS :
PHONE NO.: (316)-672-3676



WELL LOCATION X