USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction HSE1/4 SE1/4 NW/4		Section number  33		Township number	Range number	
1. Location of well:	PRATT					1 29 s	R 13	E/W
2. Distance and direction from gearest town or city SAW yel.  3. Owner of well:  3. West 194 South West 10e  R.R. or street:					1: B.	N DRIG		
3 west 194 South Westside				street:	1012	WALNUT	,	
City, state, zip code:						PEAT BEND, M	£ 67531	0
4. Locate with "X" in section below: Sketch map:					6. Bore hole dia 2 in	Completion date		
- N						Well depth 20 ft. 3-2-24		
						7 Cable tool K Rotary Driven Dug		
						Hollow rod Jetted Bored Reverse rotary		
						8. Use: Domestic Public supply Industry Irrigation Air conditioning Stock		
						Lawn Voil field water Other		
SW  SE						9. Casing: Material Height: Above or below		
<u>                                     </u>						Threaded Welded Surface in.  RMP PVC Weight 278 - 3 _lbs./ft.		
						RMP PVC Weight 2/8-3 lbs./ft.		
1 Mile I Mile				From	То	Dia. Sin. to 46 ft. depth Wall Thickness: inches or Dia. in. to ft. depth gage No.		
5. Type and color of material				Figni		10 Screen; Manufacturer's n		
Sand. 11.				_	20	Veceless		
SANDY CL			Ay .	0	1	Type Dia. 5 Slot/gauze 18 Length 20		
CLAY				20	40	Set between 90 ft. and 70 ft.		
5 mm d 1/2				1/2	20	ft. andft.  Gravel pack? 405 Size range of material /1- /8		
ZANU y (* KA)			<del>'Y</del>	70		· · · · · · · · · · · · · · · · · · ·		<del>/</del>
		FRAVES		70	92	11. Static water level:  36ft. below land sur		/day/yr. <b>29</b>
						12. Pumping level below land		,
						ft. after h	rs. pumping	g.p.m.
				<del> </del>	$\vdash$	ft. after hrs. pumping g.p.m.  Estimated maximum yield g.p.m.		
						13. Water sample submitted:		/day/yr.
						Yes No Date		
				14. Well head completion:  Pitless adapter Inches above grade			rade	
				<u> </u>	15. Well grouted? 4 25			10.
				With: Neat cement Bentonite Con			oncrete J	
						Depth: From ft. to _	<u>/D</u> ft.	<u> </u>
				ļ	$\sqcup$	16. Nearest source of possible contamination: ft Direction Type		
					1 [	Well disinfected upon completion? Yes No		
				<u> </u>		17. Pump:	Not installed	7,7
						Manufacturer's name		Kw
						Length of drop pipe ft. capacityg.p.m.		
						Туре:	,,	U
				-	1	Submersible	Turbine	ta
	(Use a second s	heet if needed)				Jet Centrifugal	Reciproc	aring S
18. Elevation:	19. Remarks:			•		20. Water well contractor's c	<del></del>	— °W
<u>.</u>								
Topography:						is true to the best of my knowledge and belief.  Myers Water Wall 143 518		
Hill						Business marne	Licer	nse No.
Slope						Address ARAT BON	d Ks. 675	30_ \[ \bigs \)
Upland Valley  Authorized representative 2-1-79								70 315
valley						/ Authorized repr	3-2-	77 - 18