WATER WELL R		Form W			sion of Water		Wall ID			
Original Record					rces App. No.		Well ID	nge Number		
1 LOCATION OF WATER WELL: Fraction					- 12					
County. Programme and the state of the state										
the state of the s										
Address: 90151 9 8 30th Ave Address: Address: Address: Address:										
Address: northinto awout 999 feet.										
City: Sqwypy State: 167 ZIP: 1777-3										
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL: 132 ft. 5 Latitude: 37.517136 (decimal degrees)										
WITH "X" IN		Depth(s) Groundwater Encountered: 1) ft.				Longitude: 18.769555 (decimal degrees)				
SECTION BOX:	2)	ft. 3)	ft., or 4)	Dry Well	Horizont	al Datum: \ WGS 8	4 □ NAD	83 NAD 27		
N	WELL'S STATIC WATER LEVEL:58 ft. Sout					rce for Latitude/Longitude:				
	below land surface, measured on (mo-day-yr)				☐ GPS	(unit make/model:	<u></u>)		
NWNE		above land surface, measured on (mo-day-yr)								
		Pump test data: Well water was				☐ Land Survey ☐ Topographic Map ☐ Online Mapper: \$300 At Conth Pro				
W	anci	after hours pumping gpm Online Mapper: Soogle Cox H. H.O								
SW SE	after	often house numing gam								
	Estimated Y	Estimated Yield: 100gpm				6 Elevation:ft. Ground Level TOC				
S	Bore Hole	Bore Hole Diameter:				Source:				
1 mile in. to ft. Other										
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID										
1. Domestic:										
	☐ Lawn & Garden					d Uncased				
Livestock			: well ID			mal: how many bore				
2. Irrigation	9. Environmental Remediation: well ID				a) Closed Loop Horizontal Vertical					
3. Feedlot					b) Open Loop Surface Discharge Inj. of Water					
4. Industrial Recovery Injection 13. Other (specify):										
Was a chemical/bacteriological sample submitted to KDHE? Yes You If yes, date sample was submitted:										
Water well disinfected? \(\sumsymbol{\text{DYes}} \sumsymbol{\text{DNo}} \) No										
8 TYPE OF CASING USED: ☐ Steel ☑ Steel ☑ Other										
Casing diameter										
Casing height above land surface										
TYPE OF SCREEN OR PERFORATION MATERIAL: □ Steel □ Fiberglass □ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)										
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From 102 ft. to 122 ft., From ft. to ft. ft.										
GRAVEL PACK INTERVALS: From										
9 GROUT MATERIAL: Neat cement Cement grout Dentonite Other										
Grout Intervals: From										
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage										
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well										
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well										
☐ Other (Specify) Direction from well? Distance from well? ft.										
10 FROM TO					TO I	t .ITHO. LOG (cont.) (r DI LICCO	IC INTERVALS		
		LITHOLOG		FROM	10 1	ATHO. LOG (cont.)	, i LUGGI	10 HILEKANDS		
	Tand	Clay To	00 2011							
8 5				-						
110 199		Small Coarse Sand Coarse Gravel								
100	_ CALL	TO LIVIN	<u> </u>			. ,,		× ···		
	Notes:									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, are reconstructed, or plugged										
under my jurisdiction and was completed on (mo-day-year)										
Kansas Water Well Contractor's License No. (1.7) This Water Well Record was completed on (mo-dayyear). 10/11.0/13										
Mail 1 white conv a	long with a fee o	of \$5.00 for each	ch constructed well to K	ansas Departmen	t of Health and	evilonni	Water, GWTS	Section,		
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Avisonment of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.										
Visit us at http://www.kdhcks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015										