


1 LOCATION OF WATER WELL: County: <b>Pratt</b>	Fraction SW ¼ NE ¼ SE ¼	Section Number <b>26</b>	Township Number T <b>29</b> S	Range Number R <b>13</b> EW
---	----------------------------	-----------------------------	----------------------------------	--------------------------------

Distance and direction from nearest town or city street address of well if located within city?

**1½ miles west and ½ mile south of Sawyer, KS**

2 WATER WELL OWNER: <b>Gyp Hills Regional Solid Waste Management Authority</b>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: <b>P.O. Box 345</b>	Application Number:
City, State, ZIP Code: <b>Pratt, Ks 67124</b>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL: <b>85</b> ft. ELEVATION: Depth(s) Groundwater Encountered 1. <b>67</b> ft. 2. ft. 3. <b>4/5/95</b> ft. WELL'S STATIC WATER LEVEL: <b>67.1</b> ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter: in. to ft., and in. to ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only <b>10</b> Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No <b>X</b> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No <b>X</b>
---	---

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile <b>2</b> PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Blank casing diameter: <b>2</b> in. to <b>69</b> ft. Dia. in. to ft. Dia. in. to ft. Casing height above land surface: <b>26</b> in., weight lbs. ft. Wall thickness or gauge No. <b>Schedule 40</b> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot <b>3</b> Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From <b>69</b> ft. to <b>84</b> ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From <b>67</b> ft. to <b>85</b> ft. From ft. to ft. From ft. to ft. From ft. to ft.	CASING JOINTS: Glued Clamped Welded <b>X</b> Threaded
---	---

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout <b>3</b> Bentonite 4 Other <b>Bentonite Chips 64-67'</b> Grout Intervals: From <b>4</b> ft. to <b>64</b> ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? <b>West</b> How many feet? <b>1500</b>
---

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	Silt, sandy, organics			MW 95-4
1	10	Sand, silty, fine-coarse			
10	19	Sand, fine-coarse, gravel			
19	23	Silty Clay, yellow, caliche			
23	25	Sandy Clay, orange			
25	32	Silty clay orange, caliche			
32	34½	Sandy Clay, orange			
34½	44	Sand, fine-coarse, gravel			
44	57	Sand, fine-coarse, gravel with trace of black clay			
57	59	Silty Clay, yellow-brown			
59	67	Sand, fine-coarse, gravel, wet			
67	84	Sand, fine-coarse, gravel, saturated			
84	85	Silty Clay, olive, moist			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <b>(1)</b> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>3/25/95</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>527</b> This Water Well Record was completed on (mo/day/yr) <b>4/25/95</b> under the business name of <b>GeoCore Services, Inc.</b> by (signature) <i>Don Bell</i>
---