

1 LOCATION OF WATER WELL:		Fraction		Township Number		Range Number	
County: Pratt		1/4 N/C 1/4 NW 1/4		6		T 29 S R 14	
Distance and direction from nearest town or city street address of well if located within city? 4 3/4 mile south of Cullison, Ks.							
2 WATER WELL OWNER:		Paul Eubank		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # :		60255 SW 100th Ave		Application Number:			
City, State, ZIP Code :		Pratt, Ks. 67124					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 250 ft. ELEVATION:					
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 105 ft. below land surface measured on mo/day/yr 2-3-97 Pump test data: Well water was ft. after hours pumping gpm Est. Yield na gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 7 7/8 in. to 250 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Test hole Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X					
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued X Clamped					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile		Welded					
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below)		Threaded					
7 Fiberglass							
Blank casing diameter 3 in. to 230 ft. Dia in. to ft. Dia in. to ft.		Casing height above land surface 2' in. weight Sch 80 lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)		12 None used (open hole)					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS							
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)					
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes		10 Other (specify)					
2 Louvered shutter 4 Key punched 7 Torch cut							
SCREEN-PERFORATED INTERVALS: From 235 ft. to 230 ft. From ft. to ft.		From ft. to ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From 238 ft. to 228 ft. From ft. to ft.		From ft. to ft. From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other hole plug 228- 226 4-0		Grout Intervals: From 226 ft. to 4 ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well					
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well		12 Fertilizer storage 16 Other (specify below)					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 13 Insecticide storage none		3 Watertight sewer lines 6 Seepage pit 9 Feedyard					
Direction from well?		How many feet?					
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS							
0 3 Top soil							
3 41 Brown clay							
41 53 Brown & white clay							
53 98 Sand & gravel clean, medium loose							
98 108 Brown & white clay							
108 125 Sand and gravel clean coarse loose							
125 130 Brown clay							
130 205 Sand & gravel clean loose							
205 215 Blue, gray, yellow, brown clay							
215 248 Sand & gravel clean, loose medium							
248 250 Red bed							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2-3-97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/yr) 2-20-97 under the business name of Rosencrantz-Bemis by (signature) Fredia Hedson							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.							