				R WELL RECORD	Form WWC-5			
_	ON OF WAT		Fraction C	NE 1/4	Sec	tion Number		1 77.14
County:	Pratt			ddress of well if locate	1/4 IO		J T S	R 14M E/W
,		from nearest town Soates, Kans	•	Juless of Well IT locate	a within city?			
1 2/4	4 14 OT C	wsp. Harme B	rvan	#hite & Elli	s Drillin	σ	Bryan No.	1
2 WATE	R WELL OW	NER: naily D	Lyan	401 E Dougla	S D 1 1 1 1 1 1 1	5	·	
RR#, St.	Address, Bo	Route 2		Wichita, Ks.				ure, Division of Water Resources Der: Unknown
City, State	, ZIP Code	: 11200,	LS. U/IZA	MICHIEUR'S ILDO	200		Application Numl	per: Olimino Wil
AN "X"	IN SECTION	N BOX:	DEPTH OF Copth(s) Ground	OMPLETED WELL water Encountered	140	ft. ELEVA	TION: CIRCLE WIT	ft. 3
ī	!	V	WELL'S STATIC	WATER LEVEL	140 ft. b	elow land sur	face measured on mo/da	$_{\rm ay/yr}$ $12/8/83$
	NW	\ <u>.</u> _	Pump	test data: Well wat	er was	ft. at	fter hour	rs pumping gpm
1 [1744							s pumping gpm
<u>•</u> [i		Bore Hole Diame	eterin. to	200		and	in. to
. w F		[i] '[v	VELL WATER T	O BE USED AS:	5 Public water	r supply	8 Air conditioning	11 Injection well
7	CVA	[1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12 Other (Specify below)
	2M	SE	2 Irrigation	4 Industrial	7 Lawn and g	garden only 1	0 Observation well	
1 1	i	ı v	Vas a chemical/b	acteriological sample	submitted to De	epartment? Ye	es; I	f yes, mo/day/yr sample was sub-
<u> </u>		j n	nitted			Wa	ter Well Disinfected? Ye	s <u>No</u>
5 TYPE	OF BLANK (CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JOINTS:	Glued Clamped
1 St	eel	3 RMP (SR))	6 Asbestos-Cement	9 Other	(specify below	v)	Welded
2 <u>P\</u>		4 ABS		7 Fiberglass				Threaded
								in. to ft.
Casing he	ight above la	and surface		.in., weight 2	!•₿	Ibs./	ft. Wall thickness or gau	ge No. Sch. 40
TYPE OF	SCREEN O	R PERFORATION	MATERIAL:		7_PV	<u>C_</u>	10 Asbestos-	cement
1 St	eel	3 Stainless	steel	5 Fiberglass	8 RM	IP (SR)	11 Other (spe	ecify)
2 Br	ass	4 Galvanize	d steel	6 Concrete tile	9 AB	S	12 None use	d (open hole)
SCREEN	OR PERFO	RATION OPENING	S ARE:	5 Gauz	zed wrapped		8 Saw cut	11 None (open hole)
1 Cc	ontinuous slo	t 3 Mill	slot	6 Wire	wrapped		9 Drilled holes	11 None (open nois)
2 Lo	ouvered shut	ter 4 Key	punched	7 Torcl	h cut		10 Other (specify)	
SCREEN-	PERFORATI	ED INTERVALS:	From	180 ft. to 2	200	ft., Fror	m	ft. toft.
			From	ft. to .		ft., From	m <i></i>	ft. toft.
	GRAVEL PA	CK INTERVALS:						ft. toft.
			From	ft. to		ft., Fror	m	ft. to ft.
6 GROU	T MATERIAL	: 1 Neat ce	ment	2 Cement grout				
Grout Inte				ft., From	ft.	to	ft., From	ft. to ft
What is th	ne nearest so	ource of possible c	ontamination:			10 Lives	tock pens	14 Abandoned water well
1 Septic tank 4 Lateral lines				7 Pit privy 11 Fuels		storage	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool				8 Sewage lagoon 12 Fertil		zer storage	16 Other (specify below)	
,							ticide storage	
	from well?	East				How mai	ny feet? 60	
FROM	TO		LITHOLOGIC	LOG	FROM	TO	LITHO	DLOGIC LOG
0	65	Clay						
65	200	Sand and G	ravel					
1	L	L	0.000000000	ON This is			material - (6)	ddan
7 CONT	RACTOR'S	OR LANDOWNER'	S CERTIFICATI					d under my jurisdiction and was
completed	on (mo/day	/year) . 12/.8/83	1					ny knowledge and belief. Kansas
				This Water V	Well Record wa		(
under the	business na	me of Kellys	Water Wel.	E BOESS FIRM V	ad DDMT also	by (signat	ture) Sover	ole the correct enguera Cond ton
three	INONS: USE	Typewriter or ball po	oint pen, <u>PLEAS</u>	ent Division of Enviro	nment Environ	iy. Miease fill if mental Gaalaa	I DIANKS, UNGERINE OF CITO	cle the correct answers. Send top 6620. Send one to WATER WELL
OWNER	es เบ Nansas and retain ดเ	ne for vour records	uu anu Environn	IOIR, DIVISION OF ENVIRO	timent, Environ	memai Geolog	y occion, ropeka, no ot	JOEU. GENG ONE TO VVATER VVELL