							N1		
OCATION OF WA	TER WELL:	Fraction	5 1/		tion Number	Township		Range	
inty:	from nearest town	NU 1/4	Stil 1/4 SE dress of well if located	1/4 1 within city?		<u> </u>	29 S	R .	14 E/W
lance and unection			OF COATS,KS.						
	DOAN	DT DRILLIA	•						
WATER WELL OV	VINER:	D W. DOUGL							_
#, St. Address, Bo	Α # .	TA,KS. 672					f Agriculture, [ater Resour
State, ZIP Code				160		Applicat	ion NumberT	0-0383	
OCATE WELL'S L N "X" IN SECTIO	N D(1V)		MPLETED WELL ater Encountered 1.						
	lw w	ELL'S STATIC V	VATER LEVEL 92	ft. b	elow land sur	face measured	on mo/dav/vr		
1			test data: Well water						
NW	NE Es		gpm: Well water						
1 ;			er in. to .						
W		ELL WATER TO		5 Public wate		8 Air conditioni		njection well	
1		1 Domestic				9 Dewatering	•	Other (Specifi	v below)
SW	x SE	2 Irrigation				0 Monitoring w			
	l l w	•	cteriological sample s	_	•				
	· · · · · · · · · · · · · · · · · · ·	itted	3			ter Well Disinfe	-		-
TYPE OF BLANK			5 Wrought iron	8 Concre		CASING .			
1 Steel	3 RMP (SR)		6 Asbestos-Cement		(specify below			ed	
Ž PVC	4 ABS		7 Fiberglass					ded	
			ft., Dia						
			n., weight						
	R PERFORATION N		, .	X7 PV			Asbestos-ceme		
1 Steel	3 Stainless st	eel	5 Fiberglass	8 RM	IP (SR)	11 (Other (specify)		
2 Brass	4 Galvanized		6 Concrete tile	9 AB			lone used (op		
	RATION OPENINGS			d wrapped		8 Saw cut		11 None (or	nen hole)
1 Continuous sk				vrapped		9 Drilled hole		11 110110 (0)	3011 11010)
2 Louvered shut		punched	7 Torch			10 Other (spec			
REEN-PERFORAT	,	•		ou.		٠,	• •		
	ED INTERVALS	From 1	40 ft to	160	ft From	n	ft to	•	
	ED INTERVALS:		40 ft. to						
		From	ft. to		ft., Fror	n	ft. to)	
	CK INTERVALS:	From 2	ft. to [] ft. to		ft., Fror	n	ft. to)	
GRAVEL PA	CK INTERVALS:	From 2 From	ft. to	160	ft., Fror ft., Fror ft., Fror	n	ft. to)	
GRAVEL PA	.CK INTERVALS:	From 2 From nent 2	ft. to ft. to ft. to ft. to Cernent grout	160 A Bento	ft., Frorft., Fror ft., Fror nite 4	n	ft. to)	
GRAVEL PA GROUT MATERIAI out Intervals: Fro	.CK INTERVALS:	From	ft. to	160 A Bento	ft., Frorft., Fror ft., Fror nite 4 to	n	ft. to)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest so	L: 1 Neat cem	From	ft. to ft. to ft. to ft. to Cement grout ft., From	160 A Bento	ft., Fror ft., Fror ft., Fror nite 4 to	n	ft. to	o	ter well
GRAVEL PA GROUT MATERIAL out Intervals: Fro		From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy		ft., Fror ft., Fror ft., Fror nite 4 to	n	ft. to ft	off. to	ter well
GRAVEL PAGROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines		From	ft. to ft. to ft. to ft. to Cement grout ft., From		ft., Frorft., Fror ft., Fror nite 4 to	n	ft. to ft	ft. to pandoned wall well/Gas we	
GRAVEL PAGROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev	.CK INTERVALS: 1 Neat cerr m	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago		ft., Frorft., Frorft., Fror nite 4 to	n	ft. to ft	off. to	
GRAVEL PAGROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO		From	ft. to ft. privy 8 Sewage lago 9 Feedyard		ft., Frorft., Fror ft., Fror nite 4 to	n	ft. to ft	ft. to pandoned wat I well/Gas we ther (specify I	ter well
GRAVEL PAGROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 1 3	CK INTERVALS: 1 Neat cerr m	From	ft. to ft. privy 8 Sewage lago 9 Feedyard		ft., Fror ft., Fror nite 4 to	n	14 Ai 15 Oi 16 Oi	ft. to pandoned wat I well/Gas we ther (specify I	ter well
GRAVEL PA GROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? GOM TO U 3 3 135	CK INTERVALS: 1 Neat cerr m	From	ft. to ft. privy 8 Sewage lago 9 Feedyard		ft., Fror ft., Fror nite 4 to	n	14 Ai 15 Oi 16 Oi	ft. to pandoned wat I well/Gas we ther (specify I	ter well
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev action from well? GOM TO J 3 3 135	CK INTERVALS: 1 Neat cerr m	From	ft. to ft. privy 8 Sewage lago 9 Feedyard		ft., Fror ft., Fror nite 4 to	n	14 Ai 15 Oi 16 Oi	ft. to pandoned wat I well/Gas we ther (specify I	ter well
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? IOM TO J 3 5 135	CK INTERVALS: 1 Neat cerr m	From	ft. to ft. privy 8 Sewage lago 9 Feedyard		ft., Fror ft., Fror nite 4 to	n	14 Ai 15 Oi 16 Oi	ft. to pandoned wat I well/Gas we ther (specify I	ter well
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight severtion from well? GOM TO J 3 5 135	CK INTERVALS: 1 Neat cerr m	From	ft. to ft. privy 8 Sewage lago 9 Feedyard		ft., Fror ft., Fror nite 4 to	n	14 Ai 15 Oi 16 Oi	ft. to pandoned wat I well/Gas we ther (specify I	ter well
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight severation from well? GOM TO J 3 3 135	CK INTERVALS: 1 Neat cerr m	From	ft. to ft. privy 8 Sewage lago 9 Feedyard		ft., Fror ft., Fror nite 4 to	n	14 Ai 15 Oi 16 Oi	ft. to pandoned wat I well/Gas we ther (specify I	ter well
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight severation from well? GOM TO J 3 3 135	CK INTERVALS: 1 Neat cerr m	From	ft. to ft. privy 8 Sewage lago 9 Feedyard		ft., Fror ft., Fror nite 4 to	n	14 Ai 15 Oi 16 Oi	ft. to pandoned wat I well/Gas we ther (specify I	ter well
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight severation from well? GOM TO J 3 3 135	CK INTERVALS: 1 Neat cerr m	From	ft. to ft. privy 8 Sewage lago 9 Feedyard		ft., Fror ft., Fror nite 4 to	n	14 Ai 15 Oi 16 Oi	ft. to pandoned wat I well/Gas we ther (specify I	ter well
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight severation from well? GOM TO J 3 3 135	CK INTERVALS: 1 Neat cerr m	From	ft. to ft. email grout ft. ft. to From 7 Pit privy 8 Sewage lago 9 Feedyard		ft., Fror ft., Fror nite 4 to	n	14 Ai 15 Oi 16 Oi	ft. to pandoned wat I well/Gas we ther (specify I	ter well
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight severation from well? GOM TO J 3 3 135	CK INTERVALS: 1 Neat cerr m	From	ft. to ft. email grout ft. ft. to From 7 Pit privy 8 Sewage lago 9 Feedyard		ft., Fror ft., Fror nite 4 to	n	14 Ai 15 Oi 16 Oi	ft. to pandoned wat I well/Gas we ther (specify I	ter well
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight seve ction from well? OM TO J 3 5 135	CK INTERVALS: 1 Neat cerr m	From	ft. to ft. email grout ft. ft. to From 7 Pit privy 8 Sewage lago 9 Feedyard		ft., Fror ft., Fror nite 4 to	n	14 Ai 15 Oi 16 Oi	ft. to pandoned wat I well/Gas we ther (specify I	ter well
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight severation from well? GOM TO J 3 3 135	CK INTERVALS: 1 Neat cerr m	From	ft. to ft. email grout ft. ft. to From 7 Pit privy 8 Sewage lago 9 Feedyard		ft., Fror ft., Fror nite 4 to	n	14 Ai 15 Oi 16 Oi	ft. to pandoned wat I well/Gas we ther (specify I	ter well
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO U 3 3 135	CK INTERVALS: 1 Neat cerr m	From	ft. to ft. email grout ft. ft. to From 7 Pit privy 8 Sewage lago 9 Feedyard		ft., Fror ft., Fror nite 4 to	n	14 Ai 15 Oi 16 Oi	ft. to pandoned wat I well/Gas we ther (specify I	ter well
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO U 3 3 135	CK INTERVALS: 1 Neat cerr m	From	ft. to ft. email grout ft. ft. to From 7 Pit privy 8 Sewage lago 9 Feedyard		ft., Fror ft., Fror nite 4 to	n	14 Ai 15 Oi 16 Oi	ft. to pandoned wat I well/Gas we ther (specify I	ter well
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO U 3 3 135	CK INTERVALS: 1 Neat cerr m	From	ft. to ft. email grout ft. ft. to From 7 Pit privy 8 Sewage lago 9 Feedyard		ft., Fror ft., Fror nite 4 to	n	14 Ai 15 Oi 16 Oi	ft. to pandoned wat I well/Gas we ther (specify I	ter well
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev ection from well? ROM TO U 3 3 135 135 160	CK INTERVALS: 1 Neat cerr m	From	ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard DG	# Bento ft.	ft., Frorft., Fror ft., Fror nite 4 to 10 Livest 11 Fuel: 12 Fertili 13 Insect How mar	n	14 At 15 Or 16 Or 17 PLUGGING IN	ft. to pandoned wait well/Gas we ther (specify I	ter well ell below)
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev paction from well? ROM TO U 3 3 135 135 160 CONTRACTOR'S	CK INTERVALS: 1 Neat cerr m	From	ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG	# Bento ft.	ft., Frorft., Fror ft., Fror nite 4 to 10 Livest 11 Fuel s 12 Fertili 13 Insect How mar TO	n	ft. to ft	ft. to pandoned wait well/Gas we ther (specify I	ter well below)
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev action from well? BOM TO 3 3 135 135 135 160 CONTRACTOR'S operations on the control of the	TOP SOIL SANDY CLA GRAVEL OR LANDOWNER'S //year)9-1	From	ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG	# Bento ft.	ft., Frorft., Fror ft., Fror ft., Fror nite 4 to 10 Livest 11 Fuel s 12 Fertili 13 Insect How mar TO	n	ft. to ft	ft. to pandoned wall well/Gas we ther (specify INDINE ITERVALS er my jurisdictive well and to well and	ter well below)
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight seve ction from well? IOM TO J 3 5 135 160 CONTRACTOR'S operation of moday ar Well Contractor	TOP SOIL SANDY CLA GRAVEL OR LANDOWNER'S //year)9-1	From	ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG N: This water well wa	# Bento ft.	ft., Frorft., Fror ft., Fror ft., Fror nite 4 to 10 Livest 11 Fuel s 12 Fertili 13 Insect How mar TO	n	ft. to ft	ft. to pandoned wall well/Gas we ther (specify INDINE ITERVALS er my jurisdictive well and to well and	ter well below)