USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction NW SE NE		Section	number	Township number	Range number	
1. Location of well:	KIOWA	TW 1/4 DE 1/4NE	1/4		2	1 29 s	R 16W E	/W
2. Distance and direction from nearest town or city: 45 at 3. Owner of well: Terald R.R. or street:							L	
Street address of well location if in city: Wellsford Ks City, state, zip code: Russell, Rs.								
4. Locate with "X" in section below:  Sketch map:						6. Bore hole dia. 30 in Well depth 142ft.		_
i i	<u> </u>					7 Cable tool Rotary		=
						Hollow rod Jetted Bored X Reverse rotary		
						8. Use: Domestic Public supply Industry  X Irrigation Air conditioning Stock		
						Lawn Oil field water Other		
						9. Casing: Material Theight: Above or below Threaded Welded X Surface 12 in.		
S Orainage						RMPPVCWightlbs./ft. Dia 10 in, to 102 ft, depth Wall Thickness: inches or		
5. Type and color of		Gitter		From	То	Dia in. to ft. dep		
				_		10. Screen: Manufacturer's		_
So/L 0 2					Type Dia. 16" Slot/gauze 1/8 Length 40'			
Clay Tan				15	Set between	_ft. and	_ft.	
Send, Coarse of Coarse gravel of boulders 15 50					50	Gravel pack? X Size range of material X 3/		
Sand, Coarse of Coarse March 50 95					95	11. Static water level: mo./day/yr. 5/ ft. below land surface Date SML79		
Sand Course of Course Grand & Sound of Sand 95 116					12. Pumping level below lan	d surfaces:		
Character of the control of the cont					170		hrs. pumping <b>X00</b> g.p. hrs. pumping <b>/000</b> g.p.	
5 10 de 10 10 10 10 10 10 10 10 10 10 10 10 10					112	Estimated maximum yield		
Send, Coarse of coarse of level & boulders 120/42					142	13. Water sample submitted: mo./day/yr.  Yes X No Date		
Clay, Tan & While				142	150	14. Well head completion: Pitless adapter	12 Inches above grade	
						15. Well grouted?		18,
						With:Neat cementBentoniteConcrete   - 1/ Depth: From ft. to ft.		
						16. Neorest source of possib		
						ft Direction Well disinfected upon compl		
						17. Pump: Manufacturer's name	Not installed	_   _   _   _
	****			1		Model number	HP <u>60</u> Volts ft. capacity <u>800</u> g.p.	
						Length of drop pipe 200 Type:		.m.   ( <u>\$</u> ) n
						Submersible Jet	Turbine Reciprocatin	
	· · · · · · · · · · · · · · · · · · ·	sheet if needed)		<u> </u>	<u> </u>	Centrifugal	Other	
18. Elevation: 19. Remarks: 5/ V/D / V & U A & C / /						20. Water well contractor's This well was drilled under r		
Topography:						is true to the best of my knowledge and belief.		
-HIII Poured at Surface						Business name License No No.		
Upland						Address Signed Shows	mikl Date	_  ^M(\)
Valley						Authorized re	presentative 2000	29 × 6