1 LOCATION OF WATER WELL:		CORD Form WWC-5		<u>-1212 ID No.</u>			_
	Fraction			on Number	Township Number	Range Number	
County: 10000	S GJ 1/4	SE 14 S4	1/4	12	T 29 S	R /6 EW	
Distance and direction from nearest to	own or city street	t address of well if locat	ed within city	?		•	
3 East 4 South	11/2 F	est 1/2 5 out	. oF	Havilon]		
		,	• • • • • • • • • • • • • • • • • • • •				_
	, Mc MA	knamen			Board of Agriculture	, Division of Water Resource	
RR#, St. Address, Box # :					Application Number	•	9
City, State, ZIP Code :			- n		• •		_
3 LOCATE WELL'S LOCATION WITH							
AN "X" IN SECTION BOX:	Depth(s) Ground	dwater Encountered _ 1		ft. 2.	<i>.</i>	3 ft.	
- N							
A 1	Pum	np test data: Well water	was	ft. afte	r houi	s pumping gpm	ı
NW NE	Est Yield		was	ft. afte	r hour	s pumping gpm	
						in. to ft.	
₩ W E		TO BE USED AS: 5 P				I Injection well	
₹ W E	_				•	2 Other (Specify below)	
	Domestic						
SW SE	2 Irrigation	4 Industrial 7 D	omestic (lawn	& garden) 10 IV	ionitoring well		
↓	Was a chemical/	hacteriological sample sub	mitted to Depa	artment? Yes	No: If ves	, mo/day/yrs sample was sub)-
<u> </u>	mitted	bactoriological campio ces			ell Disinfected? (res)		
5 TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concret			iluedX Clamped	_
1 Steel 3 RMP (S		6 Asbestos-Cement		specify below)		elded	
	11)	-	•	. , ,		nreaded	
1	0	7 Fiberglass					
Blank casing diameter 5							
Casing height above land surface		in., weight \$. p. ?	×1	lbs./ft.	Wall thickness or gauge	e No	
TYPE OF SCREEN OR PERFORAT	. •			.020	10 Asbestos-c		
1 Steel 3 Stainles	s steel	5 Fiberglass	8 RMP		11 Other (spec	ify)	
2 Brass 4 Galvania	zed steel	6 Concrete tile	9 ABS	• •	12 None used	(open hole)	
SCREEN OR PERFORATION OPE	NINGS ARE:	5 Gauze	ed wrapped		8 Saw cut	11 None (open hole)	
	ill slot		vrapped		9 Drilled holes	(
	ey punched	7 Torch		1	Other (specify)		
SCREEN-PERFORATED INTERVA		5 % # to	7 6				
SCREEN-FERI ORATED HATERVA						it. to	
GRAVEL PACK INTERVA						ft. to	
GIVITEE I NON INTERIOR							
	From	ft. to		ft., From	1	ít. to	
				·		it. to	
6 GROUT MATERIAL: 1 Neat of	ement	2 Cement grout	Bentonit	e 4 Oth	ner		
Grout Intervals: From	ement ft. to 5. (2 Cement grout	Bentonit	te 4 Oth	er		
	ement ft. to 5. (2 Cement grout	Bentonit	e 4 Oth	er		
Grout Intervals: From	ement ft. to 5. (2 Cement grout	Bentonit	te 4 Oth	er	ft. to	
Grout Intervals: From	ement ft. to 5 . (ble contamination ral lines	2 Cement grout ft., From 7 Pit privy	Bentonit	to	er	ft. toft. 4 Abandoned water well 5 Oil well/Gas well	
Grout Intervals: From	ementft. to 5. (ble contamination ral lines s pool	2 Cement grout Oft., From 7 Pit privy 8 Sewage I	Bentonit ft. 1	te 4 Oth to	rer	ft. toft. 4 Abandoned water well	
Grout Intervals: From	ementft. to 5. (ble contamination ral lines s pool	2 Cement grout ft., From 7 Pit privy	Bentonit	te 4 Oth to	k pens 14 rage 19 r storage 10 de storage	ft. toft. 4 Abandoned water well 5 Oil well/Gas well 6 Other (specify below)	
Grout Intervals: From	ementft. to 5. (ble contamination ral lines s pool page pit	2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard	Bentonit	te 4 Oth to	k pens 14 rage 18 r storage 10 de storage	ft. to	
Grout Intervals: From	ementft. to 5. (ble contamination ral lines s pool	2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard	Bentonit	te 4 Oth to	k pens 14 rage 18 r storage 10 de storage	ft. toft. 4 Abandoned water well 5 Oil well/Gas well 6 Other (specify below)	
Grout Intervals: From	ementft. to 5. (ble contamination ral lines s pool page pit	2 Cement grout Oft., From 7 Pit privy 8 Sewage I 9 Feedyard	Bentonit	te 4 Oth to	k pens 14 rage 18 r storage 10 de storage	ft. to	
Grout Intervals: From	ementft. to 5. (ble contamination ral lines s pool page pit	2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard	Bentonit	te 4 Oth to	k pens 14 rage 18 r storage 10 de storage	ft. to	
Grout Intervals: FromO What is the nearest source of possi 1 Septic tank	ementft. to 5. (ble contamination ral lines s pool page pit	2 Cement grout Oft., From 7 Pit privy 8 Sewage I 9 Feedyard	Bentonitft. f	te 4 Oth to	k pens 14 rage 18 r storage 10 de storage	ft. to	
Grout Intervals: From	tement ft. to 5. (ble contamination ral lines is pool bage pit LITHOLOGIC LC LC LC Medica a	2 Cement grout Oft., From 7 Pit privy 8 Sewage I 9 Feedyard	Bentonitft. f	te 4 Oth to	k pens 14 rage 18 r storage 10 de storage	ft. to	
Grout Intervals: FromO What is the nearest source of possi 1 Septic tank	tement ft. to 5. (ble contamination ral lines is pool bage pit LITHOLOGIC LC LC	2 Cement grout Oft., From 7 Pit privy 8 Sewage I 9 Feedyard	Bentonitft. f	te 4 Oth to	k pens 14 rage 18 r storage 10 de storage	ft. to	
Grout Intervals: From	tement ft. to 5. (ble contamination ral lines is pool bage pit LITHOLOGIC LC LC LC Medica a	2 Cement grout Oft., From 7 Pit privy 8 Sewage I 9 Feedyard	Bentonitft. f	te 4 Oth to	k pens 14 rage 18 r storage 10 de storage	ft. to	
Grout Intervals: From	tement ft. to 5. (ble contamination ral lines is pool bage pit LITHOLOGIC LC LC LC Medica a	2 Cement grout Oft., From 7 Pit privy 8 Sewage I 9 Feedyard	Bentonitft. f	te 4 Oth to	k pens 14 rage 18 r storage 10 de storage	ft. to	
Grout Intervals: From	tement ft. to 5. (ble contamination ral lines is pool bage pit LITHOLOGIC LC LC LC Medica a	2 Cement grout Oft., From 7 Pit privy 8 Sewage I 9 Feedyard	Bentonitft. f	te 4 Oth to	k pens 14 rage 18 r storage 10 de storage	ft. to	
Grout Intervals: From	tement ft. to 5. (ble contamination ral lines is pool bage pit LITHOLOGIC LC LC LC Medica a	2 Cement grout Oft., From 7 Pit privy 8 Sewage I 9 Feedyard	Bentonitft. f	te 4 Oth to	k pens 14 rage 18 r storage 10 de storage	ft. to	
Grout Intervals: From	tement ft. to 5. (ble contamination ral lines is pool bage pit LITHOLOGIC LC LC LC Medica a	2 Cement grout Oft., From 7 Pit privy 8 Sewage I 9 Feedyard	Bentonitft. f	te 4 Oth to	k pens 14 rage 18 r storage 10 de storage	ft. to	
Grout Intervals: From	tement ft. to 5. (ble contamination ral lines is pool bage pit LITHOLOGIC LC LC LC Medica a	2 Cement grout Oft., From 7 Pit privy 8 Sewage I 9 Feedyard	Bentonitft. f	te 4 Oth to	k pens 14 rage 18 r storage 10 de storage	ft. to	
Grout Intervals: From	tement ft. to 5. (ble contamination ral lines is pool bage pit LITHOLOGIC LC LC LC Medica a	2 Cement grout Oft., From 7 Pit privy 8 Sewage I 9 Feedyard	Bentonitft. f	te 4 Oth to	k pens 14 rage 18 r storage 10 de storage	ft. to	
Grout Intervals: From	tement ft. to 5. (ble contamination ral lines is pool bage pit LITHOLOGIC LC LC LC Medica a	2 Cement grout Oft., From 7 Pit privy 8 Sewage I 9 Feedyard	Bentonitft. f	te 4 Oth to	k pens 14 rage 18 r storage 10 de storage	ft. to	
Grout Intervals: From	tement ft. to 5. (ble contamination ral lines is pool bage pit LITHOLOGIC LC LC LC Medica a	2 Cement grout Oft., From 7 Pit privy 8 Sewage I 9 Feedyard	Bentonitft. f	te 4 Oth to	k pens 14 rage 18 r storage 10 de storage	ft. to	
Grout Intervals: From	tement ft. to 5. (ble contamination ral lines is pool bage pit LITHOLOGIC LC LC LC Medica a	2 Cement grout Oft., From 7 Pit privy 8 Sewage I 9 Feedyard	Bentonitft. f	te 4 Oth to	k pens 14 rage 18 r storage 10 de storage	ft. to	
Grout Intervals: FromO What is the nearest source of possi 1 Septic tank	tement ft. to 5. (ble contamination ral lines is pool bage pit LITHOLOGIC LO Clou C	2 Cement grout ()ft., From 7 Pit privy 8 Sewage I 9 Feedyard OG	Bentonit	te 4 Oth to	ier	ft. to	
Grout Intervals: FromO What is the nearest source of possi 1 Septic tank	tement ft. to 5. (ble contamination ral lines is pool bage pit LITHOLOGIC LO Clou C	2 Cement grout ()ft., From 7 Pit privy 8 Sewage I 9 Feedyard OG	Bentonitft. f	te 4 Oth to	ter	intervals intervals	3
Grout Intervals: FromO What is the nearest source of possi 1 Septic tank	tement ft. to 5. (ble contamination ral lines s pool page pit LITHOLOGIC LC Cleu Cle	2 Cement grout (i)ft., From 7 Pit privy 8 Sewage I 9 Feedyard OG	Bentonit agoon FROM See 1	te 4 Oth to	structed, or (3) plugged struct to the best of my	under my jurisdiction and was knowledge and belief. Kansas	3
Grout Intervals: FromO What is the nearest source of possi 1 Septic tank	tement ft. to 5. (ble contamination ral lines s pool page pit LITHOLOGIC LC Cleu Cle	2 Cement grout (i)ft., From 7 Pit privy 8 Sewage I 9 Feedyard OG	Bentonit agoon FROM See 1	te 4 Oth to	structed, or (3) plugged struct to the best of my	under my jurisdiction and was knowledge and belief. Kansas	3
Grout Intervals: FromO What is the nearest source of possi 1 Septic tank	ER'S CERTIFICAT	2 Cement grout ()ft., From 7 Pit privy 8 Sewage I 9 Feedyard OG FION: This water well water This Water We	Bentonit agoon FROM See 1	te 4 Oth to	structed, or (3) plugged strue to the best of my (mo/day/yr)	under my jurisdiction and was knowledge and belief. Kansas	3
Grout Intervals: FromO What is the nearest source of possi 1 Septic tank	tement ft. to 5. (ble contamination ral lines is pool bage pit LITHOLOGIC LO Clay Medican Arabican Cray Clay C	2 Cement grout ()ft., From 7 Pit privy 8 Sewage I 9 Feedyard OG FION: This water well water This Water We	Bentonitft. ft. ft. ft. ft. ft. ft. ft.	te 4 Oth to	tructed, or (3) plugged struct to the best of my (mo/day/yr)	under my jurisdiction and was knowledge and belief. Kansas	3