WATER W	ELL RECORD	Form W	WC-5	Division of Water Resources App. No.
1 LOCATION County: K	ON OF WATER WELL:	Fraction 1/4 se 1/4 sw	1/4 se 1/4	Section Number Township No. Range Number
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information				
from nearest town or intersection: If at owner's address, check here .				Latitude: .3732.975. N (in decimal degrees)
2.5 miles north of Belvidere 1/4 mile west northwest				Longitude: 99 01.239 W (in decimal degrees) Elevation: 2032
				Datum: WGS 84, NAD 83, NAD 27
	WELL OWNER: Gary Cr	omer		Collection Method:
,	et Address, Box #: PO box	16		GPS unit (Make/Model: Magellan Meridian)
City, State	e, ZIP Code : Belvider	e Ks 67028		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 138 ft.				
WITH AN				
	Depth(s) Groundwater Encountered (1).38			ft. (3) ft.
WEEL S STATIC WATER BE VEE				below land surface measured on mo/day/yr
1			ft. after hours pumping gpm	
NW	NE EST. YIELD	10.Tgpm. Well water	r was	ft. after hours pumping gpm
W	E Bore Hole Diam	eter i.v. 9/.vin. to	I	t., andft.
				er supply Geothermal Injection well
SWSE Domestic				
	☐ Irrigation			
S				Department? Yes No
1 mil		day/yr sample was sub		
1 mile Water well disinfected? ☑ Yes ☐ No				
5 TYPE OF CASING USED: Steel V PVC Other				
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded				
Casing dia	meter .5 in. to .138	ft., Diameter	in. 1	to ft., Diameter in. to ft.
Casing heigh	ght above land surface24	in., Weight		lbs./ft., Wall thickness or gauge Nosdr.17
	CREEN OR PERFORATION			
☐ Steel ☐ Stainless Steel				
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:				
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)				
□ Louvered shutter □ Key punched □ Wire wrapped □ Saw cut □ Other (specify)				
From ft. to ft., From ft. to ft.				
GRAVEL PACK INTERVALS: From				
From				
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other				
Grout Intervals: From 20				
	earest source of possible conta	mination:		π. τοπ. το π. το π. τοπ.
Septi			Livestock p	ens Insecticide storage Other (specify below)
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well				
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ▼ Oil well/gas well				
Direction i	from well .West		Distance 1	from well300'
FROM TO	LITHOLOG	IC LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 5	tan clay			
5 10	white clay			
10 15	gravel			
15 45	white clay			
45 70	small sand / layered cla	у		
70 138				

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged				
under my iuri	sdiction and was completed or	(mo/day/year) 05/23	3/11 25	d this record is true to the hest of my knowledge and belief
under my jurisdiction and was completed on (mo/day/year) .05/23/11 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No665 This Water Well Record was completed by (mo/day/year) .05/31/11				
under the business name of Pratt Well Service Inc. by (signature)				
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies				
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Toneka Kansas 66612-1367				
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at				
http://www.kdheks.gov/waterwell/index.html.				
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy				