WATER WELL RECORD KSA 82o-1201-1215

Kansas Department af Health and Environment-Division of Environment (Water well Cantractors) Topeka, Kansas 66620

Sandy clay 156 183 ft. ofter brs. pumping g.p.m. Estimated maximum yield g.p.m. Estimated maximum yield g.p.m. 183 190 13. Water sample submitted: mo./day/yr. Yes X No Date 14. Well head completion: XX Pittes appred Thit Inches above grade 15. Well grouted? Yes With. X Neat cement Bentonite Concrete Depth: From 4 fr. to 14 ft. 16. Nearest source of possible contamination: ft. 75 Direction NE Type ald well Well disinfected upon completion? XX Yes No 17. Pump: Not installed Manufacturer's name Aermotor Model number SD12 HP Volts 220 Length of drop pipe 140 ft. capacity 10 g.p.m. Type: XX Submersible Turbine Jet Reciprocating Centrifugal Other 18. Elevation: 19. Remarks: 19. Remarks: 19. Remarks: 19. Remarks: 18. Elevation: 19. Remarks: 18. Elevation: No other the best of my knowledge and belief.		Caunty			Section number		Township number	Range number	_	
Street olderes of well location if in city. 4. Locate with "X" in section below: N							т 29 s	r 18	<i>€</i> (N)	
Street and well location if in city. 4. Locate with "X" in section below: No.						Detries 26 im Onesberj				
4. Locate with "X" in section below: N 6. New hole dis. 2 in. Completion date well depth 12 n. your privan _ Dug — In Nu NE N NE NE 1	Street address of well location if in city:						1			
Well depth 175 ft 7-14-77 7. Cable tool X flotery Driven Duy Health Bord Reverse rotary 1. Health Bord Reverse rotary 1. Health Bord Reverse rotary 1. Health Bord Reverse rotary						code:				
Hollow rod _ Jetted _ Bored _ Revers rotary	· ·									
Intigation										
Second										
Trivecoid Welded X Surface 12 in, No.							Lawn Oil field water Other			
Section Sect										
1. 1. 1. 1. 1. 1. 1. 1.							Threoded Welded Surface in.			
10. Screen: Monufacturer's none							Dia. 5 in. to 175 ft. depth Wall Thickness: inches or			
Top soil Clay 11 48 12	5. Type and color of material				From	То			<u>, </u>	ł
Clay 11 48 Solvewere 1/32!! Length 50! Set between 175 ft. and 125 ft. ft. and 175 ft. an							Jess & `	Lowell		
Set between 1.75 ft. and 125 ft. ft. and 125 ft. ft. and 125 ft. ft. and ft.	Top soil				1 0	11	Type <u>PVC</u>	_ DIG		
Sandy clay Fine sand 112 128 138 139 148 112 139 130 130 130 130 130 130 130	Clay				11	48		Lengin	ft.	
Fine sand 112 128 115 ft. below land surface Date 7/11/7 12. Pumping level below land surface Date 7/11/7 12. Pumping level below land surface Date 7/11/7 13. Wolter sample submitted: https://pep.m. p.p.m. 13. Wolter sample submitted: mo./day/yr. Yes X No Date 14. Well head completion: XX Pitles appred/Init Inches above grade 15. Well grouted? YES With: X Neat cament Bentonite Concrete Depth: From 4 ft. to 14 ft. 16. Nearest source of possible contamination: 17. Pump: Not installed Manufacturer's name Aermotor Model number SD12 HP Volts 220 Length of frop pipe 140 ft. capacity 10 g.p.m. 17. Pump: Aermotor Model number SD12 HP Volts 220 Length of frop pipe 140 ft. capacity 10 g.p.m. 18. Elevation: 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.	Sandy alay				/18	112	Grand and 2 Yes Singar	nd1 /6/	ft.	5/32
The sand 112 128 115 128 115 128 115 128	Sandy Cray									7,32
Sandy clay 156 183 190 18. Water sample submitted: mo./day/yr. yes X No Date 14. Well head completion: XX Pitless cabpet Unit Inches above grade 15. Well grouted? Yes With: X Neat cament Bentonite Concrete Depth: From 4 ft. to 14 ft. 16. Nearest source of possible contamination: ft. 75 Direction NE Type Old Well Well disinfected upon completion? XX Yes No Not installed Manufacturer's name Aermotor Model number SD12 HP Volts Volt	Fine sand				112	128				7
Sandy clay 156 183	Med. to lar. sand & gravel				128	156				
Blue clay 183 190 13. Water sample submitted: mo./day/yr. Yes X No Date 14. Well head completion: XX Pitless above Unit Inches above grade 15. Well grouted? Yes With: X Neat cement Bentonite Concrete Depth: From 4 fr. to 14 fr. 16. Nearest source of possible contamination: fr. 75 Direction NE Type Old Well Well disinfected upon completion? XX Yes No 17. Pump: Not installed Manufacturer's name Aermator Ae					156	183				
Yes X No Date 14. Well head completion: XX Pitless appretUnit inches above grade 15. Well grouted? Yes With: X Neat cement Bentonite Concrete Depth: From 4 ft. to 14 ft. 16. Nearest source of possible contamination: ft. 75 Direction NE Type and Well Well disinfected upon completion? XX Yes No 17. Pump: Not installed Manufacturer's name Aermotor Model number SDI2 HP 1 Volts 220 Length of drop pipe 140 ft. capacity 10 g.p.m. Type: XX Submersible Turbine Length of drop pipe 140 Other Centrifugal Other 18. Elevation: 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.										
14. Well head completion: XX Pitless adapted Unit	Blue clay				183	190			/day/yr.	
15. Well grouted? Yes With: X Neat cement Bentonite Concrete Depth: From4 ft. to14 ft.										
With: X Neat cement Bentonite Concrete Depth: From 4_ ft. to 14_ ft 16. Nearest source of possible contamination: ft 75_ Direction NE Type Old Well disinfected upon completion? XY yes No 17. Pump: Not installed Manufacturer's name Aermotor								Inches above g	rode	
Depth: From 4 ft. to 14 ft. 16. Nearest source of possible contamination: ft. 75 Direction NE Type old well Well disinfected upon completion? XX Yes No 17. Pump: Not installed Manufacturer's name Aermotor Model number SD12 HP 1 Volts 220 Length of drop pipe 140 ft. capacity 10 g.p.m. Type: XX Submersible Turbine Jet Reciprocating Centrifugal Other 18. Elevatian: 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.								Bentonite C	oncrete	>
ft. 75 Direction NE Type old well Well disinfected upon completion? XX YesNo 17. Pump:Not installed Manufacturer's nameAermotor Model number SD12 HP 1 Volts 220 Length of drop pipe 140 ft. capacity 10 g.p.m. Type:XXSubmersible Turbine						-	Depth: From 4 ft. to	14 ft.		170
Well disinfected upon completion? XX YesNo 17. Pump:Not installed Manufacturer's nameAermotor Model number SD12 HP					<u> </u>		16. Nearest source of possible	contamination:	l wol	'~
Manufacturer's name Aermotor Model number SD12 HP 1 Volts 220 Length of drop pipe 140 ft. capacity 10 g.p.m. Type:							Well disinfected upon complete	tion? XX Yes _		
Model number SD12 HP 1 Volts 220 Length of drop pipe 140 ft. capacity 10 g.p.m. Type:										, ~
Length of drop pipe 140 ft. capacity 10 g.p.m. Type: XX Submersible Turbine Jet Reciprocating Centrifugal Other 18. Elevation: 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.							0.77	ermotor _ HP	, 220	100
XX Submersible							congin of drop pipe	_ ft. capacity 10	g.p.m.	8 −
(Use a second sheet if needed)							• •	Turhine		
18. Elevation: 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.							Jet	Reciproc	cating	
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.					L	L				* \
T	10. Lievalium; 17. Remarks;						1			
Triesen Windmill 252 All	Topography:						is true to the best of my knowledge and belief.			
Hill Business name License No.	1 · · · · ·						Business name License No.			
Slope Address Made Kansas 67864 5										
Valley Signed Approxized representative Date 12-1	XX_UplandValley						Signed Date = 100			