CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	County: KIOWA Location changed to:
Section-Township-Range: 12-185-29W	12-295-18W
Fraction (1/4 1/4 1/4): NE SE SE	12-295-18W NE SE SE
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: Brenhan USGS Topographe	c Quackangle
	. 0
	initials: 04 date: 4/26/04
submitted by: Kansas Geological Survey, Data Pesources Library, 1020 Co	notant Avia I assumence VS CC047 272C

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WA	TER WELL RECO	ORD Form WWC	-5 KSA 82	a-1212 ID No	·		
1 LOCATION OF WATER WELL: County:	Fraction 1/2	E SE	, S	ection Number	Township Number T S	Range Number R 29 E	
Distance and direction from pearest to	•				an Cil	001	
WATER WELL OWNER:		THUY	12-16	Coyy on	west sile	OFRE	
RR#, St. Address, Box # :	ha Wir	124			Poord of Agriculture	e, Division of Water Resources	
City, State, ZIP Code	land K	5 6705	7,5-		Application Number		
3 LOCATE WELL'S LOCATION WITH	4 DEPTH OF CO	OMPLETED WELL	13/,	ft. ELEVAT	ION:		
AN "X" IN SECTION BOX:		dwater Encountered				t. 3 ft.	
1 1						s pumping apm	
	Pump test data: Well water was						
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
W E	2 Irrigation				<u> </u>	Stock	
SW SE - X	Was a chemical	/bacteriological samp	ole submitted to		es No; If yes ter Well Disinfected? Yes	mo/day/yrs sample was sub- No	
5 TYPE OF BLANK CASING USED:		5 Wrought iron		rete tile		lued Clamped	
1 Steel 3 RMP (SI 2 PVC 4 ABS	₹) -	6 Asbestos-Cement7 Fiberglass		r (specify below)		elded	
Blank casing diameter	in. to	107				ft.	
Casing height above land surface		in., weight				Jage No	
TYPE OF SCREEN OR PERFORATION			X 7 F	VC	10 Asbestos-C	ement	
1 Steel 3 Stainless 2 Brass 4 Galvania		5 Fiberglass 6 Concrete tile	* 8 F	RMP (SR) BS	11 Other (Spec 12 None used	cify)(open hole)	
SCREEN OR PERFORATION OPENIN			Jazed wrapped	_	8 Saw cut	11 None (open hole)	
	lill slot	6 W	ire wrapped		9 Drilled holes	, ,	
2 Louvered shutter 4 K	ey punched	1 7 TO	rch cut		10 Other (specify)	ft.	
SCREEN-PERFORATED INTERVALS:						toft.	
GRAVEL PACK INTERVALS	: From	3ft. to	57	2 ft., From	45 ft	toft. toft.	
	From	ft. to .		ft., From	ft.	toft.	
6 GROUT MATERIAL: 1 Nea	t cement	2 Cement grout	X 3 Be	ntonite 4	Other		
Grout Intervals: From5	ft. to		<u> </u>			ft. toft.	
What is the nearest source of possible				10 Livesto	•	Abandoned water well	
	ral lines	7 Pit pri	-	11 Fuel ste		Oil well/Gas well	
2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep	•	8 Seway 9 Feedy	ge lagoon vard	12 Fertilize	er storage 16 cide storage	6 Other (specify below)	
Direction from well?	age pit	9 1 66 0y	aiu	How many	To make 1		
FROM TO	LITHOLOGIC	LOG	FROM	то	· /	INTERVALS	
O D BIK	700 S	0:1					
10 32 006	: te CC	24					
22 40 70	n Clay						
CE SE FINE	- 300	<u>d</u>					
7 90 7	1 540	,					
95 100 (201	Ce Sine	<u>ַּ</u>					
150 135 85	mg// G	(9VE)					
135 137 -19	Clay						
, ,							
				1			
	· · · · · · · · · · · · · · · · · · ·			 			
7 CONTRACTOR'S OR LANDOWNE	R'S CERTIFICAT	ION: This water well	was (X cons	tructed. (2) recon	nstructed, or (3) plugged i	under my jurisdiction and was	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This water well was (**) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)							
Water Well Contractor's Licence No under the business name of	6/2	This Wa	ter Well Recor		on (mo/day/yr)	23-09	
0,0	NA'S CA	JYTH LEX	1)	· · · · · · · · · · · · · · · · · · ·	MIL	mus	
INSTRUCTIONS: Use typewriter or ball point pe and Environment, Bureau of Water, Geology Se records. Fee of \$5.00 for each constructed well.	ction, 1000 SW Jacksor						