WATE	R WELI	RECORD		Form WWC	-5	Divisio	on of Wate	r Resources	; App. No.				
1 LOC	CATION C	F WATER WE		Fraction		Section N	lumber	Townshi	p Number		ge Nun		
	nty: Kiow			SW 1/4 NE 1/4 S		12		T 29			18	EW	
	Distance and direction from nearest town or city street address of well if located within city? From Greensburg, KS; east 3 milestitude:												
2 WA	WATER WELL OWNER: Jim Butler						Longitude:						
RR#	RR#, St. Address, Box # : RR 1						Elevation:						
City	, State, ZIF	Code :	Coldwater	, KS 6702	C) I		llection N	Method:					
3 LOC	CATE WE	LL'S 4 DEPT	TH OF COMPI	ETED WELL	128		ft.	vicinou.					
1	LOCATION												
I	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)												
SEC'	TION BO	X: WELL'S	S STATIC WAT	ER LEVEL		elow lan	d surface	measured	on mo/day	/yr)-/-()6	
	N Pump test data: Well water was ft. after hours pumping gpm												
	Est. Yieldgpm: Well water wasft. after												
	W NW NE E Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)												
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well													
Sample was submitted													
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: GluedX Clamped													
5 TYPI	E OF CAS	ING USED:	5 Wrought Iro	on 8 Cone	crete tile		CASINO	JOINTS:	GluedX	C1 C1	amped.		
	Steel	3 RMP (SR)	6 Asbestos-Co	ement 9 Othe	r (specify l	pelow)			Welded			• • • • • • • • • • • • • • • • • • • •	
Plants at	PVC	4 ABS	/ Fiberglass	A Diameter				Diamatan	Threaded	l : +-		Ω	
Blank casing diameter 5 in. to 108 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 30 in., Weight lbs./ft. Wall thickness or guage No. SCH 40													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
1 Continuous slot Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)													
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)													
Fromft. toft., Fromft. toft.													
GRAVEL PACK INTERVALS: From. 128 ft. to 7.1 ft., From ft. to ft.													
			From	ft. to .		ft.,	From		ft. to			ft.	
6 CPO	UT MATI	DIAI · 1 Nea	ot cement 2 Ce	ement grout 3	ntonite	1 Other							
Grout In		From 7.1.	ft. to	ft., From	f								
		source of possib						.,					
1 :	Septic tank	4	Lateral lines 7		10 Livesto		13 Ins	ecticide St	orage	16 0tl	ner (spe	cify	
1	Sewer line				11 Fuel sto			andoned v		bel	ow)		
		sewer lines 6			12 Fertilize			l well/gas			stúre		
		1?Immedi.			How many		. N <i>J. A</i>					•••••	
FROM 0	TO 5		LITHOLOGIC L		FROM 128	TO 7.1	10/2	0 sand	GING INT	EKVA	LS		
5	20	Dark bro Dark tan	wn topsoi	T	71	4			ite ch	inc			
20	30		ay, yello	w-tan	4	0	tops		ite Ci	iips			
30	105	Fine tan		w can	-		6003	011					
105	150	tan coar											
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged													
under my jurisdiction and was completed on (mo/day/year) 6.7.9.7.0.6 and this record is true to the best of my knowledge and belief.													
Kansas Water Well Contractor's License No 6.6.5 This Water Well Record was completed in (mo/day/year) 6-19-06 under the business name of Pratt Well Environmental by (signature)													
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blacks, underline or case are correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone													
785-296-5	 522. Send 	one to WATER s.us/geo/waterwells.	WELL OWNER	and retain one fo	or your rec	ords. Fe	e of \$5.0	00 for eacl	n constructe	d well.	Visit	us at	
Liup.//wwv	v.Kuiic.state.K	s.us/geo/ water wells.											