		WATER W		Form WWC					
OCATION OF WATER WELL nty: Kiowa	Fraction			SW 1/4	Section Number	Township Numbe	1	Range Num R 19W	
ty: Kiowa nce and direction from neare	est town or city?		CSW 14 S			located within city?	3		
7s 2e Mul	linville	.Ks.	49-74						
ATER WELL OWNER: Re	d Tiger,	Drlg_C	9 ~						
, St. Address, Box # : 17	ZU AS SU	- 823 - DK DT	ug Ma					vision of Water	Resource
State, ZIP Code Wi	.cnrta, k	S. 0/2	.02			Application Nu			
EPTH OF COMPLETED WE	<u>:</u> ll 2.78	ft. Bore I	Hole Diameter	<i></i> 8. <i></i>	in. to 2.78	ft., and		in. to	1
	5 Public				nditioning	11 Injection	on well		
Domestic 3 Feedlot	6 Oil field	d water supp	ply	9 Dewa	tering	12 Other	(Specify	below)	
Irrigation 4 Industrial	7 Lawn a	and garden	only	10 Obser	vation well				
s static water level 2	210 ft. bel	ow land sur	face measured	on		onth 24	da	y 8.0	yea
			ft. aft	ter		hours pumping			gpm
Yield 60 gpm	n: Well water	was	ft. aft	ter		hours pumping Casing Joints			gpn
YPE OF BLANK CASING U	SED:	5	Wrought iron	8 Cor	ncrete tile	Casing Joints	s: G <u>lued</u>	Clamped	
1 Steel 3 Rf	MP (SR)	6	Asbestos-Ceme	nt 9 Oth	er (specify below	v)	Welded	d	
2 PVC 4 A	BS	7	Fiberglass				Thread	ed	
k casing dia 5	in. to 2	<u> 18</u>	ft., Dia	<i></i> i	n. to	ft., Dia		in. to	
k casing dia 5 ng height above land surface	8	12	. in., weight	2.8	lbs	./ft. Wall thickness or g	gauge No	sch 40	
OF SCREEN OR PERFOR					PVC	10 Asbesto			
	tainless steel		Fiberglass	8	RMP (SR)	11 Other (s	specify).		
	alvanized steel		Concrete tile			12 None us	sed (opei	n hole)	
en or Perforation Openings				auzed wrapped		8 Saw cut		11 None (open	hole)
1 Continuous slot			6 Wi	ire wrapped		9 Drilled holes			
	4 Key punche	ed		orch cut		10 Other (specify)			
en-Perforation Dia	in to				in. to				
en-Perforated Intervals: F	_{rom} 2]	.8	ft to 278	3	ft From		ft. to		
en-renolateu intervais. I	10111		4 4						
	Trom				ft From		ft to		
F	From		.π. το		ft., From		.ft.to ft.to		
rel Pack Intervals: F	=rom	L,Q	ft. to 2.78	3	ft., From		.ft. to		
vel Pack Intervals: F	From	L.Q	.ft. to2.7.ξ ft. to	3	ft., From ft., From		ft. to ft. to		
vel Pack Intervals: F GROUT MATERIAL: 1	From	2 0	ft. to2.78 ft. to Cement grout	3 Be	t., ft., From ft., From entonite 4	Other	ft. to ft. to		
vel Pack Intervals: F GROUT MATERIAL: 1 uted Intervals: From	From	10 2 0	ft. to2.78 ft. to Cement grout	3 Be	ft., From ft., From entonite 4 ft. to	Other	ft. to ft. to	ft. to	
vel Pack Intervals: F GROUT MATERIAL: 1 uted Intervals: From	From	10 2 0	ft. to2.78 ft. to Cement grout ft., From	3 Be	ft., From	Other	ft. to ft. to	ft. toandoned water v	
vel Pack Intervals: F GROUT MATERIAL: 1 uted Intervals: From tt is the nearest source of po	From	10 2 0	ft. to2.78 ft. to Cement grout ft., From 7 Sewage	3 Be	ft., From ft., From entonite 4 ft. to 10 Fuel 11 Fertil	Other	ft. to	ft. to	well
vel Pack Intervals: F GROUT MATERIAL: 1 uted Intervals: From tt is the nearest source of po	From	10 2 0	ft. to	3 Be	tt., From ft., From entonite 4 ft. to	Other ft., From storage izer storage	ft. to ft. to 14 Aba 15 Oil 16 Oth	ft. toandoned water well/Gas well	well
vel Pack Intervals: FGROUT MATERIAL: 1 uted Intervals: From at is the nearest source of point is the nearest source	From Neat cement O ft to Describe contamin Cess pool Seepage pit Pit privy	2 C 10	ft. to	3 Be	ft., From ft., From entonite 4 ft. to	Otherft., Fromstorageitcide storageticide storagetiright sewer lines	ft. to ft. to 14 Aba 15 Oil 16 Oth	ft. to andoned water v well/Gas well er (specify belo	well
rel Pack Intervals: FAROUT MATERIAL: It is the nearest source of point is the nearest sourc	From	10 2 C ation:	ft. to	3 Be	ft., From ft., From entonite 4 ft. to	Other	ft. to ft. to 14 Aba 15 Oil 16 Oth	ft. to	w)
rel Pack Intervals: FGROUT MATERIAL: It is the nearest source of point is the nearest sourc	From	2 C 10 ation: How mai	ft. to	3 Be	ft., From ft., From entonite	Other	ft. to ft. to 14 Aba 15 Oil 16 Oth	ft. to	well w) te sampl
rel Pack Intervals: FAROUT MATERIAL: 1 uted Intervals: From	From. 1 From Neat cement 0 ft. to ossible contaminate Cess pool 5 Seepage pit 6 Pit privy S sample submitted	2 C 10 ation: How mai	ft. to	3 Be	ft., From ft., From entonite	Other	ft. to ft. to 14 Aba 15 Oil 16 Oth	ft. to	well w) te sampl
vel Pack Intervals: FAROUT MATERIAL: 1 uted Intervals: From	From	2 C 10 ation: How man	ft. to	3 Be	ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Wate? Water r: Pump Installe	Other	ft. to	ft. to	well w)
vel Pack Intervals: FAROUT MATERIAL: 1 uted Intervals: From at is the nearest source of point is a Lateral lines of the control of t	From	2 C 10 ation: How man	ft. to	3 Be	ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Wate? Water r: Pump Installe	Other	ft. to	ft. to	well w) te sampl
rel Pack Intervals: FAROUT MATERIAL: It is the nearest source of point is the nearest sourc	From	2 C 10 ation: How mai	ft. to	3 Be	ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Water Water r: Pump Installe 0. Capacity rated at	Other	ft. to	ft. to	well w) te sampl
rel Pack Intervals: FOROUT MATERIAL: It is the nearest source of point is the nearest source of pump. FOR Pack Intervals: FOR	From	2 C 10 ation: How mai	ft. to	3 Be	ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Water Water Pump Installe 0 Capacity rated at 4 Centerstructed, (2) rec	Other	ft. to ft. to 14 Aba 15 Oil 16 Oth s procating	ft. to	well w) te sampl gal./mi her n and w
rel Pack Intervals: FAROUT MATERIAL: at is the nearest source of pour source of	From	2 C 10 ation: How mai	ft. to	3 Be	ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Water Water Pump Installe 0 Capacity rated at 4 Centerstructed, (2) rec	Other	ft. to ft. to 14 Aba 15 Oil 16 Oth s procating	ft. to	well te sampl gal./mi her n and wa
rel Pack Intervals: FOROUT MATERIAL: at is the nearest source of point is the nearest sourc	From	2 C 10 ation: How many to Department 2 Tui	ft. to	3 Be	ft., From ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Wate? Water	Other	ft. to ft. to 14 Aba 15 Oil 16 Oth s procating	ft. to	well te sampl gal./mi her n and wa
rel Pack Intervals: FAROUT MATERIAL: 1 uted Intervals: From. 1 Septic tank 2 Sewer lines 3 Lateral lines 6 ction from well. 2 a chemical/bacteriological s submitted 2 submitted 2 submitted 3 Lateral lines 6 CONTRACTOR'S OR LANDO upleted on 4 this record is true to the bes	From	2 C 10 ation: How main to Department of the Dep	ft. to	3 Be	ft., From ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Water	Other	ft. to ft. to 14 Aba 15 Oil 16 Oth s procating	ft. to	well te sampling gal./mi her n and wa
rel Pack Intervals: FOROUT MATERIAL: It is the nearest source of point is a chemical/bacteriological is submitted as: Pump Manufacturer's nare the of pump intake contractory of pump: CONTRACTOR'S OR LANDOR pleted on this record is true to the best water Well Record was contracted.	From. Neat cement O. ft. to ossible contamin. Cess pool Seepage pit Pit privy S. sample submitted me. Submersible DWNER'S CERT 6 st of my knowled	2 C 10 ation: How mainst to Department of the D	ft. to	3 Be	ft., From ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Water	Other	ft. to ft. to 14 Aba 15 Oil 16 Oth s procating	ft. to	well te sampling gal./mi her n and wa
rel Pack Intervals: FAROUT MATERIAL: 1 uted Intervals: From	From	2 C 10 ation: How mainst to Department of the D	ft. to	3 Be	ft., From ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Water	Other tt., From storage izer storage rticide storage rtight sewer lines Well Disinfected? Yes ord? Yes HP trifugal 5 Reciponstructed, or (3) plug 80 day 89 day 89 day 89	ft. to	ft. to	well te sampl gal./mi her n and wa yei e busine
rel Pack Intervals: FOROUT MATERIAL: 1 sted Intervals: From t is the nearest source of position from well a chemical/bacteriological submitted as: Pump Manufacturer's narrith of Pump Intake contractor's OR LANDO pleted on	From	2 Control 2 Cont	ft. to	3 Be	ft., From ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Water Water Water Capacity rated at 4 Cent structed, (2) rec day actor's License N	Other tt., From storage izer storage rticide storage rtight sewer lines Well Disinfected? Yes ord? Yes HP trifugal 5 Reciponstructed, or (3) plug 80 day 89 day 89 day 89	ft. to	ft. to	well te sampl gal./mi her n and wa yei e busine
el Pack Intervals: FINOUT MATERIAL: Inted Intervals: From	From	2 Tue TIFICATION dge and beli Vaterwe	ft. to	3 Be	ft., From ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Water Water Water Capacity rated at 4 Cent structed, (2) rec day actor's License N	Other tt., From storage izer storage rticide storage rtight sewer lines Well Disinfected? Yes ord? Yes HP trifugal 5 Reciponstructed, or (3) plug 80 day 89 day 89 day 89	ft. to	ft. to	well te sampl gal./mi her n and wa yei e busine
Pel Pack Intervals: FROUT MATERIAL: 1 ted Intervals: From. is the nearest source of polytic tank 2 Sewer lines 3 Lateral lines 4 tition from well a chemical/bacteriological submitted s: Pump Manufacturer's name of pump: 1 SONTRACTOR'S OR LANDO obleted on this record is true to the best water Well Record was core of OCATE WELL'S LOCATION	From	2 Tue TIFICATION dge and beli Vaterwe	ft. to	3 Be	ft., From ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Water Water Water Capacity rated at 4 Cent structed, (2) rec day actor's License N	Other tt., From storage izer storage rticide storage rtight sewer lines Well Disinfected? Yes ord? Yes HP trifugal 5 Reciponstructed, or (3) plug 80 day 89 day 89 day 89	ft. to	ft. to	well te sampl gal./mi her n and w ye
el Pack Intervals: FIROUT MATERIAL: Ited Intervals: From. It is the nearest source of point is the nearest source of poin	From	2 Tue TIFICATION dge and beli Vaterwe	ft. to	3 Be	ft., From ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Water Water Water Capacity rated at 4 Cent structed, (2) rec day actor's License N	Other tt., From storage izer storage rticide storage rtight sewer lines Well Disinfected? Yes ord? Yes HP trifugal 5 Reciponstructed, or (3) plug 80 day 89 day 89 day 89	ft. to	ft. to	well te sampl gal./mi her n and w ye e busine
el Pack Intervals: Financial Material Service of position from well service of pump: a chemical/bacteriological service of pump: book of pump: contractor of pump: contracto	From	2 Tue TIFICATION dge and beli Vaterwe	ft. to	3 Be	ft., From ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Water Water Water Capacity rated at 4 Cent structed, (2) rec day actor's License N	Other tt., From storage izer storage rticide storage rtight sewer lines Well Disinfected? Yes ord? Yes HP trifugal 5 Reciponstructed, or (3) plug 80 day 89 day 89 day 89	ft. to	ft. to	well te sampl gal./mi her n and w ye
el Pack Intervals: FIROUT MATERIAL: Inted Intervals: From	From	2 Tue TIFICATION dge and beli Vaterwe	ft. to	3 Be	ft., From ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Water Water Water Capacity rated at 4 Cent structed, (2) rec day actor's License N	Other tt., From storage izer storage rticide storage rtight sewer lines Well Disinfected? Yes ord? Yes HP trifugal 5 Reciponstructed, or (3) plug 80 day 89 day 89 day 89	ft. to	ft. to	well te sampl gal./mi her n and w ye e busine
rel Pack Intervals: FAROUT MATERIAL: 1 sted Intervals: From	From	2 Tue TIFICATION dge and beli Vaterwe	ft. to	3 Be	ft., From ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Water Water Water Capacity rated at 4 Cent structed, (2) rec day actor's License N	Other tt., From storage izer storage rticide storage rtight sewer lines Well Disinfected? Yes ord? Yes HP trifugal 5 Reciponstructed, or (3) plug 80 day 89 day 89 day 89	ft. to	ft. to	well te sampl gal./mi her n and w ye e busine
rel Pack Intervals: FAROUT MATERIAL: 1 uted Intervals: From. at is the nearest source of point of the properties of t	From	2 Tue TIFICATION dge and beli Vaterwe	ft. to	3 Be	ft., From ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Water Water Water Capacity rated at 4 Cent structed, (2) rec day actor's License N	Other tt., From storage izer storage rticide storage rtight sewer lines Well Disinfected? Yes ord? Yes HP trifugal 5 Reciponstructed, or (3) plug 80 day 89 day 89 day 89	ft. to	ft. to	well te sampl gal./mi her n and wall ye e busine
rel Pack Intervals: FAROUT MATERIAL: 1 sted Intervals: From	From	2 Tue TIFICATION dge and beli Vaterwe	ft. to	3 Be	ft., From ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Water Water Water Capacity rated at 4 Cent structed, (2) rec day actor's License N	Other tt., From storage izer storage rticide storage rtight sewer lines Well Disinfected? Yes ord? Yes HP trifugal 5 Reciponstructed, or (3) plug 80 day 89 day 89 day 89	ft. to	ft. to	well te sampl gal./mi her n and w ye
rel Pack Intervals: FAROUT MATERIAL: 1 sted Intervals: From	From	2 Tue TIFICATION dge and beli Vaterwe	ft. to	3 Be	ft., From ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Water Water Water Capacity rated at 4 Cent structed, (2) rec day actor's License N	Other tt., From storage izer storage rticide storage rtight sewer lines Well Disinfected? Yes ord? Yes HP trifugal 5 Reciponstructed, or (3) plug 80 day 89 day 89 day 89	ft. to	ft. to	well te sampl gal./mi her n and w ye e busine
rel Pack Intervals: FROUT MATERIAL: 1 sted Intervals: From	From	2 Tue TIFICATION dge and beli Vaterwe	ft. to	3 Be	ft., From ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Water Water Water Capacity rated at 4 Cent structed, (2) rec day actor's License N	Other tt., From storage izer storage rticide storage rtight sewer lines Well Disinfected? Yes ord? Yes HP trifugal 5 Reciponstructed, or (3) plug 80 day 89 day 89 day 89	ft. to	ft. to	well te sampl gal./mi her n and wall ye e busine
el Pack Intervals: FIROUT MATERIAL: Inted Intervals: From	From Neat cement O ft to Desible contaminat Cess pool Seepage pit Pit privy Sample submitted month me Submersible DWNER'S CERT 6 St of my knowled mpleted on Kellys W FROM O 2 215 2	2 Turning and beliate to Department of the Depar	ft. to	agoon d of pens f of pens	ft., From ft., From ft., From ft. to 10 Fuel 11 Fertil 12 Insec 13 Water Water Water Capacity rated at 4 Cent estructed, (2) rec day finctor's License N	Other	ft. to	ft. to	well te sampling gal./mi her n and w ye