WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL County: Kiowa	L: Fraction 1/4 SE 1/4 SW 1/4 SW 1/4	Section Number Township No. Range Number 29 T 29 S R 19 DE VW
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:		
from nearest town or intersection: If at owner's address, check here .		Latitude: (in decimal degrees)
1 mile East, 7 miles South of M	• —	Longitude: (in decimal degrees)
Time East, Times Court of Maintvine		Elevation:
A NACLATIONEN NACIONAL TO CONSTRUCTO		<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27
	esent Services	Collection Method:
RR#, Street Address, Box #: 57	21 NW 132nd Street	GPS unit (Make/Model:)
City, State, ZIP Code : Ok	lahoma City, OK 73142	Digital Map/Photo, Topographic Map, Land Survey
3 LOCATE WELL		Est. Accuracy:
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 245 ft.		
		ft. (2) ft. (3) ft.
N WEIL'S S	TATIC WATER LEVEL 195 &	below land surface measured on mo/day/yr. 1/10/12
WELL	Pumn test data: Well water was	ft. after hours pumpinggpm
Ter vier	D 5 gpm Well water was	ft. after hours pumping gpm
) D TT.1.	Diameter 10 5/8 in to 245	t., andin. toft.
WELL WA	TER TO BE USED AS: Public water	er supply Geothermal Injection well
	tic Feedlot Oil field water	r supply Dewatering Other (Specify below)
SW SE Domes	on Industrial Domestic-lay	n & garden Monitoring well
	nical/bacteriological sample submitted to	Denartment? Ves No
	, mo/day/yr sample was submitted	
	disinfected? Yes No	
	Steel PVC Other	
CASING JOINTS: Glued Clamped Welded Threaded		
Casing diameter 5		
Casing height above land surface. 24 in., Weight SDR-17 lbs./ft., Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel		
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)		
SCREEN OR PERFORATION OPENINGS ARE:		
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)		
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)		
SCREEN-PERFORATED INTERVALS: From		
From		
GRAVEL PACK INTERVALS: From		
GRAVEL PACK INTERVALS: From		
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other		
Grout Intervals: From .25 ft. to .0 ft., From ft. to ft. ft. to ft.		
What is the nearest source of possible contamination:		
Septic tank		
Sewer lines □ Cesspool □ Sewage lagoon □ Fuel storage □ Abandoned water well □ Watertight sewer lines □ Seepage pit □ Feedyard □ Fertilizer storage ☑ Oil well/gas well		
Direction from well Northeast		orage [v] Oil well/gas well from well 200.ft
The state of the s	LOGIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 3 Topsoil	LOGIC LOG TROW	LITTIO, LOG (COIL.) OF FLOODING INTERVALS
3 25 Tan Clay		
25 180 Clay Layers		
180 245 Sandy Clay		
100 240 Sandy Clay		
T CONTROL CONTROL OF THE CONTROL OF	NUCLEAR CONTROL OF THE CONTROL OF TH	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\subseteq \text{constructed}, \subseteq \text{reconstructed}, \text{or plugged} \)		
under my jurisdiction and was completed on (mo/day/year) .1/10/2012 and this record is true to the best of my knowledge and belief.		
Kansas Water Well Contractor's License No. 665 This Water Well Record was completed on (mo/day/year) .1/23/2012		
under the business name of Pratt Well Service by (signature) Local Service		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.		
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at		
http://www.kdheks.gov/waterwell/index.html.		
KSA 82a-1212 Check: White Copy, We Blue Copy, Pink Copy		