			WATER	WELL RI	ECORD	Form W	WC-5 K	(SA 82a-	1212				
1 LOCATION OF WATER WELL: FRACTION SE 1/4 SE 1/4 NE						SECTION NUMBER TOWNSHIP NUMBER				RANGE NUMBER			
		m nearest town or city		/4 SE	1/4 NF	1/4	14	T	29	S	R	2W	E/W
1	1 Prairie		•	water, Ka									
- 1	ER WELL		AYSMEYER			٧							
RR#,ST. ADDRESS,BOX #: 10008 W. York													er Resource
	CITY,	STATE: Wic	hita, Kansa	S			ZIP CODE:		Арр	ication Nu	ımber:		
	TE WELL'S LO		DEPTH OF CO	MPLETED V	VELL:	130 ft.		ELEVATIO	N:				
, ",	N N		epth of groundwa	ater Encounte		1	ft.			ft.			ft.
		w	ELL'S STATIC				OW LAND S	JRFACE ME	ASURED	ON mo	/day/yr:	11/14/	16
	· NW	ŊE	Est. Yield:	Pump test da		vater was		ft. after			rs of pumping	, _	gpm
W Wije		X	Bore Hole Diame	gpm eter 12	_	vater was	130 ft	ft. aftei . and		nou in.	rs of pumping	g@ to	gpm ft.
-		1 1	ELL WATER TO	_	AS:				٥	"'. Dewate	rina 1	. Injecti	
	sw		1. Domestic	3. Feedlot			7. Lawn		only		12. Oth	er (Spe	cify below)
	<u> </u>		IrrigationWas a chemical/ba	4. Industria			ly 8. Aircon YES	nditioning NO	_		ing well what mo/da	v/vr was	s samnle
L	3		ubmitted	cteriological sa	imple submitted t	o Department?		Water Well D			YES	NC NC	-
-		SING USED:	5. Wroug	ght Iron	7. Fibergla	ss 9. (Other (Specify	/ below)	CASING .	JOINTS:	Glued	Т	hreaded
	1. Steel 2. PVC	3. RPM (S > 4. ABS	•	stos-Cement	8. Concrete	C.L	R-26				Welded	C	Clamped
	sing diamete		in. to	40 ft.		in,	to	ft.,	Dia.		:	_	4
	_	e land surface:	12 in		Weight:		lbs. / ft.					0	ft.
1	-	OR PERFORATION	*****		Weight.	2.33	105. 7 11.	VVa	all thicknes	s or gau	ige No.	.214	
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)													
2. Bra	ss 4	I. Galvanized	Concrete	e Tile	8. RMP (SR) 10.	Asbestos-Cer	ment 12	. None us	ed (oper	n hole)		
1		RATION OPENIN											
	inuous slot			5. Gauzed w	• •		orch cut		Drilled ho		11. No	ne (ope	n hole)
2. L ou v	ered shutte	er 4. Key p	ounched 6	6. Wire wrap	ped	8. S	aw cut	10. (Other (sp	ecify)			
SCREEN	- PERFORA	ATION INTERVAL	From	40	ft.	to 130	ft.,	From		ft.	t	0	ft.
			From	•	ft.	to	ft.,	From		ft.	t	0	ft.
G	SRAVEL PA	CK INTERVALS:	From	24	ft.	to 130	ft.,	From		ft.	t	0	ft.
			From		ft.	to	ft.,	From		ft.		0	ft.
$\mathbf{\mathcal{L}}$	UT MATERI	1. 11041	cement	• •	ent Grout		3. Bentonite		Othe	ben	tonite hol	e plug	
Grout Intervals: From 4 ft. to 24 ft., From What is the nearest source of possible contamination:							ft. to ft., From ft. to					ft.	
1. Septic tank 4. Lateral lines 7. Pit privy 10.							Livestock pens 13. Insecticide storage 15. Oil well/Ga						
2. Sewe	er lines	5. Cess I	Pool	8. Sewage	lagoon	11. Fuel st	orage	14. Ab	andon wa	ter well	16. Oth	er (spec	ify below)
	rtight sewe		ige pit	9. Feed yar	rd	12. Fertilize	er storage			- 20	0.64		
From	from well?	East	LITHOLOG	IC LOG		From	То	How			0 ft. plus OGIC LO		
0	3	topsoil	LITTIOLOC	ilo Log		1 10111	1 10		LII	HOL	JGIC LO	<u> </u>	
3	10	clay											
10	35	brown shale											
35 80	80 95	gray shale red shale				+							
95	130	gray shale											
						+	+						
											•		
							1						
7 Cont	tractor's or L	andowner's Certific	cation: This wat	er well was 1	construct	2. re	constructed	or 3.	plugg	ed	under my ju	isdiction	and
was cor	mpleted on	(mo/day/year)	11-14-16	6	and this recor	d is true to th	e best of my l	knowledge a	nd belief.				
Kansas	Water Well	Contractor's Licens	se No. 236		This water	vell record wa	as completed	on (mo/day/	year)	11/	16/16		
under th	e business	name of Harp	Well and Pi	ımp Servi	ice	by (s	ignature)		T~7	_		dh	
					_				iou	<u>w</u> 3	. Ha	$\mathbf{r} \mathcal{P}$	