WATER WELL RECORD Form WWC-5 KSA 82a-1212 1 LOCATION OF WATER WELL: FRACTION SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER Sedgwick SW SE 1/4 SW1/4 17 T 29 S R 2W Ε/W Distance and direction from nearest town or city street address of well if located within city? 19650 W. 95th S. Clearwater, Kansas WATER WELL OWNER: KILLIAN, David Board of Agriculture, Division of Water Resource 19650 W. 95th S. RR#,ST. ADDRESS.BOX #: CITY, STATE: Clearwater, Kansas ZIP CODE: Application Number: 4 DEPTH OF COMPLETED WELL: LOCATE WELL'S LOCATION 100 fL **ELEVATION:** WITH AN "X" IN SECTION BOX: Depth of groundwater Encountered: ft, ft. ft. WELL'S STATIC WATER LEVEL 20 FT. BELOW LAND SURFACE MEASURED ON moldaylyr. 7/13/17 Well water was Pumo test data: ft. after ΝW NE hours of pumping @ com Est. Yield: gpm Well water was ft. after hours of pumping @ gpm Ξ Bore Hole Diameter 12 to 100 and ft. WELL WATER TO BE USED AS: 11. Injection well Dewatering SW SE 1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify below) 10. Monitoring well 4. Industrial 6. Oil field water supply 8. Air conditioning 2. Irrigation Was a chemical/bacteriological sample submitted to Department? ; If yes, what mo/day/yr was sample submitted Was Water Well Disinfected? (YES] 5 TYPE OF CASING USED: 9. Other (Specify below) CASING JOINTS: Glued Threaded 5. Wrought Iron 7. Fiberglass 1. Steel 3. RPM (SR) Welded Clamped SDR-26 6. Asbestos-Cement 8. Concrete tile 2. PVC 4. ABS 5 Blank casing diameter 30 Dia. in. to ft. ft.. Dia. in to ft. to 12 Casing height above land surface: 2.35 in.. Weight: lbs. / ft. Wall thickness or gauge No. .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 1. Steel 3. Stainless Steel 5. Fiberglass 9. ABS 11. Other (specify) 2. Brass 6. Concrete Tile 8. RMP (SR) 4 Galvanized Asbestos-Cement 12. None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) SCREEN - PERFORATION INTERVAL 30 From to ft. From to ft. From ft. to ft., From ft. ft. **GRAVEL PACK INTERVALS:** 24 ft From to 100 ft., From ft. to ft. fŁ From to ft., Emm to ft. **GROUT MATERIALS:** Other 1. Neat cement 2. Cement Grout 3. Bentonite bentonite hole plug Grout Intervals: From 4 24 ft.. Fmm ft, to ft., From ft. What is the nearest source of possible contamination: 10. Livestock pens 7. Pit privy 13. Insecticide storage 15. Oil well/Gas well 1. Septic tank 4. Lateral lines 16. Other (specify below) 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 2. Sewer lines 5. Cess Pool None Yet 9. Feed yard 12. Fertilizer storage 6. Seepage pit 3. Watertight sewer line Direction from well? How many feet? From LITHOLOGIC LOG Tο From To LITHOLOGIC LOG topsoil clay 14 14 fine sand 22 33 medium sand 33 <u> 100 </u> gray shale Contractor's or Landowner's Certification: This water well was 1. constructed 2, reconstructed or 3. under my jurisdiction and 7/13/17 was completed on (mo/day/year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 7/14/17 under the business name of Harp Well and Pump Service by (signature) Todd S. Harb