	WATER WELL	L RECORD F	Form WV	VC-5 K	SA 82a-121	2		
1 LOCATION OF WATER WELL:	FRACTION		SEC	TION NUMBE	R TOWNSHIP	NUMBER	RANGE N	IUMBER
Sedgwick	NW 1/4 N	W 1/4 NW	1/4	25	↑ ⊤ 29	S	R 21	W E/W
Distance and direction from nearest town or cit	ty street address of well if loo	ated within city?						
400'S. of 103rd, 100' E. of	135th W.	Clearwater, Ka	ansas					
2 WATER WELL OWNER: CL	EARWATER US	D #264						
RR#,ST. ADDRESS,BOX #: 150	S. Prospect, PO B	Box 248				Board of Agri	culture, Division of	Water Resource
CITY, STATE: Cle	arwater, Kansas		Z	P CODE: 6	7026	Application Nun	nber:	
	DEPTH OF CONCESS	WELL: 4			ELEVATION:			
WITH AN "X" IN SECTION BOX:	- ( ) 1-1	•	•		LLEVATION.	_		
	epth of groundwater End		ft.			ft.		ft.
	VELL'S STATIC WATER	LEVEL 18	FT. BELO	W LAND SI	JRFACE MEASU	RED ON mo/o	lay/yr: 5/2:	3/18
' NW NE	Pump te	est data: Well wa	ter was		ft. after	hours	of pumping @	gpm
w N E	Est. Yield:	gpm Well wa	ter was		ft. after	hours	of pumping @	gpm
∑ W E	Bore Hole Diameter	12 in.	to 8	30 ft	. and	in.	to	ft.
	VELL WATER 10					9. Dewateri	na 11. Inje	ction well
sw - sw - se	1. Domestic 3. Fee	dlot 5. Public wa	ter supply	7. Lawn	and garden only	>	•	pecify below)
	2. Irrigation 4. Indu	istrial 6. Oil field w	ater supply	8. Air cor	nditioning	10. Monitorin		
S	Was a chemical/bacteriologi	ical sample submitted to I	Department?	YES	NO		what mo/day/yr	was sample
	submitted			Was \	Water Well Disinfe	cted?	YES	NO
5 TYPE OF CASING USED:	5. Wrought Iron	7. Fiberglass	9. O	ther (Specify	(below) CASI	NG JOINTS:	Glued	Threaded
1. Steel 3. RPM (S	SR)	•	CD	` '	,		Welded	Clamped
2. PVC 4. ABS	<ol><li>Asbestos-Cer</li></ol>	ment 8. Concrete t	ile SD	R-26				
Blank casing diameter 5	in. to	ft., Dia.	in.	to	ft., 🗆	ia.	in. to	ft.
Casing height was trand surface:	<b>36</b> in	Mojobt		(6				
	,	Weight:	10	os. / ft.	wall thic	kness or gaug	je No.	
TYPE OF SCREEN OR PERFORATION MATERIAL:  1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)								
	5. Fiberglass		_					
2. Brass 4. Galvanized	<ol><li>Concrete Tile</li></ol>	8. RMP (SR)	ノ 10. A	sbestos-Cer	ment 12. Non	e used (open	hole)	
SCREEN OR PERFORATION OPENIN	NGS ARE:							
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None ( open hole)							open hole)	
2. Louvered shutter 4. Key	punched 6. Wire	wrapped	0 83	w cut	40 Otho	· (anaaifı)		
,		таррец	0.52	WCut	io. Other	(specify)		
SCREEN - PERFORATION INTERVAL	. From	ft. to		ft.,	From	ft.	to	ft.
	From	ft. to		ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:	From	ft. to	)	ft.,	From	ft.	to	
							10	ft.
	From	ft. to	)	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Nea	t cement 2.	Cement Grout	3	B. Bentonite	,	Other bent	onite hole pl	ug
Grout Intervals: From 3 ft. to 23 ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible of	7 D:4	matica. 1	0. Livestoc	k none	10.1		45.00	
1. Septic tank 4. Later		,,	O. Livestoc	k pens	13. Insectio	ide storage	15. Oil well/0	
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)								pecify below)
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage								
Direction from well? Sou				_	How mar	v feet?		
From To	LITHOLOGIC LO	OG.	From	То			GIC LOG	
	ZITTIOZO GIO ZX		0	3	acres acted a		GIC LOG	
			3		compacted o			
			23	49	bentonite ho chlorinated s			
				77	rum mated 8	, avei		
	· · · · · · · · · · · · · · · · · · ·						<del></del>	
			- ·					
				<del>                                     </del>				
			<u> </u>					
			<del> </del>					
7 0			<u> </u>	L				
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and								
was completed on (mo/day/year) 5/23/18 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's Lice	inse No. 236				l on (mo/day/year)		5/18	
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp								