WATER WELL R		ı WWC-5		sion of Water			
Original Record		inge in Well Use		urces App. No.		Well ID	
1 LOCATION OF WATER WELL:		Fraction	_ ;		Township Numb		
County: SEDGWIG WELL OWNER: L		SW ¼ NW ¼ NE ½ First: BRIAN		SE 1/4 7 T 29 S R 2 DE W reet or Rural Address where well is located (if unknown, distance and			
Business:	direction from nearest town or intersection): If at owner's address, check here:						
Address: PO BOX 675			8443 SOUTH 199TH STREET WEST, VIOLA, KS, 67149				
Address:	S ZIP: 67026	0443 300111 199111 011(EE1 WEST, VIOLA, NO, 07 149					
City: CLEARW. 3 LOCATE WELL	F.F						
WITH "X" IN	1	MPLETED WELL:		` "			
SECTION BOX:		er Encountered: 1)		Longitude:			
N		ATER LEVEL:		Source for Latitude/Longitude:			
	below land surface, measured on (mo-day-yr)			·· GPS (unit make/model:)			
NW NE	☐ above land surfa Pump test data: We		(WAAS enabled? Yes No)				
W E	afterho		☐ Land Survey ☐ Topographic Map ☐ Online Mapper:				
	Well water was ft.						
SW SE	afterho	. gpm	6 Elevation	n:ft	. Ground Level TOC		
S	Estimated Yield:	10.5 in to 55					
mile	Bore Hole Blaneter	in. to	ft.		☐ Other		
7 WELL WATER TO BE USED AS:							
1. Domestic:					10. Oil Field Water Supply: lease		
☐ Household ☐ Lawn & Garden							
Livestock							
2. Irrigation	9. Environmental Remediation: well ID						
3. Feedlot	☐ Air Spa		Extraction			ischarge	
4. ☐ Industrial ☐ Recovery ☐ Injection 13. ☐ Other (specify):							
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:							
Water well disinfected? ■ Yes □ No CASING JOINTS: ■ Gland □ Clamped □ Welded □ Threeded							
8 TYPE OF CASING USED: Steel PVC Other							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot							
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From .25 ft. to .55 ft., From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other							
Nearest source of possible contamination:							
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage							
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well ■ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedvard ☐ Fertilizer Storage ☐ Oil Well/Gas Well							
☐ Other (Specify) Direction from well? NORTH Distance from well? 150 ft.							
10 FROM TO	LITHOI	OGIC LOG	FROM			r PLUGGING INTERVALS	
	TOP SOIL						
	CLAY MED SAND						
	MED SAND CLAY						
	LARGE GRAVEL						
	GRAY SHALE						
	RED SHALE		Notes:	1	1.		
35 55 RED SHALE Well only							
11 CONTRACTORIS OR LANDOW/NEDIS CERTIFICATION. This was all the state of the state							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) .6/19/2018 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 884 This Water Well Record was completed on (mo-day-year) 8/6/2018							
under the business name of WENINGER DRILLING LLC Signature MARSHA KRYKROWSKA							
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,							
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015							