


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County FORD	Fraction NE 1/4 NW 1/4 SE 1/4	Section number 16	Township number T 29 S	Range number R 21 E/W	
2. Distance and direction from nearest town or city: 3 1/2 miles SE of Buckllyn			3. Owner of well: Ron Fulton R.R. or street: 2416 Melencamp City, state, zip code: Dodge City, Ks 67801				
4. Locate with "X" in section below: N W E S 1 Mile 1 Mile		Sketch map: 		6. Bore hole dia. 8" in. Completion date 7-22-78 Well depth 240' ft.			
5. Type and color of material		From	To	7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary			
Trpsson		0	2	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other			
Clay		2	105	9. Casing: Material Plastic Light: Above 18" in. Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 18" in. RMP <input type="checkbox"/> PVC glue 250 lbs./ft. Dia. 5 in. to 210 ft. depth Wall Thickness: inches or Dia. 5 in. to 210 ft. depth gage No. 250			
SAND		105	161	10. Screen: Manufacturer's name Jess & Lowell Type Plastic Dia. 5" Slot 1/4" Length 30' Set between 210 ft. and 240 ft. Gravel pack? yes Size range of material 1/4"			
Gravel		161	240	11. Static water level: 152 ft. below land surface Date 7-22-78 mo./day/yr.			
Clay		240	-	12. Pumping level below land surfaces: 152 ft. after 1 hrs. pumping 152 g.p.m. 152 ft. after 1 hrs. pumping 152 g.p.m. Estimated maximum yield 152 g.p.m.			
				13. Water sample submitted: 152 mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date 7-22-78			
				14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 18" inches above grade			
				15. Well grouted? yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 3 ft. to 26 ft.			
				16. Nearest source of possible contamination: septic ft. 125 Direction S Type septic Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
				17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Dempster Model number HF2150S2P 1 1/2 Volts Length of drop pipe 210' ft. capacity 1 1/2 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other			
				(Use a second sheet if needed)			
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Cragg Well Drilling 111 Business name License No. Address 308 So 2nd Dodge City, Ks Signed [Signature] Date 7/22/78 Authorized representative			
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley							

29
216
14
NEUSE
1/4 1/4 1/4