


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Ford	Fraction SE 1/4 SE 1/4 SE 1/4 NW	Section number 18	Township number T 29 S	Range number R 21 E
2. Distance and direction from nearest town or city: 1W, 2S, 1/2 E of Bucklin			3. Owner of well: Raymond Birney R.R. or street: City, state, zip code: Bucklin, Kansas 67834			
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 8 1/2 in. Completion date 9-4-80 Well depth 140 ft.		
				7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
5. Type and color of material		From To		8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input checked="" type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
top soil		0 5		9. Casing: Material <input type="checkbox"/> Height <input checked="" type="checkbox"/> Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface <input type="checkbox"/> in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 200 lbs./ft. Dia. 5 in. to 140 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 405kh		
sand + white clay		6 70		10. Screen: Manufacturer's name Pumpco - Jet Stream Type PVC Dia. 5" Slot/gauze 1/8 Length 20 Set between 120 ft. and 140 ft. ft. and ft. Gravel pack? Yes Size range of material 3-16		
sand		71 80		11. Static water level: 75 ft. below land surface Date 9-4-80 mo./day/yr.		
sand + white clay		81 110		12. Pumping level below land surfaces: 75 ft. after 1 1/2 hrs. pumping 30 g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 35 g.p.m.		
medium gravel		111 130		13. Water sample submitted: See 19 Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date		
coarse gravel		131 140		14. Well head completion: See 19 Pitless adapter <input type="checkbox"/> Inches above grade		
				15. Well grouted? Yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 10 ft. to 0 ft.		
				16. Nearest source of possible contamination: ft. 100 Direction NE Type creek Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
				17. Pump: See 19 Not installed Manufacturer's name Model number HP Volts Length of drop pipe ft. capacity g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
				(Use a second sheet if needed)		
18. Elevation:		19. Remarks: Windmill well 2" pipe, 1 3/8" working barrel		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Bartel Drilling 101A Business name License No. Address Signed Bob R. Bartel Date 9-26-80 Authorized representative		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley						

29 210 18 SE 1/4 NW
1/4 1/4 1/4