

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: FORD	NE 1/4 NE 1/4 NE 1/4	15	T 29 S	R 21 EW

Distance and direction from nearest town or city street address of well if located within city?

152 E Bucklin Kansas

2 WATER WELL OWNER:	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	Application Number:
City, State, ZIP Code :	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 178 ft. ELEVATION:
--	--

	Depth(s) Groundwater Encountered 1. 130 ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL 130 ft. below land surface measured on mo/day/yr 4-9-86
	Pump test data: Well water was 136 ft. after 1 hours pumping 3 gpm
	Est. Yield 20 gpm: Well water was ft. after hours pumping gpm
	Bore Hole Diameter 8 3/4 in. to 178 ft., and in. to ft.
WELL WATER TO BE USED AS:	
<input checked="" type="radio"/> Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well	
Was a chemical/bacteriological sample submitted to Department? Yes.....No X; If yes, mo/day/yr sample was submitted	
Water Well Disinfected? Yes X No	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped
<input checked="" type="radio"/> Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<input checked="" type="radio"/> PVC	4 ABS	7 Fiberglass	10 Asbestos-cement
Blank casing diameter 5 in. to 15 1/8 ft., Dia. in. to ft., Dia. in. to ft.			11 Other (specify)
Casing height above land surface 24 in., weight lbs./ft. Wall thickness or gauge No. #160			12 None used (open hole)

TYPE OF SCREEN OR PERFORATION MATERIAL:	<input checked="" type="radio"/> PVC	10 Asbestos-cement
1 Steel	3 Stainless steel	5 Fiberglass
2 Brass	4 Galvanized steel	6 Concrete tile
		8 RMP (SR)
		9 ABS
		11 Other (specify)
		12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	<input checked="" type="radio"/> Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)

SCREEN-PERFORATED INTERVALS:	From 158 ft. to 178 ft., From ft. to ft., From ft. to ft.
GRAVEL PACK INTERVALS:	From 140 ft. to 178 ft., From ft. to ft., From ft. to ft.

6 GROUT MATERIAL:	<input checked="" type="radio"/> Heat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.				

What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well
1 Septic tank	4 Lateral lines	11 Fuel storage
2 Sewer lines	5 Cess pool	12 Fertilizer storage
3 Watertight sewer lines	6 Seepage pit	13 Insecticide storage
	<input checked="" type="radio"/> Pit privy	15 Oil well/Gas well
	8 Sewage lagoon	16 Other (specify below)
	9 Feedyard	

Direction from well? **NW** How many feet? **80**

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	Top Soil			
2	63	tan clay			
63	65	fine sand			
65	110	tan clay			
110	140	sand			
140	180	sand & gravel			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="radio"/> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-9-86 and this record is true to the best of my knowledge and belief. Kansas
--

Water Well Contractor's License No. 224 This Water Well Record was completed on (mo/day/yr) 6-23-86

under the business name of **Carl Hayse Water Well Serv.** by (signature) **Carl Hayse**

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.