WATER WELL RE	CORD	Form WV	/C-5	Division of Wate	er Resources App. N	0
1 LOCATION OF WATER WELL:		Fraction	1/ 5 6 1/	Section Number	Township No.	Range Number
County: Ford		NEW NEW SWW SEW				
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:		
from nearest town or intersection: If at owner's address, check here .				Latitude: (in decimal degrees)		
611 Nebraska Ave.				Longitude: (in decimal degrees)		
Bucklin, 15s. 67834				Elevation:		
2 WATER WELL OWNER: Schlard Farms				Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:		
RR#, Street Address, Box #: 12 750 Rd. # 131			GPS unit (Make/Model:)			
City, State, ZIP Cod	_ /~/>			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
511), 511111, 221 502	Buck	lin, Ks. 67834		Est. Accuracy:		
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 125 ft.						
WITH AN "X" IN	4 DEPTH OF	COMPLETED WELL		🝣 ft.		
SECTION BOX:	Depth(s) Ground	lwater Encountered ((1)	ft. (2)	ft.	(3) ft.
N	WELL'S STATIC WATER LEVEL					
	Pump test data: Well water wasft. after hours pumping gpm					
EST. YIELDgpm. Well water wasft. after hours pumpinggr						nping gpm
W E Bore Hole Diameter						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☐ No						
S If yes, mo/day/yr sample was submitted						
Water well disinfected? Pyes No						
5 TYPE OF CASING USED: Steel DPVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter						
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
Steel Stainless Steel ZXVC Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft.						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFURATED INTERVALS: From						
From						
,						
From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well						
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well						
FROM TO	LITHOLOG		FROM			UGGING INTERVALS
0 85 Ba	own clas					
85 90 Ma	d-Sand					
	wn clay		,			
95 121 M	ed sand					
13 10						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year)						
Kansas Water Well Contractor's License No						
under the business name of						
under the business name of						
(white, blue, pink) to Kansa	s Department of Health	and Environment, Bureau o	f Water, Geold	ogy Section, 1000 SW J	ackson St. Suite 420,	Topeka, Kansas 66612-1367.
Telephone 785-296-5524.	Send one copy to WA	TER WELL OWNER and re	etain one for y	our records. Include for	ee of \$500 for each	constructed well. Visit us at
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212						