

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Ford	Fraction SW 1/4 NE 1/4 NE 1/4	Section number 12	Township number T 29 S R 22 E/W	Range number 22
2. Distance and direction from nearest town or city: 1 mile west of Bucklin, Kansas Street address of well location if in city:			3. Owner of well: Harlan Popp R.R. or street: City, state, zip code: Kingsdown, Kansas		
4. Locate with "X" in section below: N 1 Mile W E S 1 Mile			Sketch map: 876' E, 380' N of center of the NE 1/4, Sec. 12, T29S, R22W, Ford, County, Kansas		
5. Type and color of material			From	To	6. Bore hole dia. 28 in. Completion date 9-30-76 Well depth 152 ft.
Top soil			0	4	7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary
Tan clay			4	90	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other
Fine to coarse sand fine gravel			90	136	9. Casing: Material Stl. Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 37 lbs./ft. Dia. 16 in. to 112 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. .219
Tan sandy clay			136	146	10. Screen: Manufacturer's name Cook Type wirewrapped Dia. 16" Slot/gauze 1/8" Length 40' Set between 112 ft. and 152 ft. ft. and <input type="checkbox"/> ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 4.4 mm
Fine to coarse sand			146	152	11. Static water level: <input type="checkbox"/> mo./day/yr. 90 ft. below land surface Date 8-17-76
Black shale			152	160	12. Pumping level below land surfaces: 114 ft. after 1/2 hrs. pumping 786 g.p.m. 114 ft. after 1 hrs. pumping 786 g.p.m. Estimated maximum yield 786 g.p.m.
					13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>
					14. Well head completion: <input type="checkbox"/> Pitless adapter <input checked="" type="checkbox"/> XX Inches above grade
					15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.
					16. Nearest source of possible contamination: unk ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
					17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Layne & Bowler Model number 12 KEL HP <input type="checkbox"/> Volts <input type="checkbox"/> Length of drop pipe 140 ft. capacity 650 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
(Use a second sheet if needed)					
18. Elevation:	19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Layne-Western Co., Inc. 102 Business name License No. Address P.O. Box 686, G.C. Ks. Signed [Signature] Date 18 Nov 76 Authorized representative		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley					

29 22 12
T R S
1/4 1/4 1/4
S W E N E
1/4 1/4 1/4