

WATER WELL RECORD Form WWC-5 KSA 82a-1212

| | | | | |
|---|----------------------------------|----------------------|---------------------------|------------------------|
| 1 LOCATION OF WATER WELL: COUNTY: FORD | Fraction NE 1/4 NW 1/4 NE 1/4 | Section Number 26 | Township Number T 29 S | Range Number R 22 W |
|---|----------------------------------|----------------------|---------------------------|------------------------|

Distance and direction from nearest town or city street address of well if located within city?
2 MILES SOUTH, 3.5 MILES EAST OF KINGSDOWN

2 WATER WELL OWNER: ELLIS, GILBERT
RR#, St. Address, Box #: 12572 X ROAD
City, State, ZIP code: KINGSDOWN, KS 67842-
Board of Agriculture, Division of Water Resources
Application Number:

3 LOCATE WELL'S LOCATION WITH
AN "X" IN SECTION BOX:

| | | | | |
|-----|-----|----|-----|----|
| / \ | | | | |
| 1 | --- | NW | --- | NE |
| M | | | | |
| i | W | | | E |
| l | | | | |
| e | | | | |
| \ / | | SW | | SE |

4 DEPTH OF COMPLETED WELL 220 ELEVATION: 0
Depth(s) Groundwater Encountered 1. 0 ft. 2. 0 ft. 3. 0 ft.
WELL'S STATIC WATER LEVEL 120 ft. below land surface measured on mo/day/yr 10/18/07
Pump test data: Well water was 0 ft. after 0 hours pumping 0 gpm
Estimated Yield 0 gpm: Well water was 0 ft. after 0 hours pumping 0 gpm
Bore Hole Diameter 8.75 in. to 220 ft., and in. to 0 ft.
WELL WATER TO BE USED AS: LIVESTOCK
Was a chemical/bacteriological sample submitted to department? No ;
If yes, mo/day/yr sample was submitted Water well disinfected? Yes

5 TYPE OF BLANK CASING USED: PVC CASING JOINTS: GLUED
Blank casing diameter 5 in. to 200 ft., Dia in. to 0 ft., Dia in. to 0 ft.
Casing height above land surface 12 in., weight 0 lbs/ft. Wall thickness or gauge No. 21
TYPE OF SCREEN OR PERFORATION MATERIAL: PVC
SCREEN OR PERFORATION OPENINGS ARE: SAW CUT

| | |
|------------------------------|--|
| SCREEN PERFORATED INTERVALS: | From 200 ft. to 220 ft., From 0 ft. to 0 ft. |
| | From 0 ft. to 0 ft., From 0 ft. to 0 ft. |
| GRAVEL PACK INTERVALS: | From 25 ft. to 220 ft., From 0 ft. to 0 ft. |
| | From 0 ft. to 0 ft., From 0 ft. to 0 ft. |

6 GROUT MATERIAL BENTONITE
Grout Intervals: From 5 ft. to 25 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft.
What is the nearest source of possible contamination: SEPTIC TANK
Direction from well? NORTHEAST How many feet? 2500

| FROM | TO | LITHOLOGIC LOG | FROM | TO | PLUGGING INTERVALS |
|------|-----|-----------------|------|----|--------------------|
| 0 | 18 | BROWN CLAY | | | |
| 18 | 154 | TAN CLAY | | | |
| 154 | 188 | SAND AND GRAVEL | | | |
| 188 | 192 | TAN CLAY | | | |
| 192 | 218 | SAND AND GRAVEL | | | |
| 218 | 220 | GRAY CLAY | | | |

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 10/18/07 and this record is true to the best of my knowledge and belief. Kansas
Water Well Contractor's License No. 653 This Water Well Record was completed on (mo/day/yr) 10/29/07
under the business name of DAN HAYSE WATER WELL SERV by (signature) *Don Hayse*