WAT	ER W	ELL RECORD	Form	WWC-5		Division of Wate	r Resources App. N	20110216	
		ON OF WATER WELL:	Fraction		Se	ction Number		Range Number	
	ounty: F		SE 1/4 NW 1/4 I	NE 1/4 SW		9	T 29 S	R 22 □E 🗸W	
fro	Street/Rural Address of Well Location; if unknown, distance & direction nearest town or intersection: If at owner's address, check here				Glo	bal Positioning	System (GPS) in	formation:	
	1/4 North, 1 1/2 East of Kingsdown					Latitude:			
"		, Eddi of thingodown			Ele	evation:	· · · · · · · · · · · · · · · · · · ·	• • • •	
2 W	2 WATER WELL OWNER: Vincent Oil Co.					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
R	RR#, Street Address, Box #: 155 N Market Ste 700					Collection Method: GPS unit (Make/Model:)			
Ci	City, State, ZIP Code : Wichita. Ks. 67202					Digital Map/Photo, Topographic Map, Land Survey			
3 LOCATE WELL Est. Accuracy:								5-15 m, □ >15 m	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 217 ft.									
SE	SECTION BOX: Depth(s) Groundwater Encountered (1)								
	WELL'S STATIC WATER LEVEL. 160 ft. below land surface measured on mo/day/yr. 5-23-11.  Pump test data: Well water was ft. after hours pumping gp.								
L. NW.   NE   ESI. YIELD, JVAgpm. Well water was ff after hours numing								in a	
w           E   Dote Hole Diameter 1.0								t.	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								jection well	
Sw   SE   Dewatering   Other (Specify below)								ther (Specify below)	
<u> </u>	Was a chemical/bacteriological sample submitted to Department?  Ves V No								
5 If yes, mo/day/yr sample was submitted									
water well disinfected? [4] Yes [1] No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 5									
weight 500 to land surface									
Schole Ok Featoration Material:									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From 217 ft. to									
	GRAV	DEFREIGHTER VALS. 1	10111	π. το		It., From	ft to	<b>G</b>	
Fromft. toft., Fromft. toft. toft. ft. Grout Intervals: From									
Grout Intervals: From									
What is	the near	est source of bossing confau	imation:						
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								(specify below)	
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer stor						Oil well/gas v	well None		
FROM	TO	m well	······································		from w	ell	• • • • • • • • • • • • • • • • • • • •		
0	4	LITHOLOGIC Hard top soil	LUU	FROM	TO	LITHO. LOC	G (cont.) or PLUG	GING INTERVALS	
4	145	Clay		<del>                                     </del>					
145	151	Sand & gravel mixed with	ı clay						
151 215	215 217	Sand & gravel; med to lar	rge						
213	217	Gray shale		ļ					
					······································				
7 CONT	RACTO	OR'S OR LANDOWNEDS	CEDTIEICATIO	Ni. Tra		ļyl			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \( \sqrt{\text{constructed}} \) constructed, \( \sqrt{\text{reconstructed}} \) reconstructed, or \( \sqrt{\text{plugged}} \) plugged under my jurisdiction and was completed on \( \text{mod/day/year} \) .5-23-11 \\ \text{mand this record is true to the best of my knowledge and belief.}\)									
NSTRUCTIONS: Use typewriter or ball soint one DUGG PAPER STORM by (signature)									
white, blue, pink) to Kansas Department of Health and Environment and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies									
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
SA 82a-1212									
		•			Ç11	LAI WILLE	cohy, [ Bine (	Copy, Pink Copy	