WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL: County: Ford	Fraction NE ¼ NE ¼ NE ¼ SE ¼	Section Number Township No. Range Number T 29 S R 22 DE WW	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:			
		Latitude: (in decimal degrees)	
1 1/2 north & 2 east of Kingsdown		Longitude: (in decimal degrees) Elevation:	
2 WATER WELL OWNER: Vincen	4 Oil C-	Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27	
	t Oil Co. Market, Ste 700	Collection Method:  GPS unit (Make/Model:)	
City Code 7ID Code		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
vvicnita	ı, Ks. 67202	Est. Accuracy:	
3 LOCATE WELL			
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL .190	ft.	
SECTION BOX: Depth(s) Groun	Depth(s) Groundwater Encountered (1)		
WELL'S STAT	WELL'S STATIC WATER LEVEL		
Pumj	test data: Well water was	ft. after hours pumping gpm	
NW NE EST. TIELD.N	NWNE		
WEIT WATER	WELL WATER TO BE USED AS. Dublic water county. D Coothornal Direction well		
SW SE   Domestic   Feedlot   Oli field water supply   Dewatering   Other (Specify below)   Irrigation   Industrial   Domestic-lawn & garden   Monitoring well			
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ✔ No			
S If yes, mo/day/yr sample was submitted			
Water well disinfected? ☑ Yes ☐ No			
5 TYPE OF CASING USED: Steel PVC Other			
CASING JOINTS: M Glued Clamped Welded Threaded			
Casing diameter .5 in. to .190 ft., Diameter in. to ft., Diameter in. to ft.			
Casing height above land surface18	in., Weight SDR 26	lbs./ft., Wall thickness or gauge No	
TYPE OF SCREEN OR PERFORATION	MATERIAL:		
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)			
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)			
☐ Continuous slot       ☐ Mill slot       ☐ Gauze wrapped       ☐ Torch cut       ☐ Drilled holes       ☐ None (open hole)         ☐ Louvered shutter       ☐ Key punched       ☐ Wire wrapped       ☑ Saw cut       ☐ Other (specify)			
SCREEN-PERFORATED INTERVALS: From			
From			
GRAVEL PACK INTERVALS: From 190 ft. to 20 ft., From ft. to ft.			
From ft. to ft., From ft. to ft.			
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other			
		t. to .0	
What is the nearest source of possible conta			
☐ Septic tank ☐ Lateral lin ☐ Sewer lines ☐ Cesspool	es Pit privy Livestock p  Sewage lagoon Fuel storage		
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None			
Direction from well		rom well	
FROM TO LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0 4 Top soil			
4 105 Tan clay			
105 127 Tan clay w/caliche			
127 183 Sand & gravel-Medium	to large		
183 190 Gray & yellow clay			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged			
under my jurisdiction and was completed on (mo/day/year) .10-13-11 and this record is true to the best of my knowledge and belief.			
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 11-10-11			
under the business name ofRosencrantz-Bemis by (signature)			
INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly Please fill in blanks and check the correct answers. Send three copies			
(white, blue, pink) to Kansas Depar trans of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. I nclude fee of \$5.00 for each constructed well. Vi sit us at			
http://www.kdheks.gov/waterwell/index.html.			
KSA 82a-1212 Check: White Copy, ☐ Blue Copy, ☐ Pink Copy			