

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: FORD		SE ¼ SE ¼ SW ¼	7	T 29 S	R 23 EW
Distance and direction from nearest town or city street address of well if located within city? 1/2 East and 2 3/4 North of Bloom, Kansas					
2 WATER WELL OWNER:		Mr. Del Clowdis			
RR#, St. Address, Box # :		Route #3			
City, State, ZIP Code :		Dodge City, Kansas 67801			
		Board of Agriculture, Division of Water Resources Application Number: ---			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL... 230 ft. ELEVATION: ... Slope				
	Depth(s) Groundwater Encountered 1. Not available ft. 2. ft. 3. ft.				
	WELL'S STATIC WATER LEVEL ... 181 ft. below land surface measured on mo/day/yr Aug. 17, 1989				
	Pump test data: Well water was ft. after hours pumping gpm				
	Est. Yield 20 gpm: Well water was ft. after hours pumping gpm				
	Bore Hole Diameter ... 10 in. to ... 230 ft., and ... in. to ... ft.				
WELL WATER TO BE USED AS:					
XX Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well					
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well 12 Other (Specify below)					
Was a chemical/bacteriological sample submitted to Department? Yes.....No.....XX; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes XX No					
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued ..XX..Clamped					
XX2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded					
Blank casing diameter 5 in. to ... 190 ft., Dia in. to ft., Dia in. to ft.					
Casing height above land surface 10 in., weight 2.8 lbs./ft. Wall thickness or gauge No. 265					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass XX PVC 10 Asbestos-cement					
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped XX Saw cut 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes					
3 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From ... 190 ft. to ... 230 ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From ... 20 ft. to ... 230 ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite XXX Other Baroid Hole Plug					
Grout Intervals: From ... 0 ft. to ... 20 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
XX Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)					
13 Insecticide storage					
Direction from well? East How many feet? 100					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Topsoil			
2	161	Clay			
161	179	Caliche			
179	230	Med. to Lar. Sand and Gravel			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) August 18, 1989 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 252 This Water Well Record was completed on (mo/day/year) August 21, 1989 under the business name of Friesen Windmill & Supply Inc. by (signature)					