


WATER WELL RECORD		Form WWC-5		KSA 82a-1212	
LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Ford		C 1/4 SE 1/4 NW 1/4	28	T 29 S	R 24 E/W
Distance and direction from nearest town or city street address of well if located within city?					
3 1/2 west 3/4 north Bloom					
WATER WELL OWNER: Mr. Christenson Pickrell Drilling					
RR#, St. Address, Box # : Garden City, Ks. Litwin Bldg. Suite 205 Board of Agriculture, Division of Water Resources					
City, State, ZIP Code : Wichita, Ks. 67202 Application Number: T84-236					
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		DEPTH OF COMPLETED WELL: 180 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. 114 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 135 ft. below land surface measured on mo/day/yr 4-30-84			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield NA gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 10 in. to 180 ft. and in. to ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well			
		Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes HTH No			
TYPE OF BLANK CASING USED:		CASING JOINTS: Glued x Clamped			
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile			
2 PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below) Welded			
		7 Fiberglass Threaded			
Blank casing diameter 5 in. to 140 ft. Dia in. to ft. Dia in. to ft.					
Casing height above land surface 18 in. weight lbs./ft. Wall thickness or gauge No. 258					
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes					
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 140 ft. to 180 ft. From ft. to ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From 10 ft. to 180 ft. From ft. to ft. From ft. to ft.					
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout intervals: From 0 ft. to 10 ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well? west		How many feet? 120			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	Top soil			
2	9	Clay			
9	19	Clay and strips of sand			
19	48	Brown clay and white clay			
48	64	Clay and black rock			
64	66	Clay			
66	93	Clay and strips of sand			
93	101	Sand and clay layers			
101	114	Sand and rock layers			
114	122	Rock and strip of sand			
122	180	Sand and gravel and rock layers			
180		Clay			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-30-84 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/yr) 5-2-84					
Under the business name of Rosencrantz-Bemis Ent. by (signature) Lisa Dodson					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					