			WELL RECORD FO	orm www.vC-5	KSA 82a	-1212		
OGATION DF WA	TER WELL:	Fraction		Sec	tion Number	Township Nun	nber	Range Number
nty: For		SW 1/4		1/4	28	т 29	S	R 24 -E/W
			ress of well if located	within city?				
	/8 north c			11 5				
			n Pick					
		en City, K				•		Division of Water Resource
State, ZIP Code		<del>                                     </del>		ita, Ks				T83-662
A IN SECTIO								
1	\ \	WELL'S STATIC W	ATER LEVEL 1.	3 2 ft. be	elow land sur	face measured on n	no/day/yr	12-7-83
1	1 1 1 1							nping gpr
NW	NE							nping gpi
i								to
w			BE USED AS: 5	Public water	r supply	8 Air conditioning	11	njection well
1	1	1 Domestic	3 Feedlot 6	Oil field wat	er supply	9 Dewatering	12 (	Other (Specify below)
SW	SE	2 Irrigation				10 Observation well		
lx !	1 1 1	•						mo/day/yr sample was so
<u> </u>		mitted	nonological campio ca			ter Well Disinfected?		
PE OF BLANK	CASING USED:		Wrought iron	8 Concre				. X Clamped
1 Steel	3 RMP (SR		Asbestos-Cement		specify below			ed
2 PVC	4 ABS	•	Fiberglass			*)		ded
								n. to
								.258
	R PERFORATION		., woight	7 PV		10 Asbes		
1 Steel	3 Stainless		Fiberglass		P (SR)			
2 Brass	4 Galvanize		Concrete tile	9 ABS		12 None		
	RATION OPENING			wrapped	•	8 Saw cut		11 None (open hole)
1 Continuous sk			6 Wire wr			9 Drilled holes		Tritono (oponinolo)
2 Louvered shut		y punched	7 Torch c	• •				
				ut				
	ED INTERVALS		. H to	150	ft Ero	m	ft to	
LENTERFURAT	ED INTERVALS:					n		
		From	ft. to		ft., Fro	m	ft. to	
	ACK INTERVALS:	From1 0	ft. to ft. to		ft., Fro	m	ft. to	)
GRAVEL PA	ACK INTERVALS:	From1 0 From	ft. to ft. to ft. to ft. to	150	ft., Fro ft., Fro ft., Fro	n	ft. to ft. to ft. to	)
GRAVEL PA	ACK INTERVALS:	From1 0 From From ement 2x	ft. to ft. to ft. to  CONTROLL	150 3 Bentor	ft., From the fit., From the fit.	ກ	ft. to ft. to ft. to	)
GRAVEL PAROUT MATERIAL	L: 1 Neat ce	From 1. 0  From  From  Ement 2 <u>X</u> ft. to 1 0	ft. to ft. to ft. to  CONTROLL	150 3 Bentor	ft., From the	m	ft. to	ft. to
GRAVEL PAROUT MATERIAL Intervals: From is the nearest se	L: 1 Neat com	From	ft. to ft. to ft. to  Servers aroux ft., From	3 Bentor	ft., From tt., F	mm  m Other	ft. to	ft. to
GRAVEL PAROUT MATERIAL t Intervals: Fro t is the nearest so 1 Septic tank	L: 1 Neat ce om	From	ft. to ft. to ft. to  CPNOTE STOLK ft., From 7 Pit privy	3 Bentor	ft., Froft., Froft., Froft., Fro 10 Lives 11 Fuel	mm  Othertock pens storage	ft. to ft. to ft. to	ft. to
GRAVEL PAROUT MATERIAL Intervals: From is the nearest so 1 Septic tank 2 Sewer lines	L: 1 Neat ce om	From	ft. to ft. to ft. to  ft. to  CPNNIX STOLK  ft., From  7 Pit privy  8 Sewage lagoo	3 Bentor	ft., Froft., Fro	mm  Othertock pens storage zer storage	14 Ab 15 Ot	ft. to
GRAVEL PAROUT MATERIAL Intervals: Fro is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev	L: 1 Neat ce om	From	ft. to ft. to ft. to  CPNOTE STOLK ft., From 7 Pit privy	3 Bentor	ft., From tt., From t	mm  Othertock pens storage zer storage ticide storage	14 Ab 15 Oi	ft. to
GRAVEL PAROUT MATERIAL Intervals: From is the nearest soft septic tank 2 Sewer lines 3 Watertight sevice from well?	L: 1 Neat ce om	From	ft. to ft. to ft. to  ft. to  CENNIX STOLK  ft., From  7 Pit privy  8 Sewage lagoo  9 Feedyard	3 Bentor ft. t	ft., From tt., F	n	14 Ab 15 Oi 16 Ot	ft. to
GRAVEL PA  ROUT MATERIAL Intervals: Fro is the nearest set 1 Septic tank 2 Sewer lines 3 Watertight sev tion from well? DM TO	CK INTERVALS:  1 Neat ce om	From	ft. to ft. to ft. to  ft. to  CENNIX STOLK  ft., From  7 Pit privy  8 Sewage lagoo  9 Feedyard	3 Bentor	ft., From tt., From t	n	14 Ab 15 Oi	ft. to
GRAVEL PAROUT MATERIAL Intervals: From is the nearest set of the service servi	CK INTERVALS:  1 Neat ce of cource of possible ce of Lateral 5 Cess per over lines 6 Seepar	From	ft. to ft. to ft. to ft. to ft. to ft. o  CREMENT STOLLY  7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentor ft. t	ft., From tt., F	n	14 Ab 15 Oi 16 Ot	ft. to
GRAVEL PAROUT MATERIAL Intervals: From is the nearest set of Septic tank 2 Sewer lines 3 Watertight sevice from well? M TO 5 7 8	L: 1 Neat ce om0f ource of possible c 4 Lateral 5 Cess p ver lines 6 Seepa	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. of ft. prive ft., From 7 Pit prive ft., From 8 Sewage lagoo general ft.	3 Bentor ft. t	ft., From tt., F	n	14 Ab 15 Oi 16 Ot	ft. to
GRAVEL PA  ROUT MATERIAL Intervals: Fro is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev ion from well? M TO 5 7 8 8 1 2 9	L: 1 Neat ce om	From	ft. to ft. to ft. to ft. to ft. to ft. o  CREMENT STOLLY  7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentor ft. t	ft., From tt., F	n	14 Ab 15 Oi 16 Ot	ft. to
GRAVEL PA  ROUT MATERIAL Intervals: Fro is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevition from well? DM TO 0 5 5 78 8 129 149	CK INTERVALS:  1 Neat ce cm	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. of ft. prive ft., From 7 Pit prive ft., From 8 Sewage lagoo general ft.	3 Bentor ft. t	ft., From tt., F	n	14 Ab 15 Oi 16 Ot	ft. to
GRAVEL PARAMETERIAL Intervals: From is the nearest set of the service of the serv	CK INTERVALS:  1 Neat ce cm 0 f ource of possible c 4 Lateral 5 Cess p wer lines 6 Seepa  Dark top Tan clay Tan sand Medium sa	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. of ft. prive ft., From 7 Pit prive ft., From 8 Sewage lagoo general ft.	3 Bentor ft. t	ft., From tt., F	n	14 Ab 15 Oi 16 Ot	ft. to
GRAVEL PARAMETERIAL Intervals: From is the nearest set of the service of the serv	CK INTERVALS:  1 Neat ce cm	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. of ft. prive ft., From 7 Pit prive ft., From 8 Sewage lagoo general ft.	3 Bentor ft. t	ft., From tt., F	n	14 Ab 15 Oi 16 Ot	ft. to
GRAVEL PA  ROUT MATERIAL Intervals: Fro is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev ion from well? M TO 5 6 78 8 129 29 149 49 150	CK INTERVALS:  1 Neat ce cm 0 f ource of possible c 4 Lateral 5 Cess p wer lines 6 Seepa  Dark top Tan clay Tan sand Medium sa	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. of ft. prive ft., From 7 Pit prive ft., From 8 Sewage lagoo general ft.	3 Bentor ft. t	ft., From tt., F	n	14 Ab 15 Oi 16 Ot	ft. to
GRAVEL PA  OUT MATERIAL Intervals: Fro is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev ion from well? M TO 5 7 8 8 129 29 149 49 150	CK INTERVALS:  1 Neat ce cm 0 f ource of possible c 4 Lateral 5 Cess p wer lines 6 Seepa  Dark top Tan clay Tan sand Medium sa	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. of ft. prive ft., From 7 Pit prive ft., From 8 Sewage lagoo general ft.	3 Bentor ft. t	ft., From tt., F	n	14 Ab 15 Oi 16 Ot	ft. to
GRAVEL PARAMETERIAL Intervals: From is the nearest set of the service of the serv	CK INTERVALS:  1 Neat ce cm 0 f ource of possible c 4 Lateral 5 Cess p wer lines 6 Seepa  Dark top Tan clay Tan sand Medium sa	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. of ft. prive ft., From 7 Pit prive ft., From 8 Sewage lagoo general ft.	3 Bentor ft. t	ft., From tt., F	n	14 Ab 15 Oi 16 Ot	ft. to
GRAVEL PA  OUT MATERIAL Intervals: Fro is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev ion from well? M TO 5 7 8 8 129 29 149 49 150	CK INTERVALS:  1 Neat ce cm 0 f ource of possible c 4 Lateral 5 Cess p wer lines 6 Seepa  Dark top Tan clay Tan sand Medium sa	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. of ft. prive ft., From 7 Pit prive ft., From 8 Sewage lagoo general ft.	3 Bentor ft. t	ft., From tt., F	n	14 Ab 15 Oi 16 Ot	ft. to
GRAVEL PARAMETERIAL Intervals: From is the nearest set of the service of the serv	CK INTERVALS:  1 Neat ce cm 0 f ource of possible c 4 Lateral 5 Cess p wer lines 6 Seepa  Dark top Tan clay Tan sand Medium sa	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. of ft. prive ft., From 7 Pit prive ft., From 8 Sewage lagoo general ft.	3 Bentor ft. t	ft., From tt., F	n	14 Ab 15 Oi 16 Ot	ft. to
GRAVEL PA  ROUT MATERIAL Intervals: Fro is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevicion from well? 0M TO 0 5 6 78 8 129 29 149 49 150	CK INTERVALS:  1 Neat ce cm 0 f ource of possible c 4 Lateral 5 Cess p wer lines 6 Seepa  Dark top Tan clay Tan sand Medium sa	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. of ft. prive ft., From 7 Pit prive ft., From 8 Sewage lagoo general ft.	3 Bentor ft. t	ft., From tt., F	n	14 Ab 15 Oi 16 Ot	ft. to
GRAVEL PA  ROUT MATERIAL Intervals: Fro is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevicion from well? 0M TO 0 5 6 78 8 129 29 149 49 150	CK INTERVALS:  1 Neat ce cm 0 f ource of possible c 4 Lateral 5 Cess p wer lines 6 Seepa  Dark top Tan clay Tan sand Medium sa	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. of ft. prive ft., From 7 Pit prive ft., From 8 Sewage lagoo general ft.	3 Bentor ft. t	ft., From tt., F	n	14 Ab 15 Oi 16 Ot	ft. to
GRAVEL PA  ROUT MATERIAL Intervals: Fro is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevition from well? DM TO 0 5 7 8 7 8 7 8 7 8 7 9 7 9 7 9 7 9 7 9 7 9 7 9 7 9 7 9 7 9	CK INTERVALS:  1 Neat ce cm 0 f ource of possible c 4 Lateral 5 Cess p wer lines 6 Seepa  Dark top Tan clay Tan sand Medium sa	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. of ft. prive 7 Pit prive 8 Sewage lagoo 9 Feedyard	3 Bentor ft. t	ft., From tt., F	n	14 Ab 15 Oi 16 Ot	ft. to
GRAVEL PA  ROUT MATERIAL Intervals: Fro is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? DM TO 0 5 7 8 7 8 1 2 9 1 4 9 1 5 0	CK INTERVALS:  1 Neat ce cm 0 f ource of possible c 4 Lateral 5 Cess p wer lines 6 Seepa  Dark top Tan clay Tan sand Medium sa	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. of ft. prive 7 Pit prive 8 Sewage lagoo 9 Feedyard	3 Bentor ft. t	ft., From tt., F	n	14 Ab 15 Oi 16 Ot	ft. to
GRAVEL PAROUT MATERIAL Intervals: Fro is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? DM TO 0 5 5 78 78 129 129 149 150 150	CK INTERVALS:  1 Neat ce of cource of possible ce of Lateral 5 Cess per lines 6 Seepar lines 6 Seepar lines 1 Seepar lines 6 S	From	ft. to ft. ft. ft. ft., From ft., Fr	3 Benton ft. t	ft., Froft., Fro	n	14 Ab 15 Oi 16 Ot THOLOGI	ft. to
GRAVEL PAROUT MATERIAL Intervals: Fro is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? DM TO 0 5 7 8 7 8 1 2 9 1 4 9 1 5 0 1 5 0  CONTRACTOR'S eleted on (mo/day)	CK INTERVALS:  1 Neat ce of m	From	ft. to ft. ft. ft. ft., from ft., ft., ft., from ft., ft., ft., ft., ft., ft., ft., ft.,	3 Benton ft. to  FROM  rock  (1) construction	tted, (2) reco	n	gged under of my known of my k	ft. to
GRAVEL PA  ROUT MATERIAL Intervals: Fro is the nearest set 1 Septic tank 2 Sewer lines 3 Watertight sev ion from well? M TO 5 7 8 8 129 29 149 49 150  ONTRACTOR'S eted on (mo/day)	CK INTERVALS:  1 Neat ce of m	From	ft. to ft. ft. ft. ft., from ft., ft., ft., from ft., ft., ft., ft., ft., ft., ft., ft.,	3 Benton ft. to  FROM  rock  (1) construction	tted, (2) reco	n	gged under of my known of my k	ft. to
GRAVEL PA  ROUT MATERIAL Intervals: Fro is the nearest set 1 Septic tank 2 Sewer lines 3 Watertight sev ion from well? M TO 5 7 8 8 1 2 9 2 9 1 4 9 4 9 1 5 0 50  ONTRACTOR'S eleted on (mo/day Well Contractor the business na	CK INTERVALS:  1 Neat ce of cource of possible ce of Lateral 5 Cess power lines 6 Seepa Dark top Tan clay Tan sand Medium set Tan sand Yellow ce of Corrections of Correcti	From	ft. to ft. ft. ft. ft., From ft.,	3 Benton ft. to  FROM  rock  (1) construct Record was	tt., From tt., F	on Other	gged under of my known 1	ft. to pandoned water well well/Gas well her (specify below)  C LOG  or my jurisdiction and well welledge and belief. Kans. 2-30-83