WATE	R WE	LL RECORD	Form WV	VC-5	Division of Water	r Resources App. No	D. 20141004
1 LOC	CATION	OF WATER WELL:	Fraction		Section Number	Township No.	Range Number
County: Ford			1/4 SE 1/4 SW			T 29 S	R 24 □E 🗹 W
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:							
from nearest town or intersection: If at owner's address, check here					Latitude:		
3 3/4 West of Bloom					Elevation:		
A WATER WELL OWNER					Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27		
2 WATER WELL OWNER: Vincent Oil Corp RR#, Street Address, Box #: 155 N Market- Ste 700					Collection Method: GPS unit (Make/Model:)		
City, State, ZIP Code : Wichita, KS			Market- Ste 700		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
		Wichita,	NS 07202		Est. Accuracy:	3 m, 3-5 m,	5-15 m, $\square > 15$ m
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 227 ft.							
	WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL 22! ft. ft. (2) ft. (3)						
SEC	WELL'S STATIC WATER LEVEL 129 ft. below land surface measured on mo/day/yr11-20-14						
Pump test data: Well water wasft. after hours pumping g							oinggpm
EST. YIELD. N/Agpm. Well water was							
Bore Hole Diameter 10in. to .227ft., and							
WELL WATER TO BE USED AS:							
I Importion I Industrial Demostic leave & conden I Manifestine well							
Was a chemical/bacteriological sample submitted to Department? Yes V No							
S If yes, mo/day/yr sample was submitted							
mile Water well disinfected? ✓ Yes □ No							
5 TYPE OF CASING USED: Steel V PVC Other							
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded							
Casing diameter .5 in. to .227 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight SDR-26 lbs./ft., Wall thickness or gauge No							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From							
GRAVEL PACK INTERVALS: From							
From							
Grout Intervals: From							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Tank Battery							
		m well Southeast			from well60.0ft		
FROM		LITHOLOG	IC LOG	FROM	TO LITHO. LO	OG (cont.) or PLU	GGING INTERVALS
4	4 95	Top soil					
95	106	Tan clay & caliche Cemented sand					
106	116	Sand & gravel					
116	130	Cemented sand	11/2				
130	146	Fine sand & clay					
146	227	Sandstone & shale					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .11-20-14 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 12-9-14							
under the business name of Rosencrantz- Bemis Ent Inc. by (signature)							
INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at							
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212 Check: White Copy, Deline Copy, Pink Copy							