

1 LOCATION OF WATER WELL County: <u>Ford</u>		Fraction <u>NE</u> $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$	Section Number <u>2</u>	Township Number T <u>29</u> S	Range Number R <u>25</u> W
Distance and direction from nearest town or city? <u>12.5 mi. South Dodge City - 283</u>			Street address of well if located within city?		
2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code		Roy Harchberger RR Minneola, Ks 67865			
3 DEPTH OF COMPLETED WELL		180 ft. Bore Hole Diameter			
Well Water to be used as:		5 Public water supply 8 Air conditioning 11 Injection well			
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well			
Well's static water level		160 ft. below land surface measured on			
Pump Test Data		N/A			
Est. Yield 20 gpm		Well water was			
TYPE OF BLANK CASING USED:		5 Wrought iron 8 Concrete tile Casing Joints: Glued <input checked="" type="checkbox"/> Clamped			
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded		2 PVC 4 ABS 7 Fiberglass Threaded			
Blank casing dia		5 in. to 160 ft. Dia			
Casing height above land surface		18 in. weight 250 lbs./ft. Wall thickness or gauge No. 250			
TYPE OF SCREEN OR PERFORATION MATERIAL:		1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)		Screen or Perforation Openings Are:			
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)		2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes			
Screen-Perforation Dia		5 in. to 160 ft. Dia			
Screen-Perforated Intervals:		From 160 ft. to 180 ft. From			
Gravel Pack Intervals:		From 180 ft. to 15 ft. From			
5 GROUT MATERIAL:		1 Neat cement 2 Cement grout 3 Bentonite 4 Other			
Grouted Intervals: From		15 ft. to 0 ft. From			
What is the nearest source of possible contamination:		10 Fuel storage 14 Abandoned water well			
1 Septic tank 4 Cess pool 7 Sewage lagoon 11 Fertilizer storage 15 Oil well/Gas well		2 Sewer lines 5 Seepage pit 8 Feed yard 12 Insecticide storage 16 Other (specify below)			
3 Lateral lines 6 Pit privy 9 Livestock pens 13 Watertight sewer lines		Direction from well			
N How many feet		150 ? Water Well Disinfected? Yes <input checked="" type="checkbox"/> No			
Was a chemical/bacteriological sample submitted to Department? Yes		No <input checked="" type="checkbox"/> If yes, date sample			
was submitted		month day year Pump Installed? Yes <input checked="" type="checkbox"/> No			
If Yes: Pump Manufacturer's name		Dempster Model No. HF3150S2 HP 1-1/2 Volts 220			
Depth of Pump Intake		175 ft. Pumps Capacity rated at 20 gal./min.			
Type of pump:		1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other			
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on					
November month 8 day 1979 year					
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 111					
This Water Well Record was completed on					
November month 8 day 1979 year under the business					
name of Cragg Well Drilling by (signature) Mark Cragg					
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM TO LITHOLOGIC LOG FROM LITHOLOGIC LOG			
		0 3		Topsoil	
		3 140		Clay & rock	
		140 170		Gravel	
		180		Bottom of well	
ELEVATION:		Depth(s) Groundwater Encountered 1. 160 ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)			

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.