

USE TYPEWRITER OR BALL  
POINT PEN-PRESS FIRMLY,  
PRINT CLEARLY.

WATER WELL RECORD  
KSA 82g-1201-1215

Kansas Department of Health and  
Environment-Division of Environment  
(Water well Contractors)  
Topeka, Kansas 66620

1. Location of well:		County <b>Ford</b>	Fraction <b>SW 1/4 SW 1/4 NW 1/4</b>	Section number <b>13</b>	Township number <b>T 29</b>	Range number <b>S 25</b>	E/W <b>E/W</b>
2. Distance and direction from nearest town or city: <b>14 miles South Dodge City, KS</b>				3. Owner of well: <b>Getty Oil Co</b> R.R. or street: <b>RR 1</b> City, state, zip code: <b>Minneola, Ks 67865</b>			
4. Locate with "X" in section below:  Sketch map: <b>X well</b> <b>House</b>				6. Bore hole dia. <b>10</b> in. Completion date <b>9-17-77</b> Well depth <b>200</b> ft.			
5. Type and color of material				7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary			
				8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other			
Topsoil Clay SAND Clay Clay + SAND GRAVEL White Rock + SAND				9. Casing: Material <b>Plastic</b> Weight: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface <b>18</b> in. RMP <input type="checkbox"/> PVC <b>glue</b> Weight <b>250</b> lbs./ft. Dia. <b>6 5/8</b> 200 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gauge No. <b>250</b>			
				10. Screen: Manufacturer's name <b>Jess &amp; Lowell</b> Type <b>Plastic</b> Dia. <b>6 5/8</b> Slot <b>3/16</b> Length <b>30</b> Set between <b>170</b> ft. and <b>200</b> ft. Gravel pack? <b>yes</b> Size range of material <b>4</b>			
				11. Static water level: <b>158</b> ft. below land surface Date <b>9-15-77</b>			
				12. Pumping level below land surfaces: <b>N/A</b> ____ ft. after ____ hrs. pumping ____ g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield ____ g.p.m.			
				13. Water sample submitted: ____ mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date ____			
				14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter <b>16</b> inches above grade			
				15. Well grouted? <b>yes</b> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <b>3</b> ft. to <b>20</b> ft.			
				16. Nearest source of possible contamination: ft. <b>100</b> Direction <b>South</b> Type <b>Septic</b> Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
				17. Pump: Manufacturer's name <b>Sta-Rite</b> Model number <b>40P4H02S</b> HP <b>3</b> Volts <b>230</b> Length of drop pipe <b>180</b> ft. capacity ____ g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other			
				18. Elevation: <b>Level</b> Topography: <input checked="" type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley			
19. Remarks:				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <b>Cragg Well Drilling 111</b> Business name License No. <b>1308 So Second Dodge City</b> Address Signed <b>Ray D Cragg</b> Date <b>9/17/77</b> Authorized representative			

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

29  
T

25<sup>E</sup>  
R

13  
Sec

5055  
1/4 18 1/4