


1 LOCATION OF WATER WELL: County: <u>Ford.</u>	Fraction <u>NW 1/4 NW 1/4 NE 1/4</u>	Section Number <u>22</u>	Township Number <u>T 29</u>	Range Number <u>R 26 E/W</u>
---	---	-----------------------------	--------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city?

Approx 9 miles north - 2 1/2 miles East of Fowler.

2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :	<u>Mike Bartlett</u> <u>Rt 1, Box 35</u> <u>Fowler KS. 67844</u>	Board of Agriculture, Division of Water Resources Application Number: <u>1050</u>
---	--	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL: <u>196</u> ft. ELEVATION: Depth(s) Groundwater Encountered 1. <u>196</u> ft. 2. <u>96</u> ft. 3. <u>96</u> ft. WELL'S STATIC WATER LEVEL <u>96</u> ft. below land surface measured on mo/day/yr Pump test data: Well water was <u>196</u> ft. after <u>1</u> hours pumping <u>196</u> gpm Est. Yield <u>196</u> gpm: Well water was <u>196</u> ft. after <u>1</u> hours pumping <u>196</u> gpm Bore Hole Diameter <u>196</u> in. to <u>196</u> ft., and <u>196</u> in. to <u>196</u> ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> If yes, mo/day/yr sample was submitted <u>No</u> Water Well Disinfected? Yes <u>No</u> Clamped <u>No</u>
--	---

5 TYPE OF CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>No</u> Clamped <u>No</u> 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded <u>No</u> 7 Fiberglass Threaded <u>No</u>	Blank casing diameter <u>16</u> in. to <u>16</u> ft., Dia <u>16</u> in. to <u>16</u> ft., Dia <u>16</u> in. to <u>16</u> ft. Casing height above land surface <u>31</u> in., weight <u>31</u> lbs./ft. Wall thickness or gauge No. <u>31</u>	TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) <u>10</u> 12 None used (open hole)	SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) <u>10</u>	SCREEN-PERFORATED INTERVALS: From <u>196</u> ft. to <u>196</u> ft., From <u>196</u> ft. to <u>196</u> ft. GRAVEL PACK INTERVALS: From <u>196</u> ft. to <u>196</u> ft., From <u>196</u> ft. to <u>196</u> ft.
---	---	--	--	--

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other <u>NOAE</u>	Grout Intervals: From <u>25</u> ft. to <u>3</u> ft., From <u>25</u> ft. to <u>3</u> ft., From <u>25</u> ft. to <u>3</u> ft.	What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage
--	---	--

Direction from well? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS	<u>196</u> <u>96</u> <u>25</u> <u>3</u> <u>0</u> <u>Chlorinated GRAVEL</u> <u>96</u> <u>25</u> <u>3</u> <u>0</u> <u>CLAY</u> <u>25</u> <u>3</u> <u>0</u> <u>CEMENT</u> <u>3</u> <u>0</u> <u>0</u> <u>BACK FILL</u>
---	---

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>July 20, 1990</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>1050</u> This Water Well Record was completed on (mo/day/yr) <u>July 20, 1990</u> under the business name of <u>Mike H. Bartlett</u> by (signature) <u>Mike H. Bartlett</u>
