WATER WELL RECORD	Form W	WC-5	Di	vision of Wate	r Resources App. No).	
1 LOCATION OF WATER WELL:	Fraction		Section	on Number	Township No.	Range Number	
County: Ford Street/Rural Address of Well Location	if unknown distance	E1/4 SW1/4 Redirection	Clobo	22 I Positionino	T 27 S (System (CPS) in	R 26 DE W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here				Global Positioning System (GPS) information: Latitude:			
		Longi	Longitude: (in decimal degrees)				
			Eleva	Elevation:			
2 WATER WELL OWNER: Double B+S Cattle Co.			Collection Method:				
RR#, Street Address, Box #: City, State, ZIP Code 10320 Wrangler Rd.				GPS unit (Make/Model:) Digital Map/Photo, Topographic Map, Land Survey			
City, State, ZIP Code: 10320 Wrangler Rd. Fowler, K5. 67844			Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m				
3 LOCATE WELL							
	Depth(s) Groundwater Encountered (1)ft. (2)ft. (3)						
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr							
	Pump test data: Well water wasft. after						
W - NW - NE - EST. YIELD. Bore Hole Dia	EST. YIELD						
WELL WATE	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well							
S If yes, mo/day/yr sample was submitted							
1 mile Water well disinfected?							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ FVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft.							
From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 5.7 ft. to 3.5 ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From							
From							
Grout Intervals: From							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well							
Direction from well	OGIC LOG					UGGING INTERVALS	
FROM TO LITHOLO O 110 Tan Sandy clar		FROM	ТО	LITTU, L	oo (com.) <u>or</u> PLC	OULING INTERVALS	
110 128 Tan Surdy Clay + f	ine sand						
128 179 Med. Sand + Ta	r claylagers						
179 214 Tan Sandy clay	+ med Sand						
214 215 Sandrock 215 122 Tan clay							
222 255 Tan Sandy Clay	of Med-Sand						
253 279 Tan //aj							
279 315 Med. Sind							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) 7/.2/// and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No This Water Well Record was completed on the day year							
under the business name of							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .							
KSA 82a-1212							