

V	·		RECORD		n n C-3	28	5941		sion of Wat			Well ID			
1		Original Record Correction Change in Well Use LOCATION OF WATER WELL: Fraction						11				ge Number			
-	County: $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$												$\Box E \Box W$		
2									Street or Rural Address where well is located (if unknown, distance and lirection from nearest town or intersection): If at owner's address, check here:						
3	LOCAT	E WELL													
U		4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)							5 Latitude:(decimal degrees)						
	SECTIO							Longitude :							
w	NW NW SW	NE	WELL'S ST below la above la Pump test da after	2) ft. 3) ft., or 4) □ WELL'S STATIC WATER LEVEL: □ below land surface, measured on (mo-day-yn □ above land surface, measured on (mo-day-yn Pump test data: Well water was ft. after hours pumping					Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:						
		Estimated Yield:gpm													
	-	S Bore Hole Diameter: in. to													
7	1 mile in. to ft. Other														
1. 2. 3.	Domestic: Housel Lawn & Livesto Irrigati Feedlo	Domestic: 5. □ Public Water Supply: well ID Household 6. □ Dewatering: how many wells? Lawn & Garden 7. □ Aquifer Recharge: well ID Livestock 8. □ Monitoring: well ID Irrigation 9. Environmental Remediation: well ID						·····	 10. Oil Field Water Supply: lease 11. Test Hole: well ID Cased Ducased Geotechnical 12. Geothermal: how many bores? a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water 13. Other (specify): 						
					-										
					itted to KDHE?		Yes 🗋	No	If yes, dat	e sai	mple was submitted	:			
		disinfected					C	ACINI		а. г		W 11			
Ca Ca T	8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. to in. Weight lbs./ft. Wall thickness or gauge No. ft. TYPE OF SCREEN OR PERFORATION MATERIAL:														
		nuous Slot	Mill Slot Kay Dup al												
50					ire Wrapped							ft to	ft		
5	SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. or ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.														
9	9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other														
											ft. to				
	Nearest source of possible contamination: Image: Septic Tank in Lateral Lines in Pit Privy in Livestock Pens in Insecticide Storage in Seware Lines in Cess Pool in Sewage Lagoon in Fuel Storage in Abandoned Water Well in Watertight Sewer Lines in Seepage Pit in Feedyard in Fertilizer Storage in Oil Well/Gas Well in Other (Specify) Direction from well? Distance from well?														
	FROM	ТО		ITHOLOG			FRO		TO	LIT	THO. LOG (cont.) or H	PLUGGIN	G INTERVALS		
											· · ·				
							_								
							Notes	•							
ur K	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)														
	-			, Bureau of V							eka, Kansas 66612-1367	. Telephone	785-296-3565. A 82a-1212		