WATER WEI	L RECORD	Form V	VWC-5	D	ivision of Wate	r Resources App. N		
1 LOCATION County:	of water well:	Fraction 1/4 AW 1/4 A		Secti	on Number		Range Number	
	ddress of Well Location;	if unknown distance	& direction	Globe	al Positionine	Sustan (CBS):	R 26 E XW	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here								
Longitude: W 100 646 (in decimal degrees)								
		ation:	:92	(in decimal degrees)				
Elevation:								
2 WATER WELL OWNER: Mike Bartlett					Collection Method:			
RR#, Street Address, Box #: 12720 130 RL					GPS unit (Make/Model: Sarmin)			
City, State, ZIP Code : Fowler, Ks. 67844				ñ	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	7021			Est. A	Accuracy:	3 m. ☐ 3-5 m. ☐	5-15 m,  >15 m	
3 LOCATE WELL								
WITH AN "X"							,	
SECTION BO		lwater Encountered	(1) <u>.</u>	ft.	(2)	ft. (	3) ft.	
N	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr/0/3/14							
4	rump test data. Well water wasft. after hours pumping gram							
NW N	NW NE EST. YIELDgpm_Well water wasft. after hours numping and							
W     E   Bore Hole Diameter 1.78in. to ft., and in. to								
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well								
Domestic   Feedlot   Oil field water supply   Dewatering   Other (Specify below)								
Irrigation Industrial Domestic-lawn & garden Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? ★ Yes No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: 🛣 Glued: 🗆 Clamped: 🗆 Welded: 🗆 Threaded								
Casing diameter								
Casing neight above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel · MPVC Dther (Specify)								
Drass   Galvanized Steel   None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft.								
From								
From ft. to ft.								
From								
o GROOT WATERIAL.   Neat cement   Cement grout   Bentonite   Other								
Grout intervals: From ft. to ft. to ft. from								
what is the hearest source of possible contamination:								
Sewer line		Sewage lagoon	Livestock p		Insecticide	storage	er (specify below)	
	t sewer lines	Sewage lagoon	Fuel storag		Abandoned	water well	Pasture	
Direction from	well	it recuyard			Oil well/ga	s well	2. rasture	
FROM TO	LITHOLOG		FROM	TO TO	TITILO T	20.4		
0 40			1 KOM	10	LITHO, LC	or PLU	GGING INTERVALS	
	Brown Clay +c		+					
	white crumbly	rock	-					
43 46	Brown day		<u> </u>					
46 50	Brown Sandy cla	y & Coursesano						
50 60	Med. Sand							
60 125	med. sand a C	emented sano	1					
	•							
	<u>;</u>				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
	• •							
	4						,	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☑ reconstructed, ☑ plugged								
under my jurisdiction and was completed on (mo/day/year)								
under the business name of								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and cheek the cornect answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suit 420, Topeka, Kansas 66612-1367.								
(white, blue, pink) to	Kansas Department of Health	and Environment, Bureau	of Water, Geolo	gy Section	on, 1000 SW Jac	kson St. Suit 220	oneka Kansas 66612 1267	
1 retephone 703 270 3	DET. Delia one copy to WAIL	ER WELL OWNER and	retain one for y	our record	ds. Include fee	of \$5.00 for each co	instructed well. Visit us at	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at VSA 220, 1212								
KSA 82a-1212						-		