KOLAR Document ID: 1523722

	WELL R			WWC-5 te in Well Use			ion of Wate			W-11 ID			
U		Correction		, 			rces App. N		Townshin Numh	Well ID	aa Numbar		
1 LOCATION OF WATER WELL:FractionCounty:1/41/41/4						Section Number			Township Number Rang T S R		nge Number		
						D.1.401	1 Address	who					
							reet or Rural Address where well is located (if unknown, distance and ection from nearest town or intersection): If at owner's address, check here:						
Address:				direction fro	ction from nearest town or intersection): If at owner's address, check here:								
Address:													
City: State: ZIP:													
3 LOCAT	E WELL					C.							
WITH "	X" IN			IPLETED WELL:									
SECTIO	SECTION BOX. Depth(s) Groundwater Encountered: 1)						8						
Ν	2) ft. 3) ft., or 4)												
					on (mo-day-yr)			Source for Latitude/Longitude:					
				, measured on (mo-day-yr) , measured on (mo-day-yr) vater was ft.			□ GPS (unit make/model:) (WAAS enabled? □ Yes □ No) □ Land Survey □ Topographic Map						
NW	NE												
w		-		s pumping gpm			Online Mapper:						
				ater was ft.									
SW	SE			s pumping	. gpm				2				
		Estimated Y	'ield:	gpm					:ft.				
	S	Bore Hole I	Bore Hole Diameter: in. to										
1 r				in. to	ft.				Other	•••••			
		BE USED A											
1. Domestic:				ater Supply: well ID					ld Water Supply: le				
☐ Household 6. ☐ Dewa				ig: how many wells?			11. Test Hole: well ID						
				Recharge: well ID									
				g: well ID					al: how many bores				
2. 🗌 Irrigati				al Remediation: well I					Loop Horizont				
3.			-			b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):							
4. 🗌 Industr			Recovery	5									
				nitted to KDHE?	Yes 🗌 N	οI	lf yes, date	e sar	nple was submitted	d:			
		🗌 Yes 🔲											
8 TYPE O	OF CASING	USED: \Box S	teel 🗌 PV	C 🗌 Other	CA	SINC	G JOINTS	5: 🗆	Glued Clamped	Welde	d 🗌 Threaded		
				Diameter									
				n. Weight	lbs./	ft.	Wall thick	kness	or gauge No				
		PERFORA	FION MA										
□ Steel		iless Steel		D PVC			🗌 Otl	her (S	Specify)				
Brass		anized Steel			used (open l	iole)							
		ATION OPE						_					
	nuous Slot	☐ Mill Slot			orch Cut				Other (Specify)	•••••			
	ered Shutter	Key Puncl					ne (Open H		2 -	2			
				n ft. to									
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
								•••••	ft. to	ft.			
		e contaminati	on: No Lateral Line	potential source of con						: J. C			
Septic '			Lateral Line Cess Pool	es			ivestock Pe uel Storage		☐ Insectic ☐ Abando				
	ight Sewer Lir		Seepage Pit				ertilizer Sto						
						_ ге	STUNZET SU	ладе		u/Jas well			
Direction from well? ft.													
10 FROM	ТО		ITHOLO		FROM		TO		HO. LOG (cont.) or		GINTERVALS		
					1.1010								
	<u> </u>												
	<u>├</u>												
	<u>├</u>												
	<u> </u>												
	<u> </u>												
					Notes:								
	├				THORES:								
	├												
11 CONT	RACTOD'S		WNFD'	S CERTIFICATIO	N. Thio m	ater	vell was l		Instructed Trace	netructed	or nluggod		
				no-day-year)									
Kansas Wa	ter Well Cor	tractor's Lice	ense No.	This W	ater Well I	Recor	rd was con	mple	ted on (mo-dav-ve	ear)	5º una bener.		
under the b	usiness name	e of											
		Send one copy to	o WATER W	/ELL OWNER and retain	one for your	record	 Fee of \$5 	5.00 f	or each constructed we	11.			
-				Water, Geology Section, 1	000 SW Jack	son St.	., Suite 420,	Tope	ka, Kansas 66612-136				
Visit us at h	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	JEFF UNRUH
Doc ID	1523722

Lithology

From	То	LithologicLog
0	4	TOPSOIL
4	32	CLAY
32	62	SANDY CLAY & CLAY
62	80	CLAY
80	151	CLAY
151	157	M/C SAND & FINE GRAVEL
157	163	CLAY
163	177	SANDY CLAY
177	185	C. SAND & F. GRAVEL
185	191	FINE GRAVEL
191	193	F. GRAVEL W/ CALICHE
193	197	SANDY CLAY AND MAG
197	201	MED SAND
201	205	SANDY CLAY, MAG, TR CEM SAND
205	209	SANDY CLAY W/ MED SAND
209	213	MED SAND
213	214	BR. ROCK
214	220	BR. ROCK & SS
220	238	BR. ROCK/SS
238	250	SHALE