


1	LOCATION OF WATER WELL:	Fraction 100 1/4 500 1/4 500 1/4	Section Number 5	Township Number T 29 S	Range Number R 27 E/M		
County:	Gray	Distance and direction from nearest town or city street address of well if located within city? <i>1 E + 5 1/2 S from Hays</i>					
2	WATER WELL OWNER:	<i>Tim Brown</i>					
RR#, St. Address, Box #	City, State, ZIP Code	Board of Agriculture, Division of Water Resources Application Number: <i>Ensign, KS 67841</i>					
3	LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 700.0 ft. ELEVATION:  Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 91 ft. below land surface measured on mo/day/yr Pump test data: Well water was 116 ft. after hours pumping 20 gpm Est. Yield 20 gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 0 Domestic 3 Feedlot 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well					
5	TYPE OF BLANK CASING USED:	5 Wrought iron 1 Steel 0 PVC	6 Asbestos-Cement 3 RMP (SR) 4 ABS	8 Concrete tile 9 Other (specify below)	CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped Welded Threaded		
Blank casing diameter	5	in. to	100	ft., Dia	in. to ft., Dia in. to ft.		
Casing height above land surface	18	in., weight			lbs./ft. Wall thickness or guage No. 200 lb.		
TYPE OF SCREEN OR PERFORATION MATERIAL:	1 Steel 2 Brass	3 Stainless Steel 4 Galvanized Steel	5 Fiberglass 6 Concrete tile	0 PVC 8 RMP (SR) 9 ABS	10 Asbestos-Cement 11 Other (Specify) 12 None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:	1 Continuous slot 2 Louvered shutter	0 Mill slot 4 Key punched	5 Guazed wrapped 6 Wire wrapped 7 Torch cut	8 Saw cut 9 Drilled holes 10 Other (specify)	11 None (open hole) ft.		
SCREEN-PERFORATED INTERVALS:	From 100	ft. to 120	ft., From ft. to ft.				
From 180	ft. to 200	ft., From ft. to ft.					
GRAVEL PACK INTERVALS:	From 20	ft. to 200	ft., From ft. to ft.				
From ft. to ft., From ft. to ft.							
6	GROUT MATERIAL:	1 Neat cement	2 Cement grout	0 Bentonite	4 Other		
Grout Intervals:	From 4	ft. to 20	ft., From ft. to ft., From ft. to ft.				
What is the nearest source of possible contamination:	1 Septic tank 2 Sewer lines 3 Watertight sewer lines	4 Lateral lines 5 Cess pool 6 Seepage pit	7 Pit privy 8 Sewage lagoon 9 Feedyard	10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage	14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)		
Direction from well?	How many feet?						
FROM	TO	LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS	
0	5	<i>Topsoil</i>					
5	50	<i>brown clay</i>					
50	70	<i>sandy brown clay</i>					
70	90	<i>reddish brown clay</i>					
90	95	<i>sandy brown clay</i>					
95	118	<i>sand + gravel</i>					
118	140	<i>sand + yellow clay</i>					
140	190	<i>blue clay</i>					
190	200	<i>sandy, blue clay</i>					
7	CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:	This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-30-03 and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's Licence No	101	This Water Well Record was completed on (mo/day/yr) 5-27-03					
under the business name of	<i>Bartel Well Drilling, Inc.</i>					by (signature) <i>Ronnie J. Bartel</i>	
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.							