

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Gray</u>	<u>SW 1/4 SW 1/4 SW 1/4</u>	<u>13</u>	T <u>29</u> S	R <u>29</u> E <u>10</u>

Distance and direction from nearest town or city street address of well if located within city?

From Montezuma, West side Blk. Top 5 1/2 miles south

2 WATER WELL OWNER: <u>Monte Schmidt</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: <u>33502 12 Rd.</u>	Application Number:
City, State, ZIP Code: <u>Montezuma, Ks. 67867</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>160'</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. .... ft. 2. .... ft. 3. .... ft.
	WELL'S STATIC WATER LEVEL <u>130</u> ft. below land surface measured on mo/day/yr <u>129-97</u>
	Pump test data: Well water was .... ft. after .... hours pumping .... gpm
	Est. Yield .... gpm: Well water was .... ft. after .... hours pumping .... gpm
	Bore Hole Diameter <u>9 7/8</u> in. to <u>160</u> ft., and .... in. to .... ft.
WELL WATER TO BE USED AS:	
<input checked="" type="checkbox"/> Domestic    3 Feedlot    6 Oil field water supply    9 Dewatering    12 Other (Specify below)	
2 Irrigation    4 Industrial    7 Lawn and garden only    10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes ..... No <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was submitted	
Water Well Disinfected? Yes <input checked="" type="checkbox"/> No	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<input checked="" type="radio"/> PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter <u>5"</u> in. to <u>120</u> ft., Dia			Threaded
Casing height above land surface <u>12</u> in., weight			lbs./ft. Wall thickness or gauge No. <u>SAR 21</u>
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
SCREEN-PERFORATED INTERVALS:			
From <u>120</u> ft. to <u>160</u> ft., From .... ft. to .... ft.			
GRAVEL PACK INTERVALS:			
From <u>24</u> ft. to <u>160</u> ft., From .... ft. to .... ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	<input checked="" type="radio"/> Bentonite	4 Other
Grout Intervals:	From <u>4</u> ft. to <u>24</u> ft.	From .... ft. to .... ft.	From .... ft. to .... ft.	From .... ft. to .... ft.
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	<input checked="" type="radio"/> Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? <u>Southwest</u>				
How many feet? <u>35'</u>				

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Topsoil			
2	20	Brown clay & caliche layers			
20	50	Fine sand & brown sandy clay			
50	60	Med. sand			
60	61	White rock			
61	120	Med. sand			
120	140	Med. sand & brown sandy clay layers			
140	158	Med. sand & sandrock ledges			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="radio"/> (1) constructed, <input type="radio"/> (2) reconstructed, or <input type="radio"/> (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>1-29-97</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>533</u> This Water Well Record was completed on (mo/day/yr) <u>4-8-97</u> under the business name of <u>Jantzen Water Well Repair</u> by (signature) <u>[Signature]</u>
--