

R.9 *1 - Wendel *1

1 LOCATION OF WATER WELL:	Fraction	C $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$	Section Number	T 29 S	Range Number R 29 E/W		
County:	Gray						
Distance and direction from nearest town or city street address of well, if located within city?							
Bingalls KS 8 mi south 1 mi west							
2 WATER WELL OWNER:	Red Tiger Drg Co			Martin Wendel			
RR#, St. Address, Box #	1720 15th St One Bldg			Board of Agriculture, Division of Water Resources			
City, State, ZIP Code	Wichita, KS 67202			Application Number: 787-384			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	200 ft. ELEVATION:						
4 DEPTH OF COMPLETED WELL: 200 ft. ELEVATION:							
Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. ft.							
WELL'S STATIC WATER LEVEL 98 ft. below land surface measured on mo/day/yr 9-29-87 ft.							
Pump test data: Well water was ft. after hours pumping gpm							
Est. Yield gpm: Well water was ft. after hours pumping gpm							
Bore Hole Diameter in. to ft. and in. to ft.							
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well							
Was a chemical/bacteriological sample submitted to Department? Yes No. If yes, mo/day/yr sample was submitted							
Water Well Disinfected? Yes No							
5 TYPE OF BLANK CASING USED:	5 Wrought iron 8 Concrete tile 10 Asbestos-cement			CASING JOINTS: Glued Clamped			
1 Steel 3 RMP (SR)	6 Asbestos-Cement 9 Other (specify below) Welded						
2 PVC 4 ABS	7 Fiberglass			Threaded			
Blank casing diameter in. to ft. Dia in. to ft. Dia in. to ft.							
Casing height above land surface 3' below in., weight				lbs./ft. Wall thickness or gauge No.			
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR)	10 Asbestos-cement						
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS	11 Other (specify)						
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 10 None (open hole)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes							
7 Torch cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft.							
GRAVEL PACK INTERVALS: From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft.							
6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other			
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well							
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well							
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 13 Insecticide storage							
Direction from well? How many feet?							
FROM	TO	LITHOLOGIC LOG		FROM	TO	LITHOLOGIC LOG	
200 ft	9 ft	Cement		20.6 ft			
filled entire well with cement							
cut casing off 3' below ground level							
filled with surface silts from 3' below to ground level							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:	This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-29-87					and this record is true to the best of my knowledge and belief. Kansas	
Water Well Contractor's License No.						This Water Well Record was completed on (mo/day/year) 10-10-87	
under the business name of Red Tiger Drg Co						by (signature) Steve Dunkum	
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.							