				WATE	R WELL R	ECORD	Form W	WC-5	KSA 82a-	1212 ID	12 ID No					
1 LOCATION OF WATER WELL:			1						ion Number	Tov			Ran	ge Numb	e Number	
County:		herson				½ S			26	T	19	S	R	03	W	
			town or city st			ell if locate	d within	city?								
	WELL OWNE		Wal-M 2001 S		th os					_						
-	dress, Box #					746					-	ulture, Div	ision of W	ater Reso	ources	
City, State,	ZIP Code E WELL'S LO	CATONIM			, AR 72						cation Nu					
3 AN "X" II	N SECTION E	BOX:	TOPT	H OF C	OMPLETE	ED WELL		20	ft. ELE	VATION:						
→	1	i	Depth(s)	Ground	water Enco	ountered	1		f	2		ft	3		ft	
		.!_							below land							
	NW	NE	WELES													
₩ W X			E Fst Yield													
- ^					gpiii.	5 :- 4-	lei was	20	, · · ·	n. aner		nours t	oumping		gpiii	
	sw	SF	WELL W	ATFR T	O BE USE	DAS: 5	Public	water su	ipply supply	π. and	condition	ing 1	1. to 1. Injectio	n well	^{II.}	
1	i	i	1 D	omestic	3 Feed	lot 6	Oil field	d water s	yiqqua Siqqua	9 De	watering	1:	2 Other (Specify be	elow)	
† <u>L</u>	i			rigation	4 Indus	strial 7	Lawna	and gard	en (domesti	c) 10 N	Ionitorina	well	`			
	S		I	•					epartment?						wae	
			submitted		- acici iolog	, var sampi	Gubiiii	10 L				'' yes i? Yes		· ·	1143	
5 TYPE OF	F BLANK CAS	SING LISE			5 \Mm.	ight Iron	0	Conor								
1 Ste			MP (SR)						ete tile		ING JOIN			Clamped		
			,						specify belo			Weld		=1		
2 PV		4 _AB			7 Fiber				-					Flusi		
Blank casing	g diameter	<u>2</u>	in. to	10	ft., l	Dia		in. to		ft., Dia			in. to		ft.	
Casing heig	ht above land	surface	Flushmo	unt	in., weight		0.70	3	lbs./ft.	Wall thick	kness or g	gauge No.		Sch. 40) 	
TYPE OF S	CREEN OR F	PERFORA	TION MATERI					7	PVC		10 Asbe	stos-ceme	ent			
1 Ste	el		ainless steel		5 Fiber	rglass		8	RMP (SR)		11 Other	(specify)				
2 Bra			Ivanized steel		6 Cond	crete tile		9	ABS		12 None	used (ope	en hole)			
		_	NINGS ARE:			_		apped		8 Saw	cut		11 Non	e (open h	ole)	
	ntinuous slot		3 Mill slot			6 Wir	re wrapp	oed			ed holes					
	vered shutter		4 Key punch			7 Tor				10 Oth	er (specit	fy)				
SCREEN-PI	ERFORATED	INTERVA	LS: From		10	ft. to		20	ft. I	rom		ft. t	to		ft.	
									ft. I							
GRA	AVEL PACK I	NTERVAL	S: From		8	ft. to	-	20	ft. I	From		ft. f	to		ft.	
			From			ft. to			ft.	From		ft. 1	to		ft.	
6 GROUT	MATERIAL:	1 Ne	eat cement	2	Cement g	rout		3 Bent	onite	4 Other						
Grout Interv	als From	0.5	ft. to	8	ft. Fro	om		ft to	2	' ft	From		ft. to		ft.	
What is the	nearest source	e of possit	ole contaminat	ion:				"				14 Ab				
						7 Pit pri	ivv		11 Fuel						•	
2 Sev	wer lines		5 Cess			8 Sewa	· .		12 Ferti	-				fy below)		
3 Wa	tertight sewer	r lines	6 Seepa	age pit		9 Feedy			13 Insec		•			,,		
Direction fro	m well?			, ,			•		How many		•					
FROM	ТО	CODE		LITHOL	OGIC LO	3		FROM	то		PLU	IGGING II	NTERVAL	.S		
0	0.5		Asphalt													
0.5	15		Fat Clay													
15	18.5		Lean Clay													
15.8	20	CL	Sandy Lea	an Cla	ay											
									 							
		 					_									
		1			-								· · · · · · · · · · · · · · · · · · ·			
						***			 					. :		
															÷	
7 CONTRA	ACTOR'S OR	LANDOW	NER'S CERT	FICATI	ON: This	water well	was (1)	construc	ted, (2) rece	onstructed	, or (3) plu	igged und	er my juris	sdiction an	d was	
	on (mo/day/yr)			8-3					is record is	/)				//		
	Contractor's L	·			531				ater Well R							
	usiness name		Geotec	nnica		es. Inc			nature)		Lie		4		· · · · · · · · · · · · · · · · · · ·	
INSTR	UCTIONS: PI	ease fill in b	lanks and circle	the corr	ect answers	s. Send thre	ee copies	s to Kans	as Departme	nt of Health	and Envi	ronment, B	ureau of W	ater, 1000	SW	
Jackso	n St., Ste. 420,	Topeka, Ka	ansas 66612-13	67. Tele	ephone: 91	3-296-5545	5. Send	one to W	ATER WELL	OWNER a	nd retain o	ne for your	records.			