WATER WELL RECORD			Form W	WC-5	D	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:		Fraction			Section Number Towns		Range Number		
County: Sedgwick		1/4 1/4 1/4 SW 1/4		4	3	T 29 S	R3 □E 🗹 W		
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:									
from nearest town or intersection: If at owner's address, check here 🗹. Latitude:									
						Longitude: (in decimal degrees)			
	,						Elevation:		
2 WATER WELLOWNER						Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Bryan Grizzell						Collection Method:			
RR#, Street Address, Box #: 7800 S. 263rd City; State, ZIP Code : Viola KS 67149						☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code Viola, KS 67149.						Est. Accuracy: 3 m , 3 sm , 5 sm , 3 sm			
3 LOCATE WELL									
WITH AN "X" IN 4 DEPTH-OF COMPLETED WELL 50 ft.									
	SECTION BOX: Depth(s) Groundwater Encountered (1).11 ft. (2)								
	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr								
Pump test data: Well water wasft. after hours pumping gpm									
EST. YIELD. 20tgpm. Well water was									
W E Bore Hole Diameter									
WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well									
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
☐ Irrigation ☐ Industrial ♣ Domestic-lawn & garden ☐ Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes No									
S If yes, mo/day/yr sample was submitted									
5 TYPE OF CASING USED: Steel PVC Other									
CASING IOINTS Glued Clamped Clamped Threaded									
Casing diameter .5									
Casing height above land surface. 12 in., Weight 2.5 lbs./ft., Wall thickness or gauge No. SDR26									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel PVC Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None uséd (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From 30 ft. to50 ft., From ft. to ft. From ft. to ft. ft.									
GRAVEL PACK INTERVALS: From 20 ft. to .50 ft., From ft. to ft.									
From ft. to ft. From ft. to ft.									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other Grout Intervals: From .3									
What is the nearest source of possible contamination:									
Septic tank									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well									
ΙĪ	Watertig	ht sewer lines 🔲 Seepage p		Fertilizer:	storage	Oil well/ga			
		n well North		Distance					
FROM		LITHOLOG	IC LOG	FROM	TO	LITHO. LO	OG (cont.) or PLU	GGING INTERVALS	
0	5	Topsoil	•						
5	15	Sand							
15	20	Hard Clay		[•		
20	30	Sand							
30	50	Shale	, ,						
		•				L			
	T					4			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .96/05/20.15 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed in (moday/year), 06/08/2015									
under the business name of Premier Pump & Well Service, Inc. by (signature) 1 A 1 October 1 October 1 October 1 October 2 Octo									
INSTRUC	CTIONS:	Use typewriter or ball point pen.	PLEASE PRESS FIRMLY	and PRINT c	learly. Ple	ase fill in blanks	and check the correct	answers. Send one copy to	
	Kansas De	partment of Health and Environn	ent, Bureau of Water, Geol	logy Section, 1	. WZ 000	Jackson St., Suite	: 420, Topeka, Kansas	66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									