

County: Gray Fraction: SW, SE, NE Sec. 25 T. 29 S. R. 30 W

CORRECTION(S) to WATER WELL COMPLETION RECORD Form WWC-5 (to rectify lacking or incorrect information)

Owner: Aaron Fisher

If location corrected, was listed as:

Location changed to:

Section-Township-Range:

not provided

Fraction (1/4 calls):

SW, SE, NE

Other changes: Initial statements: Nearest source of possible contamination: not provided

Changed to: Open field - future site of house. No potential source of contamination within 200 feet.

Comments: Well ~ 600' E of drive & 30' S of remnant rock fence. Lat 37.497704, Long -100.546044 deg

Verification method: Contacted well owner for location & nearest source of pot. contamination info.

Verified location description on Google Earth (WGS 84) & KS STR Finder.

Initials: PKC Date: 2/5/2019

Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3724

Kansas Dept. of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367

(rev 01/26/2018)

WATER WELL RECORD

Form WWC-5

 Original Record Correction Change in Well UseDivision of Water
Resources App. No.

Well ID

1 LOCATION OF WATER WELL:		Fraction 1/4 1/4 1/4 1/4	Section Number NE 25	Township Number T 29 S	Range Number R 30 E 10W
2 WELL OWNER: Last Name: <i>FISHER</i> First: <i>Amor</i> Business: <i>6706 55 RD</i> Address: <i>COPELAND, KANS 67837</i> Address: <i>COPELAND, KANS 67837</i> City: <i>COPELAND, KANS 67837</i>		Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here: <input type="checkbox"/>			
3 LOCATE WELL WITH "X" IN SECTION BOX: 		4 DEPTH OF COMPLETED WELL: <i>310</i> ft. Depth(s) Groundwater Encountered: 1) <i>245</i> ft. 2) <i>245</i> ft. 3) <i>245</i> ft. or 4) <input checked="" type="checkbox"/> Dry Well WELL'S STATIC WATER LEVEL: <i>245</i> ft. <input type="checkbox"/> below land surface, measured on (mo-day-yr) <i>12-31-18</i> <input type="checkbox"/> above land surface, measured on (mo-day-yr) <i>12-31-18</i> Pump test data: Well water was ft. after hours pumping gpm Well water was ft. after hours pumping gpm Estimated Yield: gpm Bore Hole Diameter: <i>12</i> in. to ft. and in. to ft.			
		5 Latitude: (decimal degrees) Longitude: (decimal degrees) Horizontal Datum: <input type="checkbox"/> WGS 84 <input type="checkbox"/> NAD 83 <input type="checkbox"/> NAD 27 Source for Latitude/Longitude: <input type="checkbox"/> GPS (unit make/model: (WAAS enabled? <input type="checkbox"/> Yes <input type="checkbox"/> No) <input type="checkbox"/> Land Survey <input type="checkbox"/> Topographic Map <input type="checkbox"/> Online Mapper:			
		6 Elevation: ft. <input type="checkbox"/> Ground Level <input type="checkbox"/> TOC Source: <input type="checkbox"/> Land Survey <input type="checkbox"/> GPS <input type="checkbox"/> Topographic Map <input type="checkbox"/> Other			
7 WELL WATER TO BE USED AS: 1. Domestic: <input checked="" type="checkbox"/> Household <input type="checkbox"/> Lawn & Garden <input type="checkbox"/> Livestock 2. <input type="checkbox"/> Irrigation 3. <input type="checkbox"/> Feedlot 4. <input type="checkbox"/> Industrial 5. <input type="checkbox"/> Public Water Supply: well ID 6. <input type="checkbox"/> Dewatering: how many wells? 7. <input type="checkbox"/> Aquifer Recharge: well ID 8. <input type="checkbox"/> Monitoring: well ID 9. <input type="checkbox"/> Environmental Remediation: well ID 10. <input type="checkbox"/> Air Sparge <input type="checkbox"/> Soil Vapor Extraction 11. <input type="checkbox"/> Recovery <input type="checkbox"/> Injection 12. <input type="checkbox"/> Oil Field Water Supply: lease 13. <input type="checkbox"/> Test Hole: well ID <input type="checkbox"/> Cased <input type="checkbox"/> Uncased <input type="checkbox"/> Geotechnical 14. <input type="checkbox"/> Geothermal: how many bores? a) Closed Loop <input type="checkbox"/> Horizontal <input type="checkbox"/> Vertical b) Open Loop <input type="checkbox"/> Surface Discharge <input type="checkbox"/> Inj. of Water 15. <input type="checkbox"/> Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, date sample was submitted: Water well disinfected? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					
8 TYPE OF CASING USED: <input type="checkbox"/> Steel <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Other Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No. <i>57.1-21</i>		CASING JOINTS: <input type="checkbox"/> Glued <input type="checkbox"/> Clamped <input type="checkbox"/> Welded <input type="checkbox"/> Threaded <input type="checkbox"/> Cased <input type="checkbox"/> Uncased <input type="checkbox"/> Geotechnical			
TYPE OF SCREEN OR PERFORATION MATERIAL: <input type="checkbox"/> Steel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Fiberglass <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Other (Specify) <input type="checkbox"/> Brass <input type="checkbox"/> Galvanized Steel <input type="checkbox"/> Concrete tile <input type="checkbox"/> None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE: <input type="checkbox"/> Continuous Slot <input type="checkbox"/> Mill Slot <input type="checkbox"/> Gauze Wrapped <input type="checkbox"/> Torch Cut <input type="checkbox"/> Drilled Holes <input type="checkbox"/> Other (Specify) <input type="checkbox"/> Louvered Shutter <input type="checkbox"/> Key Punched <input type="checkbox"/> Wire Wrapped <input checked="" type="checkbox"/> Saw Cut <input type="checkbox"/> None (Open Hole)					
SCREEN-PERFORATED INTERVALS: From <i>240</i> ft. to <i>310</i> ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From <i>240</i> ft. to <i>310</i> ft., From ft. to ft., From ft. to ft.					
9 GROUT MATERIAL: <input type="checkbox"/> Neat cement <input type="checkbox"/> Cement grout <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Other Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.					
Nearest source of possible contamination: <input type="checkbox"/> Septic Tank <input type="checkbox"/> Lateral Lines <input type="checkbox"/> Pit Privy <input type="checkbox"/> Livestock Pens <input type="checkbox"/> Insecticide Storage <input type="checkbox"/> Sewer Lines <input type="checkbox"/> Cess Pool <input type="checkbox"/> Sewage Lagoon <input type="checkbox"/> Fuel Storage <input type="checkbox"/> Abandoned Water Well <input type="checkbox"/> Watertight Sewer Lines <input type="checkbox"/> Seepage Pit <input type="checkbox"/> Feedyard <input type="checkbox"/> Fertilizer Storage <input type="checkbox"/> Oil Well/Gas Well <input type="checkbox"/> Other (Specify)					
Direction from well? Distance from well? ft.					
10 FROM TO LITHOLOGIC LOG		FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS			
<i>SEE OTHER SHEET</i>					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="checkbox"/> constructed, <input type="checkbox"/> reconstructed, or <input type="checkbox"/> plugged under my jurisdiction and was completed on (mo-day-year) <i>12-30-18</i> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <i>1234567890</i> This Water Well Record was completed on (mo-day-year) <i>12-30-18</i> under the business name of <i>John Doe</i> Signature <i>John Doe</i>					

Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St. Suite 420 Topeka, Kansas 66612-1367 Mail one to Water Well Owner and retain one for your records Telephone 785-296-5524

0-10 Topsoil and clay
10-35 Clay and Gyp
35-169 Very fine sand, little clay
169-182 Med Sand and Small Gravel
182-194 Very fine sand and clay
194-210 Fine sand
210-225 Sand
225-238 Very fine sand
238-251 Fine sand
251-264 Fine sand and some gravel
264-279 Fine sand
279-300 Very fine sand
300-310 Fine sand and clay

Gray Co

OWNER: Fischer, Adron

SW SE NE

25-29-30 1/4