KOLAR Document ID: 1453706

WATERV			WWC-5				sion of Wate				W 11 ID	
Original R			e in Well Use				irces App. N		Т1.1.		Well ID	NII
1 LOCATION OF WATER WELL:			Fraction 1/4 1/4	1/4	1/4				Township T	Numbei S	R Ran	ge Number □ E □ W
County:	WNFD. I.	N		74		· D1180	1 Addrage	who				
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:												
Address:												
Address:												
City:		State:	ZIP:				1					
3 LOCATE V		4 DEPTH OF COM	IPLETED WE	LL:		ft.	5 Latitu	nde:				(decimal degrees)
WITH "X" SECTION		Depth(s) Groundwater I										
SECTION N	DUA:	2) ft. 3	3) ft., o	r 4)[☐ Dry We	:11	Longitude:					
		WELL'S STATIC WAT				Source for Latitude/Longitude:						
	1	below land surface,										
NW	- NE	above land surface,				(11 11 11 11 11 11 11 11 11 11 11 11 11				(o)		
			vater was ft. s pumping gpm			☐ Land Survey ☐ Topographic Map						
W	E		vater was ft.				☐ Online Mapper:					
SW	- SE		s pumping gpm									
		Estimated Yield:										Level TOC
S		Bore Hole Diameter:	in. to		ft. and		Source: Land Survey GPS Topographic Map					
1 mile			in. to		ft.			Ш	Other			
7 WELL WA	ATER TO	BE USED AS:										
1. Domestic:			ter Supply: well									
Househol			g: how many we									
Lawn & C			echarge: well ID									
☐ Livestock 2. ☐ Irrigation			g: well ID al Remediation: v						al: how man			
3. ☐ Feedlot	Į.	9. Environmenta					a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water					
4. ☐ Industrial	1	☐ Recovery						(specify):				
		iological sample subm			Vac 🗆	Nio						
		□ Yes □ No	nited to KDIIE	·: Ш	ies 🗀	INO	11 yes, date	c san	ipie was su	ommueu.	• • • • • • • • • • • • • • • • • • • •	•••••
		USED: Steel PV	C D Other		С	A CINI	C IOINTS	· 🗆	Glued \square C	lampad	□ Wolder	I D Throaded
		in. to ft.,										1 🔲 Illieaded
		urface in										
		PERFORATION MAT				., 201	,, 411 (11101		or gauge 110			
☐ Steel		less Steel	 □ P	VC			☐ Oth	her (S	pecify)			
☐ Brass	☐ Galva	anized Steel		lone i	ised (open	hole)		,	1 3/			
SCREEN OR	PERFORA	ATION OPENINGS AI	RE:									
☐ Continuo									Other (Speci	fy)		
		☐ Key Punched ☐ W					one (Open H					_
		ED INTERVALS: From									ft. to	
		CK INTERVALS: From										
		L: Neat cement										
Grout Intervals: From												
Septic Tai		Lateral Line			itammatio		iiii 200 it. Livestock Pe	ne	П	Insecticio	de Storage	
Sewer Lin		☐ Cess Pool	Sewa		igoon		Fuel Storage				ed Water V	
☐ Watertigh		-			igoon		Fertilizer Sto				Gas Well	***CII
		1 - 0				_			_			
Direction from		• • • • • • • • • • • • • • • • • • • •	Distance fr		ell?							
10 FROM	TO	LITHOLOG	GIC LOG		FRO	M	TO	LIT	HO. LOG (co	ont.) or F	LUGGIN	G INTERVALS
					1							
	Notes:											
11 CONTRACTORS OF LANDOWNEDS CERTIFICATION. This was all to the second of the second o												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo_day_year) and this record is true to the best of my knowledge and belief												
Kansas Water	under my jurisdiction and was completed on (mo-day-year)											
under the business name of												
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.												
	nt of Health ar	nd Environment, Bureau of W									Telephone	
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	JOHN DUNHAM
Doc ID	1453706

Litholgy

From	То	LithologicLog
0	2	TOPSOIL
2	11	SANDY CLAY
11	51	SANDY CLAY
51	67	SANDY CLAY, F. GRAVEL & SAND
67	92	SANDY CLAY
92	102	SANDY CLAY, F. GRAVEL & MED SAND
102	124	F. GRAVEL, MED SAND
124	180	F/M GRAVEL, MED SAND, TR. C SAND
180	210	F/M GRAVEL & MED SAND
210	236	F/M/C SAND
236	245	SANDY CLAY, F/M SAND, & GRAVEL
245	260	CLAY
260	277	CLAY, F. GRAVEL, SAND
277	283	F/M SAND & GRAVEL
283	306	F/M SAND, GRAVEL, SC LAYER
306	322	F/M SAND, GRAVEL, SC STRINGERS
322	358	F/M SAND & GRAVEL
358	359	CEM. SAND LAYER
359	369	SILT & SANDY CLAY LAYER
369	383	F/M SAND & C. GRAVEL

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	JOHN DUNHAM
Doc ID	1453706

Litholgy

From	То	LithologicLog
383	391	F/M GRAVEL, SAND & TR SS
391	399	F/M GRAVEL, SAND, C GRAVEL
399	405	SILT
405	424	F/M SAND
424	435	SANDY CLAY
435	447	SANDY CLAY, SILT
447	452	BR. ROCK, WEATHERED SHALE
452	453	SOAPSTONE
453	457	WEATHERED SHALE, TR ROCK