

CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

County: Haskell

Location listed as:

Section-Township-Range: 17-285-31W

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): NW NE NW

Location changed to:

17-295-31W

NW NE NW

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

verification method: written & legal descriptions, county ownership map,
position on plat map, location given on attached lithologic log,
and location of associated water right. initials: ERL date: 2/4/2010

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

DRILLERS TEST LOG

CUSTOMERS NAME Sublette Feeders - East Test DATE 12-5-84
 STREET ADDRESS _____ TEST # 1 E. LOG yes
 CITY & STATE Sublette, KS 67877 DRILLER Livingston
 COUNTY Haskell QUARTER NW SECTION 17 TOWNSHIP 29 RANGE 31

LOCATION East well in battery of two wells

East Well Location

#	Footage			DESCRIPTION OF STRATA	Static Water Level
	From	Pay	To		Proposed Well Depth
	0		5	Fill dirt clay	
	5		60	Brown sandy clay caliche and few fine sand streaks	
	60		70	Sand fine to medium, small to medium gravel	
	70		100	Brown sandy clay	
	100		166	Sand fine to medium, coarse, small to medium, gravel and few clay stks	
	166		174	Brown clay and few rock ledges	
55	174	16	236	Sand fine to medium, coarse, small to medium, gravel, cemented	
				in places and clay streaks	
	236		245	Brown clay and fine sand streaks	
50	245	15	260	Sand fine to medium, coarse, small gravel and very few clay streaks	
60	260	10	270	Sand fine to medium, coarse, small gravel	
	270		274	Brown clay	
55	274	10	284	Sand fine to medium, coarse, small gravel	
	284		296	Brown sandy clay	
65	296	47	343	Sand fine to medium, coarse, small gravel and few medium gravel	
	343		353	Brown sandy clay	
50	353	14	367	Sand fine to medium, coarse, small gravel	
	367		382	Brown sandy clay	
45	382	04	386	Sand fine to medium, coarse	
	386		400	Brown sandy clay	
15	400	10	410	Limerock and clay	
	410		420	Brown clay	
20	420	27	447	Brown sandy clay, fine sand and limerock	
	447		467	Soapstone brown rock	
	467		468	Brown rock and limestone	
	468		476	Soapstone	
	476		567	Weathered shale	
30	567	33	600	Dakota and few shale streaks	
15	600	12	612	Shale and dakota streaks	
	612		620	Shale	
	620		627	Dakota and soapstone	
	627		635	Limestone	
	635		640	Red Bed	
		198'			Total Depth of well 613'
				Set up west	
				Pit on the north	
				will move well approx. 4 ft. south of	
				test hole	