

CORRECTION(S) TO WATER WELL RECORD (WWC-5)
(to rectify lacking or incorrect information)

County: Haskell

Location listed as:

Section-Township-Range: 17-285-31W

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): NW NE NW

Location changed to:

17-295-31W

NW NE NW

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

verification method: Written & legal descriptions, county ownership map,
position on plat map, location given on attached lithologic log, and
location of associated water right. initials: DRF date: 2/4/2010

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Haskell		NW 1/4 NE 1/4 NW 1/4		17		T 28 S		R 31 EW	
Distance and direction from nearest town or city street address of well if located within city?									
From Copeland - Approximately 1/2 mile south and 6 miles west									
2 WATER WELL OWNER: Sublette Feeders					One well in battery of two wells				
RR#, St. Address, Box # : P. O. Box 917					Board of Agriculture, Division of Water Resources				
City, State, ZIP Code : Sublette, KS 67877					Application Number: 37,438				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL: 463 ft. ELEVATION:						
<div><div>1 Mile</div><div><div>W</div><div><div><div><div>X</div><div></div><div></div><div></div></div><div><div>NW</div><div>NE</div></div><div><div></div><div></div><div></div><div></div></div><div><div>SW</div><div>SE</div></div><div><div></div><div></div><div></div><div></div></div></div><div>S</div><div>E</div></div></div></div>			Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL . . . 220 . . . ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield . . 150 . . gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter . . 17 1/2 . . in. to . . . 463 . . . ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was sub- mitted Water Well Disinfected? Yes X No						
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded X 7 Fiberglass Threaded									
Blank casing diameter . . 8 5/8 . . in. to . . 463 . . ft., Dia in. to ft., Dia in. to ft. Casing height above land surface . . . 12 . . in., weight . . . 22.36 . . lbs./ft. Wall thickness or gauge No. . . 250 . . W									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From . . 287-357 . . ft. to . . 365-395 . . ft., From . . 412-422 . . ft. to . . 431-461 . . ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From . . 20 . . ft. to . . 463 . . ft., From ft. to ft. From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From . . 10 . . ft. to . . 20 . . ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? South How many feet? 100'									
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG									
See Attached Log									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) . . December 20, 1984 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. . . . 145 This Water Well Record was completed on (mo/day/yr) December 27, 1984 under the business name of Henkle Drilling & Supply Co., Inc. by (signature) Bruce J. Reichmuth									
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.									

DRILLERS' TEST LOG

CUSTOMERS NAME	Sublette Feeders	West Test	DATE	December 6, 1984
STREET ADDRESS			TEST #	2 E. LOG yes
CITY & STATE	Sublette, KS	67877	DRILLER	Livingston
COUNTY	Haskell	QUARTER NW	SECTION 17	TOWNSHIP 29 RANGE 31

LOCATION 260' west of well #1 West well in battery of two wells

[illegible]

GARDEN CITY, KS
Phone 277-2389

HENKLE DRILLING & SUPPLY CO., INC
IRRIGATION HEADQUARTERS

SUBLETTE, KS
Phone 675-0221.